

FISHING BRANDS









Billy Baits™ No:Alibi





Agua-Clear

No Alibi 1926 No•Alibi Triple Fish 1961 Triple Jufish

C&H Lures 1976 **C&H LURE**S

1978 AQUA-CLEAR®

1979

ΔFW

HI-SEAS 1982

HI-SEAS

Billy Baits 1993

Billy BaitsTM

Trusted for over 95 Years...

Acclaimed Brands Pioneering Past

Made in USA

AFW Fishing Brands is a legendary line-up of innovative line, leader, terminal tackle, tools, accessories, and lures for saltwater and freshwater fishing. Each brand - American Fishing Wire, HI-SEAS, Triple Fish, C&H Lures, Billy Baits, No Alibi, and Aqua-Clear - has a rich history of product developments and industry breakthroughs dating back to 1926. Although each brand stands alone, they are united by one common principle, helping anglers everywhere United Future enjoy fishing with family and friends and catching more fish!

> AFW line and leader products are still proudly made in the USA at our wire and cable factory in Pennsylvania. We also injection-mold most of our plastic spools in-house as well as respool and package HI-SEAS and Triple Fish monofilament and fluorocarbon lines and leaders in the USA. In addition, some of our most popular selling C&H Lures and Billy Baits lures continue to be made in USA.

Uncompromising Quality

For over 95 years, AFW Fishing Brands have been providing freshwater and saltwater anglers with the finest quality line, leader, lures, and rigging products. You can rely on AFW Fishing Brands for tight lines and championship results just like the Pros!





TABLE OF CONTENTS

Monofilament Line

Grand Slam Bluewater....4-5 Grand Slam Mono6-7 Quattro Plus 8 Black Widow I.G.F.A. 9 Triple Fish 10-11

Fluorocarbon Line

100% Fluorocarbon 12 Grand Slam Fluoro Coated . . 13

Monofilament Leader

Grand Slam 14

Fluorocarbon Leader

Grand Slam Bluewater.....20 100% Fluorocarbon21 Quattro 100% Fluoro22

Braid

Grand Slam Braid.....23 AFW Downrigger Braid 23

Single-Strand Leader Wire

Titanium Tooth Proof 24-25

Multi-Strand Leader Wire

Titanium Surfstrand .	28-29
Surflon Micro Suprei	
Surnon Micro Suprei	ine
Surflon Micro Ultra .	31
Surflon	32-33
Bleeding Leaders	34-35
Surfstrand	36
Surfstrand Micro Sup	oreme37
Surfstrand Micro Ulti	ra
Surfstrand Downrigg	er
49-Strand	
Trolling Wire	40-41

C&H

Lures

Rigged & Ready Kits. . 124-125

Wahoo Whacker XL 137

Tuna Tango XL Feather . . . 140 Wahoo Whacker Feather ...141

 Wando Windxer Pediner
 142

 Rattle Jet XL R&R
 143

 Lil' Stubby
 144-145

 Lil' Stubby Chugger
 145

 Stubby Bubbler
 146

 Lil' Bubbler
 147

Pearl Baby149 Express Deep Runner . 150-151

Terminal Tackle

eader Sleeves 42-44
Crimp Protectors
Brass Sleeve Swivels
Crane Swivels 46-47
Swivels
Snap Swivels 50-54
Dredge Swivels
3-Way Swivels
Combo Crane Swivels56
Split Rings
Sinker Slides
Snaps 58-60

Billy Baits

Lures

Rigs & Rigging Accessories

Tackle Boxes	51
Rigging Kits 62-6	3
Sand Eels	4
Rigging Beads	5
Luminous Glow Beads6	5
Thimbles	6
Loop Protectors6	7
Rigging Accessories6	8

Tools & Accessories

Gaffs
Needles
Rigging Floss
Accessories73 Crimping Pliers74-75
Cutting Pliers
Pliers
Gloves
Trolling Weights
Bucket Harness81

Bags & Rigs

Fish Bags	
Rig Bags	
Chum Bags	
Lure Bags 84-85	
Mity Lite	
Shark Rigs & Accessories 87	
AFW Rigs 88-92	

Aqua-Clear Rigs

Aqua-Clear Rigs93-121 Aqua-Clear Components 122-123

Turbo Slammer. 156-157 Mister Big Ultimate ... 158-159 Mister Big Vinyl ... 160-161 Mister Big Mylar ... 162-163 Smoke Rattle & Troll 164 Smoke Rattle & Troll Feather 165

SeaWitch Lures

Lures

No Alibi

Dolphin Delight 177 Trolling Feather 178-179

CONTACT US

AFW Fishing Brands 440 Highlands Blvd. Coatesville, PA 19320-5808 USA

Toll Free: 1-800-824-WIRE (9473) Int'l Phone: 1-610-466-6100 Fax: 1-610-384-7260 www.afwfishing.com sales@afwfishing.com



BIG FISH

TOUGH

GRAND SLAM® BLUEWATER MONOFILAMENT LINE

www.afwfishing.com 451 1-800-824-9473

Grand Slam Bluewater is an extra strong, premium saltwater monofilament engineered to break the will of pelagic giants. Scientifically engineered from a combination of advanced multi-polymer and copolymer, Bluewater is brutally strong - with actual breaking strengths up to 200% of the published ratings. The unique multi-polymer/ copolymer blend is not only stronger than conventional mono, it also provides superior abrasion resistance, higher knot strength, and it is softer and more supple. Grand Slam Bluewater stands alone among other saltwater lines, and exemplifies our slogan "When the Money's on the Line".

- EXTRA STRONG, LOW STRETCH
- UP TO 200% OF THE PUBLISHED LB BREAK
- HIGH KNOT STRENGTH
- SUPERIOR ABRASION RESISTANCE

widows The Art in the Martin Bart



Grand	Slam	Bluewater	Line

111		1.
11	122. A A A	14
25%		11



GILLZ

Test	Test	Diameter	Diameter	Length	Length	Spool	Part #	Part #	Part #
lb	kg	Inch	mm	Yards	Meters	Size	Ocean Blue	Fluorescent Yellow	Orange Flame
20	9.1	.015	0.40	3000	2743	Spool	GSW-S3000-200B	GSW-S3000-20FY	GSW-S3000-200F
30	13.6	.020	0.50	3000	2743	Spool	GSW-S3000-300B	GSW-S3000-30FY	GSW-S3000-300F
40	18.1	.024	0.60	3000	2743	Spool	GSW-S3000-400B	GSW-S3000-40FY	GSW-S3000-400F
50	22.6	.028	0.70	3000	2743	Spool	GSW-S3000-50OB	GSW-S3000-50FY	GSW-S3000-500F
60	27.2	.031	0.80	3000	2743	Spool	GSW-S3000-600B	GSW-S3000-60FY	GSW-S3000-600F
80	36.2	.035	0.90	3000	2743	Spool	GSW-S3000-800B	GSW-S3000-80FY	GSW-S3000-800F
100	45.3	.039	1.00	2675	2446	5 lb Spool	GSW-5-1000B	GSW-5-100FY	GSW-5-1000F
130	58.9	.047	1.20	1850	1692	5 lb Spool	GSW-5-1300B	GSW-5-130FY	GSW-5-1300F



THE **U**M iii

3,000 yd Spool

67

3,000 yard & 5 lb spools are individually boxed





GRAND SLAM® MONOFILAMENT LINE

From ultra-light to big game, Grand Slam is up to the challenge! Its formulation provides high impact strength, excellent abrasion resistance and superior knot strength. It's equally at home on conventional and spinning tackle. Every yard is computer checked for consistent diameter and breaking strength to provide you with an unequaled level of performance - performance you can rely on. That's why we say with confidence -Grand Slam is BIG FISH TOUGH!

- IDEAL SENSITIVITY & CONTROL
- HIGH KNOT STRENGTH
- ABRASION RESISTANCE
- SMOOTH CASTING

- Team Two Conchs





Ser. E. M. oga

Grand Slam Monofilament

	Jun 1	Monofilam	ent					CH PHALISH)			a harring
Test Ib	Test kg	Diameter Inch	Diameter mm	Length Yards	Length Meters	Spool Size	Clear Part #	Green Part #	Pink Part #	Fluorescent Yellow Part #	Smoke Blue Part #
6	2.7	.010	0.25	2,000	1,829	1/4 lb	GSM-Q-06CL	GSM-Q-06GR	GSM-Q-06PK	GSM-Q-06FY	GSM-Q-06SB
8	3.6	.010	0.27	1,830	1,673	1/4 lb	GSM-Q-08CL	GSM-Q-08GR	GSM-Q-08PK	GSM-Q-08FY	GSM-Q-08SB
10	4.5	.012	0.30	1,480	1,353	1/4 lb	GSM-Q-10CL	GSM-Q-10GR	GSM-Q-10PK	GSM-Q-10FY	GSM-Q-10SB
12	5.4	.014	0.35	1,090	997	1/4 lb	GSM-Q-12CL	GSM-Q-12GR	GSM-Q-12PK	GSM-Q-12FY	GSM-Q-12SB
15	6.8	.016	0.40	860	786	1/4 lb	GSM-Q-15CL	GSM-Q-15GR	GSM-Q-15PK	GSM-Q-15FY	GSM-Q-15SB
20	9.0	.018	0.45	660	604	1/4 lb	GSM-Q-20CL	GSM-Q-20GR	GSM-Q-20PK	GSM-Q-20FY	GSM-Q-20SB
25	11.3	.020	0.50	535	489	1/4 lb	GSM-Q-25CL	GSM-Q-25GR	GSM-Q-25PK	GSM-Q-25FY	GSM-Q-25SB
30	13.6	.022	0.55	440	402	1/4 lb	GSM-Q-30CL	GSM-Q-30GR	GSM-Q-30PK	GSM-Q-30FY	GSM-Q-30SB
40	18.1	.024	0.60	370	338	1/4 lb	GSM-Q-40CL	GSM-Q-40GR	GSM-Q-40PK	GSM-Q-40FY	GSM-Q-40SB
50	22.6	.028	0.70	265	242	1/4 lb	GSM-Q-50CL	GSM-Q-50GR	GSM-Q-50PK	GSM-Q-50FY	GSM-Q-50SB
60	27.2	.031	0.80	210	192	1/4 lb	GSM-Q-60CL	GSM-Q-60GR	GSM-Q-60PK	GSM-Q-60FY	GSM-Q-60SB
80	36.2	.035	0.90	165	151	1/4 lb	GSM-Q-80CL	-	GSM-Q-80PK	-	
100	45.3	.039	1.00	133	122	1/4 lb	GSM-Q-100CL	-	GSM-Q-100PK		-
6	2.7	.010	0.25	8,000	7,315	1 lb	GSM-1-06CL	GSM-1-06GR		-	
8	3.6	.011	0.27	7,320	6,693	1 lb	GSM-1-08CL	GSM-1-08GR		-	-
10	4.5	.012	0.30	5,920	4,413	1 lb	GSM-1-10CL	GSM-1-10GR	-	-	-
12	5.4	.014	0.35	4,360	3,987	1 lb	GSM-1-12CL	GSM-1-12GR	-	-	-
15	6.8	.016	0.40	3,440	3,146	1 lb	GSM-1-15CL	GSM-1-15GR	GSM-1-15PK	GSM-1-15FY	GSM-1-15SB
20	9.0	.018	0.45	2,640	2,414	1 lb	GSM-1-20CL	GSM-1-20GR	GSM-1-20PK	GSM-1-20FY	GSM-1-20SB
25	11.3	.020	0.50	2,140	1,957	1 lb	GSM-1-25CL	GSM-1-25GR	GSM-1-25PK	GSM-1-25FY	GSM-1-25SB
30	13.6	.022	0.55	1,760	1,609	1 lb	GSM-1-30CL	GSM-1-30GR	GSM-1-30PK	GSM-1-30FY	GSM-1-30SB
40	18.1	.024	0.60	1,480	1,353	1 lb	GSM-1-40CL	GSM-1-40GR	GSM-1-40PK	GSM-1-40FY	GSM-1-40SB
50	22.6	.028	0.70	1,060	969	1 lb	GSM-1-50CL	GSM-1-50GR	GSM-1-50PK	GSM-1-50FY	GSM-1-50SB
60	27.2	.031	0.80	840	768	1 lb	GSM-1-60CL	GSM-1-60GR	GSM-1-60PK	GSM-1-60FY	GSM-1-60SB
80	36.2	.035	0.90	660	604	1 lb	GSM-1-80CL	GSM-1-80GR	GSM-1-80PK	GSM-1-80FY	GSM-1-80SB
100	45.3	.039	1.00	535	489	1 lb	GSM-1-100CL	-	GSM-1-100PK	GSM-1-100FY	GSM-1-100SB
130	58.9	.047	1.20	370	338	1 lb	GSM-1-130CL	-	-	GSM-1-130FY	-
150	68.0	.051	1.30	315	288	1 lb	GSM-1-150CL			-	-
200	90.7	.059	1.50	245	224	1 lb	GSM-1-200CL	-	-	-	-
250	113.3	.071	1.80	170	154	1 lb	GSM-1-250CL	-	-	-	-
300	136.0	.075	1.90	150	137	1 lb	GSM-1-300CL	-		•	
8	3.6	.011	0.27	14,640	13,387	2 lb	GSM-2-08CL	-		-	-
10	4.5	.012	0.30	11,840	10,826	2 lb	GSM-2-10CL	-		-	-
12	5.4	.014	0.35	8,720	7,974	2 lb	GSM-2-12CL	-		-	-
15	6.8	.016	0.40	6,880	6,291	2 lb	GSM-2-15CL	-	-	-	•
20	9.0	.018	0.45	5,280	4,828	2 lb	GSM-2-20CL	-	GSM-2-20PK	GSM-2-20FY	GSM-2-20SB
25	11.3	.020	0.50	4,280	3,914	2 lb	GSM-2-25CL	-	-	GSM-2-25FY	GSM-2-25SB
30	13.6	.022	0.55	3,520	3,219	2 lb	GSM-2-30CL	GSM-2-30GR	GSM-2-30PK	GSM-2-30FY	GSM-2-30SB
40	18.1	.024	0.60	2,960	2,707	2 lb	GSM-2-40CL	GSM-2-40GR	GSM-2-40PK	GSM-2-40FY	GSM-2-40SB
50	22.6	.028	0.70	2,120	1,939	2 lb	GSM-2-50CL	GSM-2-50GR	GSM-2-50PK	GSM-2-50FY	GSM-2-50SB
60	27.2	.031	0.80	1,680	1,536	2 lb	GSM-2-60CL	GSM-2-60GR	GSM-2-60PK	GSM-2-60FY	GSM-2-60SB
80	36.2	.035	0.90	1,320	1,207	2 lb	GSM-2-80CL	GSM-2-80GR	GSM-2-80PK	GSM-2-80FY	GSM-2-80SB
100 130	45.3 58.9	.039	1.00	1,070 740	978 677	2 lb 2 lb	GSM-2-100CL GSM-2-130CL		GSM-2-100PK -	GSM-2-100FY GSM-2-130FY	GSM-2-100SB -
15	6.8	.016	0.40	17,200	15,730	5 lb	GSM-5-15CL	-	-	-	•
20	9.0	.018	0.45	13,200	12,070	5 lb	GSM-5-20CL	-		-	
25	11.3	.020	0.50	10,700	9,784	5 lb	GSM-5-25CL	-	-	-	
30	13.6	.022	0.55	8,800	8,047	5 lb	GSM-5-30CL	-	-	- 	-
40	18.1	.024	0.60	7,400	6,767	5 lb	GSM-5-40CL			GSM-5-40FY	
50	22.6	.028	0.70	5,300	4,846	5 lb	GSM-5-50CL	GSM-5-50GR	GSM-5-50PK	GSM-5-50FY	GSM-5-50SB
60	27.2	.031	0.80	4,200	3,840	5 lb	GSM-5-60CL	GSM-5-60GR	GSM-5-60PK	GSM-5-60FY	GSM-5-60SB
80	36.2	.035	0.90	3,300	3,018	5 lb	GSM-5-80CL	GSM-5-80GR	GSM-5-80PK	GSM-5-80FY	GSM-5-80SB
100	45.3	.039	1.00	2,675	2,446	5 lb	GSM-5-100CL	-	GSM-5-100PK -		GSM-5-100SB
130	58.9	.047	1.20	1,850	1,692	5 lb	GSM-5-130CL			GSM-5-130FY -	
150	68.0	.051	1.30	1,575	1,440	5 lb	GSM-5-150CL				
200	90.7 113.3	.059	1.50	1,225	1,120	5 lb	GSM-5-200CL	-		-	GSM-5-200SB -
	11.1.3	.071	1.80	850	777	5 lb	GSM-5-250CL	-			
250 300	136.0	.075	1.90	750	686	5 lb	GSM-5-300CL				GSM-5-300SB





- LOW-VIS 4-COLOR CAMO LINE
- SUPER STRONG
- VIRTUALLY ABRASION PROOF
- DISAPPEARS UNDERWATER



TACKLE SHOP TIP

When spooling down Quattro from a large spool onto reels, run the machine slower and under less tension than normal mono for best results. The unique 4-color processing can result in softer bulk spools.



Four scientifically selected colors, Black, Blue, Green, and Red are patterned in short lengths to break-up the visual impact of Quattro Plus® underwater, allowing it to blend into the background.



Test	Test	Diameter	Diameter	Length	Length	Spool	Part #
lb	kg	Inch	mm	Yards	Meters	Size	4-Color
8	3.6	.011	0.27	1,750	1,600	1/4 lb	GSQ-Q-08
10	4.5	.012	0.30	1,350	1,234	1/4 lb	GSQ-Q-10
12	5.4	.014	0.35	1,000	914	1/4 lb	GSQ-Q-12
15	6.8	.016	0.40	800	732	1/4 lb	GSQ-Q-15
20	9.0	.018	0.45	650	594	1/4 lb	GSQ-Q-20
25	11.3	.020	0.50	490	448	1/4 lb	GSQ-Q-25
30	13.6	.022	0.55	400	366	1/4 lb	GSQ-Q-30
40	18.1	.024	0.60	350	320	1/4 lb	GSQ-Q-40
50	22.6	.028	0.70	250	229	1/4 lb	GSQ-Q-50
60	27.2	.031	0.80	195	178	1/4 lb	GSQ-Q-60
8	3.6	.011	0.27	7,000	6,401	1 lb	GSQ-1-08
10	4.5	.012	0.30	5,400	4,938	1 lb	GSQ-1-10
12	5.4	.014	0.35	4,000	3,658	1 lb	GSQ-1-12
15	6.8	.016	0.40	3,200	2,926	1 lb	GSQ-1-15
20	9.0	.018	0.45	2,600	2,377	1 lb	GSQ-1-20
25	11.3	.020	0.50	1,960	1,792	1 lb	GSQ-1-25
30	13.6	.022	0.55	1,600	1,463	1 lb	GSQ-1-30
40	18.1	.024	0.60	1,400	1,280	1 lb	GSQ-1-40
50	22.6	.028	0.70	1,000	914	1 lb	GSQ-1-50
60	27.2	.031	0.80	780	713	1 lb	GSQ-1-60
80	36.2	.035	0.90	600	549	1 lb	GSQ-1-80
100	45.3	.039	1.00	480	439	1 lb	GSQ-1-100
130	58.9	.047	1.20	350	320	1 lb	GSQ-1-130
12	5.4	.014	0.35	8,000	7,315	2 lb	GSQ-2-12
15	6.8	.016	0.40	6,400	5,852	2 lb	GSQ-2-15
20	9.0	.018	0.45	5,200	4,755	2 lb	GSQ-2-20
25	11.3	.020	0.50	3,920	3,584	2 lb 2 lb	GSQ-2-25
30	13.6	.022	0.55	3,200	2,926	2 lb	GSQ-2-30
40	18.1	.022	0.60	2,800	2,560	2 lb	GSQ-2-40
50	22.6	.028	0.70	2,000	1,829	2 lb 2 lb	GSQ-2-50
60	27.2	.031	0.80	1,560	1,426	2 lb 2 lb	GSQ-2-60
80	36.2	.035	0.90	1,200	1,097	2 lb 2 lb	GSQ-2-80
100	45.3	.039	1.00	960	878	2 lb 2 lb	GSQ-2-100
130	58.9	.047	1.20	700	640	2 lb 2 lb	GSQ-2-130
20	9.0	.018	0.45	13,000	11,887	5 lb	GSQ-5-20
25	11.3	.020	0.50	9,800	8,961	5 lb	GSQ-5-25
30	13.6	.022	0.55	8,000	7,315	5 lb	GSQ-5-30
40	18.1	.024	0.60	7,000	6,401	5 lb	GSQ-5-40
50	22.6	.028	0.70	5,000	4,572	5 lb	GSQ-5-50
60	27.2	.031	0.80	3,900	3,566	5 lb	GSQ-5-60
80	36.2	.035	0.90	3,000	2,743	5 lb	GSQ-5-80
100	45.3	.039	1.00	2,400	2,195	5 lb	GSQ-5-100
130	58.9	.047	1.20	1,750	1,600	5 lb	GSQ-5-130
150	68.0	.051	1.30	1,525	1,394	5 lb	GSQ-5-150
200	90.7	.059	1.50	1,225	1,120	5 lb	GSQ-5-20
250	113.3	.071	1.80	850	777	5 lb	GSQ-5-25
300	136.0	.075	1.90	750	686	5 lb	GSQ-5-30
400	181.4	.079	2.00	675	617	5 lb	GSQ-5-40

QUATTRO® PLUS MONOFILAMENT LINE

Low-Vis 4-Color Camo

HI-SEAS popular Quattro Plus monofilament camouflage fishing line provides excellent performance while retaining all the qualities that anglers have come to love, especially its ability to disappear underwater! Quattro Plus does for fishing line what camouflage clothes do for a hunter - it breaks up visual patterns so it blends into the background. Its unique formulation gives it incredible linear and impact strength with excellent abrasion resistance. It's one line that won't give up on you during the hottest bite.



BLACK WIDOW® I.G.F.A. MONOFILAMENT LINE

100% Premium Copolymer

Black Widow monofilament has been a favorite with fresh and saltwater anglers since its introduction. It's a thin-diameter, premium copolymer monofilament that incorporates multi-color camouflaging technology, so fish don't see it. But that's only one of the reasons you'll love it. Black Widow is a supple line that lies beautifully on any reel and casts with near zero friction. It has low memory, so it won't coil up after sitting on the reel for extended periods, and it's a tough line that provides solid fish-fighting performance. For the record-conscious angler, it's I.G.F.A. True-Test rated. Whether you jig for smallmouths, troll for walleyes, plug stripers, or chunk tuna, Black Widow is a proven performer that won't let you down when the fishing heats up.



- 3 COLOR LOW-VIS LINE
- GREAT CASTING PERFORMANCE
- EXTRA THIN DIAMETER
- I.G.F.A. TRUE TEST RATED

- Jason Moore

Black Widow Monofilament

Test	Test	Diameter	Diameter	Length	Length	Spool	Part #
lb	kg	Inch	mm	Yards	Meters	Size	3-Color
12	6.0	.011	0.28	1,700	1,554	1/4 lb	BWT-Q-06
16	8.0	.013	0.33	1,225	1,120	1/4 lb	BWT-Q-08
20	10.0	.015	0.37	975	892	1/4 lb	BWT-Q-10
30	15.0	.019	0.49	600	560	1/4 lb	BWT-Q-15
50	24.0	.022	0.64	375	343	1/4 lb	BWT-Q-24
12	6.0	.011	0.28	6,800	6,218	1 lb	BWT-1-06
16	8.0	.013	0.33	4,900	4,481	1 lb	BWT-1-08
20	10.0	.015	0.37	3,900	3,566	1 lb	BWT-1-10
30	15.0	.019	0.49	2,400	2,195	1 lb	BWT-1-15
50	24.0	.025	0.64	1,500	1,372	1 lb	BWT-1-24
16	8.0	.013	0.33	9,800	8,961	2 lb	BWT-2-08
20	10.0	.015	0.37	7,800	7,132	2 lb	BWT-2-10
30	15.0	.019	0.49	4,800	4,389	2 lb	BWT-2-15
50	24.0	.025	0.64	3,000	2,743	2 lb	BWT-2-24
	Ib 12 16 20 30 50 12 16 20 30 50	lb kg 12 6.0 16 8.0 20 10.0 30 15.0 50 24.0 12 6.0 16 8.0 20 10.0 30 15.0 50 24.0 16 8.0 20 10.0 30 15.0 50 24.0 16 8.0 20 10.0 30 15.0	Ib kg Inch 12 6.0 .011 16 8.0 .013 20 10.0 .015 30 15.0 .019 50 24.0 .022 12 6.0 .011 16 8.0 .013 20 10.0 .015 30 15.0 .019 50 24.0 .025 16 8.0 .013 20 10.0 .015 30 15.0 .019 50 24.0 .025	lb kg Inch mm 12 6.0 .011 0.28 16 8.0 .013 0.33 20 10.0 .015 0.37 30 15.0 .019 0.49 50 24.0 .022 0.64	Ib kg Inch mm Yards 12 6.0 .011 0.28 1,700 16 8.0 .013 0.33 1,225 20 10.0 .015 0.37 975 30 15.0 .019 0.49 600 50 24.0 .022 0.64 375	Ib kg Inch mm Yards Meters 12 6.0 .011 0.28 1,700 1,554 16 8.0 .013 0.33 1,225 1,120 20 10.0 .015 0.37 975 892 30 15.0 .019 0.49 600 560 50 24.0 .022 0.64 375 343	Ib kg Inch mm Yards Meters Size 12 6.0 .011 0.28 1,700 1,554 1/4 lb 16 8.0 .013 0.33 1,225 1,120 1/4 lb 20 10.0 .015 0.37 975 892 1/4 lb 30 15.0 .019 0.49 600 560 1/4 lb 50 24.0 .022 0.64 375 343 1/4 lb 7 7 892 1/4 lb 1/4 lb 1/4 lb 1/4 lb 50 24.0 .022 0.64 375 343 1/4 lb 7 7 892 1/4 lb 1/4 lb 1/4 lb 1/4 lb 7 7 8/90 4/481 1 1/4 lb 7 7 8/90 4/481 1 1/4 lb 7 10.0 .015 0.37 3/900 3/566 1 10



- Ideal line for the Record-Conscious Angler because of I.G.F.A. True-Test Rating.
- Useful when Fluorocarbon line isn't needed.
- Good flipping line.
- Great multi-purpose thin diameter line for low visibility in fresh and salt water applications.





Extra-thin diameter and unique Low-Vis Black. Grey, and Red color greatly reduce visibility below the water.

1/4 lb Spool

1 lb Spool

2 lb Spool

THE ORIGINAL...SINCE 1961

Triple Fish



TRIPLE FISH MONOFILAMENT LINE

Triple Fish Monofilament is a dependable, angler-friendly fishing line that offers unbeatable value for weekend warriors. The line provides high knot strength, good abrasion resistance, and it is very easy to use on both spinning and conventional reels. Triple Fish mono is a great multi-purpose line for bottom fishing, wreck fishing, casting from rock piles and shorelines, top water casting, and trolling. This European-made, econo-priced line is available in clear, camo, and pink color spools for anglers that want to cast their dollars a lot farther.

- HIGH KNOT STRENGTH
- ABRASION RESISTANT
- EASY CASTING
- GREAT VALUE

Triple Fish mono is a great multi-purpose line for bottom fishing, wreck fishing, casting from rock piles and shorelines, top water casting, and trolling.



2 lb Spool

5 lb Spool



Triple Fish	Monofi	ament	Line
-------------	--------	-------	------

Test Ib	Test kg	Diameter Inch	Diameter mm	Length Yards	Length Meters	Spool Size	Part # Clear	Part # Camo	Part # Pink
8	3.6	0.011	0.27	1,830	1,673	1/4 lb	TFM-Q-08CL	TFM-Q-08CB	-
10	4.5	0.012	0.30	1,480	1,353	1/4 lb	TFM-Q-10CL	TFM-Q-10CB	-
12	5.4	0.014	0.35	1,090	997	1/4 lb	TFM-Q-12CL	TFM-Q-12CB	-
15	6.8	0.016	0.40	860	786	1/4 lb	TFM-Q-15CL	TFM-Q-15CB	-
20	9.1	0.018	0.45	660	604	1/4 lb	TFM-Q-20CL	TFM-Q-20CB	-
25	11.3	0.020	0.50	535	489	1/4 lb	TFM-Q-25CL	TFM-Q-25CB	-
30	13.6	0.022	0.55	440	402	1/4 lb	TFM-Q-30CL	TFM-Q-30CB	-
40	18.1	0.024	0.60	370	338	1/4 lb	TFM-Q-40CL	TFM-Q-40CB	-
50	22.7	0.028	0.70	265	242	1/4 lb	TFM-Q-50CL	TFM-Q-50CB	-
60	27.2	0.031	0.80	210	192	1/4 lb	TFM-Q-60CL	TFM-Q-60CB	-
80	36.2	0.035	0.90	165	151	1/4 lb	TFM-Q-80CL	TFM-Q-80CB	-
100	45.3	0.039	1.00	133	122	1/4 lb		TFM-Q-100CB	-
10	4.5	0.012	0.30	5,920	4,413	1 lb	TFM-1-10CL	TFM-1-10CB	-
12	5.4	0.014	0.35	4,360	3,987	1 lb	TFM-1-12CL	TFM-1-12CB	-
15	6.8	0.016	0.40	3,440	3,146	1 lb	TFM-1-15CL	TFM-1-15CB	-
20	9.1	0.018	0.45	2,640	2,414	1 lb	TFM-1-20CL	TFM-1-20CB	-
25	11.3	0.020	0.50	2,140	1,957	1 lb	TFM-1-25CL	TFM-1-25CB	-
30	13.6	0.022	0.55	1,760	1,609	1 lb	TFM-1-30CL	TFM-1-30CB	TFM-1-30PH
40	18.1	0.024	0.60	1,480	1,353	1 lb	TFM-1-40CL	TFM-1-40CB	TFM-1-40PI
50	22.7	0.028	0.70	1,060	969	1 lb	TFM-1-50CL	TFM-1-50CB	TFM-1-50PI
60	27.2	0.031	0.80	840	768	1 lb	TFM-1-60CL	TFM-1-60CB	TFM-1-60PI
80	36.2	0.035	0.90	660	604	1 lb	TFM-1-80CL	TFM-1-80CB	TFM-1-80PI
00	45.3	0.039	1.00	535	489	1 lb	TFM-1-100CL	TFM-1-100CB	TFM-1-100P
25	56.7	0.047	1.20	370	338	1 lb	TFM-1-125CL	TFM-1-125CB	TFM-1-125P
50	68.0	0.051	1.30	315	288	1 lb	TFM-1-150CL	TFM-1-150CB	-
00	90.7	0.059	1.50	245	224	1 lb	TFM-1-200CL	TFM-1-200CB	-
00	136.0	0.075	1.90	150	138	1 lb	-	TFM-1-300CB	-
15	6.8	0.016	0.40	6,880	6,291	2 lb	TFM-2-15CL	-	_
20	9.1	0.018	0.45	5,280	4,828	2 lb	TFM-2-20CL	-	-
25	11.3	0.020	0.50	4,280	3,914	2 lb	TFM-2-25CL	-	-
30	13.6	0.022	0.55	3,520	3,219	2 lb	TFM-2-30CL	-	TFM-2-30PI
40	18.1	0.024	0.60	2,960	2,707	2 lb	TFM-2-40CL	-	TFM-2-40PI
50	22.7	0.028	0.70	2,120	3,939	2 lb	TFM-2-50CL	-	TFM-2-50P
60	27.2	0.031	0.80	1,680	1,536	2 lb	TFM-2-60CL		TFM-2-60PI
80	36.2	0.035	0.90	1,320	1,207	2 lb	TFM-2-80CL	-	TFM-2-80PI
00	45.3	0.039	1.00	1,070	978	2 lb	TFM-2-100CL	-	TFM-2-100P
25	56.7	0.047	1.20	740	677	2 lb	TFM-2-125CL	-	TFM-2-125P
30	13.6	0.022	0.55	8,800	8,047	5 lb	TFM-5-30CL		TFM-5-30PF
40	18.1	0.022	0.60	7,400	6,767	5 lb	TFM-5-40CL	-	TFM-5-40PI
50	22.7	0.024	0.70	5,300	4,846	5 lb	TFM-5-50CL	-	TFM-5-50PI
60	27.2	0.020	0.80	4,200	3,840	5 lb	TFM-5-60CL	-	TFM-5-60PI
80	36.2	0.035	0.90	3,300	3,018	5 lb	TFM-5-80CL	-	TFM-5-80P
00	45.3	0.039	1.00	2,675	2,446	5 lb	TFM-5-100CL	-	TFM-5-100P
25	56.7	0.047	1.20	1,850	1,692	5 lb	TFM-5-125CL	-	TFM-5-125P
50	68.0	0.047	1.30	1,575	1,440	5 lb	TFM-5-150CL		
00	90.7	0.051	1.50	1,225	1,120	5 lb	TFM-5-200CL		_
00	136.0	0.037	1.90	750	686	5 lb	TFM-5-300CL		









MATCHES LIGHT **REFRACTIVITY OF WATER**

- VIRTUALLY INVISIBLE **UNDERWATER**
- FASTER SINK RATE THAN MONO
- ABRASION RESISTANT

Watch it disappear! HI-SEAS 100% Fluorocarbon matches the light refractivity of water making it virtually invisible underwater!

100% FLUOROCARBON LINE

HI-SEAS 100% Fluorocarbon is made from the highest grade of pure polyvinylidene fluoride and extruded to exacting quality control standards. It closely matches the light refractivity of water making it virtually invisible. Supple and easy to cast, HI-SEAS 100% Fluorocarbon is an excellent specialty running line. Pro bass anglers are using it for a variety of finesse techniques in super clear lakes because it sinks faster than mono, it's undetectable by fish, and remarkably tough. It's also ideal for use as invisible leaders - if you use braid or colored line, adding a leader of HI-SEAS 100% Fluorocarbon increases hits and provides extra security against chafe and abrasion.

100% Fluorocarbon Line

Test	Test	Diameter	Diameter	Length	Length		
lb	kg	Inch	mm	Yards	Meters	Package	Part #
6	2.7	0.008	0.20	200	182	Filler Spool	CFC-F200-06
8	3.6	0.010	0.25	200	182	Filler Spool	CFC-F200-08
10	4.5	0.011	0.28	200	182	Filler Spool	CFC-F200-10
12	5.4	0.012	0.30	200	182	Filler Spool	CFC-F200-12
15	6.8	0.014	0.35	200	182	Filler Spool	CFC-F200-15
20	9.1	0.016	0.40	200	182	Filler Spool	CFC-F200-20
25	11.3	0.018	0.45	200	182	Filler Spool	CFC-F200-25

Filler Spool



CASASIL

-Casey Ashley



GRAND SLAM® FLUOROCARBON COATED LINE

100% Copolymer

Grand Slam Fluorocarbon Coated fishing line is an extra strong, 100% copolymer with a fluorocarbon outer coating. The line is long casting and can be used in any water conditions. The Clear color is a top choice when visibility is a concern, such as fishing in clear shallow waters or in top water. Made from the highest quality copolymer, Grand Slam Fluorocarbon Coated is extremely supple and easy to cast using bait casting and spinning reels. The line is ultra manageable, easy to knot and delivers high knot strength and abrasion resistance.

Granc	l Slam	Fluoroca	rbon Coa	ted				
Test Ib	Test	Diameter Inch	Diameter	Length Yards	Length Meters	Spool Size	Part # Clear	Part # Moss Green
4	<u>kg</u> 1.8	.009	0.23	300	274	Filler Spool	GSF-F300-04CL	-
6	2.7	.010	0.26	300	274	Filler Spool	GSF-F300-06CL	GSF-F300-06MG
8	3.6	.011	0.28	300	274	Filler Spool	GSF-F300-08CL	GSF-F300-08MG
10	4.5	.012	0.31	300	274	Filler Spool	GSF-F300-10CL	GSF-F300-10MG
12	5.4	.013	0.33	300	274	Filler Spool	GSF-F300-12CL	GSF-F300-12MG
15	6.8	.015	0.37	300	274	Filler Spool	GSF-F300-15CL	GSF-F300-15MG
20	9.0	.017	0.42	300	274	Filler Spool	GSF-F300-20CL	GSF-F300-20MG
4	1.8	.009	0.23	2500	2286	1/4 lb	GSF-Q-04CL	-
6	2.7	.010	0.26	2000	1828	1/4 lb	GSF-Q-06CL	GSF-Q-06MG
8	3.6	.011	0.28	1700	1554	1/4 lb	GSF-Q-08CL	GSF-Q-08MG
10	4.5	.012	0.31	1390	1271	1/4 lb	GSF-Q-10CL	GSF-Q-10MG
12	5.4	.013	0.33	1225	1120	1/4 lb	GSF-Q-12CL	GSF-Q-12MG
15	6.8	.015	0.37	975	891	1/4 lb	GSF-Q-15CL	GSF-Q-15MG
20	9.0	.017	0.42	757	692	1/4 lb	GSF-Q-20CL	GSF-Q-20MG



- FLUOROCARBON COATED
- LONG-CASTING
- HIGH KNOT STRENGTH
- ABRASION RESISTANT

CUR

FLUOR PRO ANGLER TIPS

Great line choice (clear) when visibility is a concern, such as fishing in clear shallow water or in top water with moving baits (spinnerbait, crankbait, etc.).

- Better choice for abrasion resistance over standard monofilament lines.
- Ideal line for virtually all techniques.
- > Easy to tie to any bait or terminal tackle using a Palomar knot.





100 yd Coil





GRAND SLAM®

MONOFILAMENT LEADER

For everyday use in fresh or salt water, there's Grand Slam Mono Leader, the leader that's at-home bottom fishing as it is trolling for tuna. An advanced monofilament extruded with properties that make it supple, yet extra tough - Grand Slam Mono Leader performs! Unsurpassed for tying rigs for everything from flounder fishing to deep dropping for monster grouper. Grand Slam Mono Leader can be used as leader material for offshore trolling as well and the black version is popular as spear-fishing line.

Grand Slam Monofilament Leader

Test	Test	Diameter	Length	Length	Use Aluminum	Double Barrel		Clear
lb	kg	Inch (mm)	Yards	Meters	Sleeve Size	Sleeve Size	Package	Part #
6	2.7	.010 (0.25)	50	46	n/a	n/a	Wrist Bracelet	C-B-06CL
8	3.6	.011 (0.27)	50	46	n/a	n/a	Wrist Bracelet	C-B-08CL
10	4.5	.012 (0.30)	50	46	n/a	n/a	Wrist Bracelet	C-B-10CL
12	5.4	.014 (0.35)	50	46	n/a	n/a	Wrist Bracelet	C-B-12CL
15	6.8	.016 (0.40)	50	46	n/a	n/a	Wrist Bracelet	C-B-15CL
20	9.0	.018 (0.45)	50	46	К	n/a	Wrist Bracelet	C-B-20CL
25	11.3	.020 (0.50)	50	46	К	n/a	Wrist Bracelet	C-B-25CL
30	13.6	.022 (0.55)	50	46	К	n/a	Wrist Bracelet	C-B-30CL
40	18.1	.024 (0.60)	50	46	К	n/a	Wrist Bracelet	C-B-40CL
50	22.6	.028 (0.70)	50	46	J	E	Wrist Bracelet	C-B-50CL
60	27.2	.031 (0.80)	50	46	1	D	Wrist Bracelet	C-B-60CL
80	36.2	.035 (0.90)	50	46	- I	D	Wrist Bracelet	C-B-80CL
100	45.3	.039 (1.00)	50	46	Н	C	Wrist Bracelet	C-B-100CL
130	58.9	.047 (1.20)	35	32	G	C	Wrist Bracelet	C-B35-130CL
40	18.1	.024 (0.60)	100	91	К	n/a	Coil	C-1-40CL
50	22.6	.028 (0.70)	100	91	J	E	Coil	C-1-50CL
60	27.2	.031 (0.80)	100	91		D	Coil	C-1-60CL
80	36.2	.035 (0.90)	100	91	1	D	Coil	C-1-80CL
100	45.3	.039 (1.00)	100	91	Н	C	Coil	C-1-100CL
130	58.9	.047 (1.20)	100	91	G	C	Coil	C-1-130CL
150	68.0	.051 (1.30)	100	91	F	В	Coil	C-1-150CL
200	90.7	.059 (1.50)	100	91	E	В	Coil	C-1-200CL
250	113.3	.071 (1.80)	100	91	D	A1	Coil	C-1-250CL
300	136.0	.075 (1.90)	100	91	D	A2	Coil	C-1-300CL
400	181.4	.079 (2.00)	100	91	C	A2	Coil	C-1-400CL
500	226.7	.098 (2.50)	100	91	В	n/a	Coil	C-1-500CL
600	272.1	.120 (3.00)	100	91	A	n/a	Coil	C-1-600CL

HIGH KNOT STRENGTH

IDEAL SENSITIVITY & CONTROL

ABRASION RESISTANCE

Grand Slam Mono Leader is perfect for making rigs!

BIG FISH



MONO LEADER

川駅間】

50 yd Wrist Bracelet Spool

20090.7.059250113.3.071300136.0.075	I (1.30) 100			Sleeve Size	Package	Part #
250113.3.071300136.0.075		91	F	В	Coil	C-1-150BK
300 136.0 .075	9 (1.50) 100	91	E	В	Coil	C-1-200BK
	I (1.80) 100	91	D	Al	Coil	C-1-250BK
400 181.4 .079	5 (1.90) 100	91	D	A2	Coil	C-1-300BK
	9 (2.00) 100	91	C	A2	Coil	C-1-400BK
150 68.0 .051	I (1.30) 1,575	1,440	F	В	5 lb Spool	R-5-150BK
200 90.7 .059	9 (1.50) 1,225	1,120	E	В	5 lb Spool	R-5-200BK
250 113.3 .071	I (1.80) 850	777	D	Al	5 lb Spool	R-5-250BK
300 136.0 .075	5 (1.90) 750	686	D	A2	5 lb Spool	R-5-300BK
400 181.4 .079	(2.00) 675	617	C	A2	5 lb Spool	R-5-400BK



QUATTRO® PLUS MONOFILAMENT LEADER

Low-Vis 4-Color Camo

Quattro Plus is a unique blend of four scientifically selected colors extruded in short lengths which break up its visual pattern underwater so it blends into the background. Quattro Plus Leader is the ultimate leader for use inshore and offshore and costs a fraction of the price of fluorocarbon. Great for chunking tuna and striped bass, making rigs for bottom fishing and leaders for offshore trolling! Quattro Plus Leader is moderately soft, yet incredibly abrasion resistant. Supple enough to make rigging fast and easy, whether you're tying knots or using sleeves, and tough enough to stand up to any finny creature.

Quattro Plus Monofilament Leader

Test	Test	Diameter	Length	Length	Use Aluminum	Double Barrel		Part #
lb	kg	Inch (mm)	Yards	Meters	Sleeve Size	Sleeve Size	Package	4-Color
20	9.0	.018 (0.45)	50	46	K	n/a	Wrist Bracelet	QPB-20
25	11.3	.020 (0.50)	50	46	К	n/a	Wrist Bracelet	QPB-25
30	13.6	.022 (0.55)	50	46	К	n/a	Wrist Bracelet	QPB-30
40	18.1	.024 (0.60)	50	46	К	n/a	Wrist Bracelet	QPB-40
50	22.6	.028 (0.70)	50	46	J	E	Wrist Bracelet	QPB-50
60	27.2	.031 (0.80)	50	46		D	Wrist Bracelet	QPB-60
80	36.2	.035 (0.90)	50	46	1	D	Wrist Bracelet	QPB-80
100	45.3	.039 (1.00)	50	46	Н	C	Wrist Bracelet	QPB-100
130	58.9	.047 (1.20)	35	32	G	C	Wrist Bracelet	QPB-130
80	36.2	.035 (0.90)	100	91	I	D	Coil	QPC-80
100	45.3	.039 (1.00)	100	91	Н	C	Coil	QPC-100
130	58.9	.047 (1.20)	100	91	G	C	Coil	QPC-130
150	68.0	.051 (1.30)	100	91	F	В	Coil	QPC-150
200	90.7	.059 (1.50)	100	91	E	В	Coil	QPC-200
250	113.3	.071 (1.80)	100	91	D	A1	Coil	QPC-250
300	136.0	.075 (1.90)	100	91	D	A2	Coil	QPC-300
400	181.4	.079 (2.00)	100	91	C	A2	Coil	QPC-400

Four scientifically selected

underwater, allowing it to blend into the background.

colors are patterned in short lengths to break-up the visual impact of Quattro Fluorocarbon



- LOW-VIS 4-COLOR CAMO LEADER
- SUPER STRONG
- VIRTUALLY ABRASION PROOF
- DISAPPEARS UNDERWATER





MONOFILAMENT LEADER



GRAND SLAM® BLUEWATER EXTRA HARD MONOFILAMENT LEADER

Grand Slam® Bluewater Extra Hard Monofilament Leader is the ultimate leader material for use in situations requiring extreme tensile strength and abrasion resistance. Its extrahard outer layer stands up to heavy abrasion and is stiffer than standard nylon leader material. It's the perfect choice when you need chafe-resistant protection against billfish of all sizes.

Grand Slam Bluewater Extra Hard Monofilament Leader

Test Ib	Test kg	Diameter Inch	Diameter mm	Length Yards	Length Meters	Use Aluminum Sleeve Size	Package	Part #
150	68	.051	1.30	100	91	F	Coil	CXH-1-150CL
200	91	.059	1.50	100	91	E	Coil	CXH-1-200CL
250	113	.071	1.80	100	91	D	Coil	CXH-1-250CL
300	136	.075	1.90	100	91	D	Coil	CXH-1-300CL
400	181	.079	2.00	100	91	C	Coil	CXH-1-400CL
500	227	.098	2.50	100	91	В	Coil	CXH-1-500CL
600	272	.118	3.00	100	91	A	Coil	CXH-1-600CL

PREMIUM NYLON MATERIAL

SUPERIOR ABRASION RESISTANCE

- LOW STRETCH
- HIGH TENSILE STRENGTH
- DESIGNED FOR BIG GAME TROLLING





THE ORIGINAL...SINCE 1961

Triple Fish

TRIPLE FISH MONOFILAMENT LEADER

No matter where you're headed or what you're headed for, Triple Fish Monofilament Leader provides a great combination of quality and value. This rugged mono stands up well to chaffing, bottom bouncing, surf fishing, and trolling and it is economy-priced for anglers looking to shed costs without shedding reliability. Triple Fish mono leader is available in clear and camo colors in a wide range of breaking strengths and lengths for nearly all fishing trips.

Triple Fish Monofilament Leader

Test	Test	Diameter	Length	Length	Aluminum	Double Barrel	Spool	Part #
lb	kg	Inch (mm)	Yards	Meters	Sleeve Size	Sleeve Size	Size	Clear
15	6.8	0.016 (0.40)	50	46	n/a	n/a	Wrist Bracelet	TFM-B50-15CL
20	9.1	0.018 (0.45)	50	46	K	n/a	Wrist Bracelet	TFM-B50-20CL
25	11.3	0.020 (0.50)	50	46	K	n/a	Wrist Bracelet	TFM-B50-25CL
30	13.6	0.022 (0.55)	50	46	K	n/a	Wrist Bracelet	TFM-B50-30CL
40	18.1	0.024 (0.60)	50	46	K	n/a	Wrist Bracelet	TFM-B50-40CL
50	22.7	0.028 (0.70)	50	46	J	E	Wrist Bracelet	TFM-B50-50CL
60	27.2	0.031 (0.80)	50	46		D	Wrist Bracelet	TFM-B50-60CL
80	36.2	0.035 (0.90)	50	46	1	D	Wrist Bracelet	TFM-B50-80CL
100	45.3	0.039 (1.00)	50	46	Н	C	Wrist Bracelet	TFM-B50-100CL
125	56.7	0.047 (1.20)	50	46	G	C	Wrist Bracelet	TFM-B50-125CL
150	68.0	0.051 (1.30)	100	91	F	В	Wrist Bracelet	TFM-B100-150CL
200	90.7	0.059 (1.50)	100	91	E	В	Wrist Bracelet	TFM-B100-200CL
250	113.4	0.071 (1.80)	90	82	D	A1	Wrist Bracelet	TFM-B90-250CL
300	136.0	0.075 (1.90)	70	64	D	A2	Wrist Bracelet	TFM-B70-300CL
400	181.4	0.079 (2.00	50	46	С	A2	Wrist Bracelet	TFM-B50-400CL

Test	Test	Diameter	Length	Length	Aluminum	Double Barrel	Spool	Part #	
lb	kg	Inch (mm)	Yards	Meters	Sleeve Size	Sleeve Size	Size	Camo	
15	6.8	0.016 (0.40)	50	46	n/a	n/a	Wrist Bracelet	TFM-B50-15CB	
20	9.1	0.018 (0.45)	50	46	K	n/a	Wrist Bracelet	TFM-B50-20CB	
25	11.3	0.020 (0.50)	50	46	K	n/a	Wrist Bracelet	TFM-B50-25CB	
30	13.6	0.022 (0.55)	50	46	K	n/a	Wrist Bracelet	TFM-B50-30CB	
40	18.1	0.024 (0.60)	50	46	K	n/a	Wrist Bracelet	TFM-B50-40CB	
50	22.7	0.028 (0.70)	50	46	J	E	Wrist Bracelet	TFM-B50-50CB	
60	27.2	0.031 (0.80)	50	46	1	D	Wrist Bracelet	TFM-B50-60CB	
80	36.2	0.035 (0.90)	50	46	1	D	Wrist Bracelet	TFM-B50-80CB	
100	45.3	0.039 (1.00)	50	46	H	C	Wrist Bracelet	TFM-B50-100CB	
125	56.7	0.047 (1.20)	50	46	G	C	Wrist Bracelet	TFM-B50-125CB	
150	68.0	0.051 (1.30)	100	91	F	В	Wrist Bracelet	TFM-B100-150CB	



- HIGH KNOT STRENGTH
- ABRASION RESISTANT
- STRONG & DEPENDABLE

This rugged mono stands up well to chaffing, bottom bouncing, surf fishing, and trolling and it is economy-priced for anglers looking to shed costs without shedding reliability.

50 yd Wrist Bracelet Spool



THE ORIGINAL...SINCE 1961 Triple Ju Fish

W Triple Ash

TRIPLE FISH 100% FLUOROCARBON LEADER

Rookies and veterans of fluorocarbon will immediately recognize the outstanding value of Triple Fish. This European-grade of 100% polyvinylidene fluoride has all the qualities of fluorocarbon that anglers have come to appreciate, especially the near invisibility underwater and high abrasion resistance, without as high of a price tag. If you're looking for a good quality, medium-supple fluorocarbon at a great price, then Triple Fish is for you! Triple Fish fluorocarbon is made from 100% polyvinylidene fluoride which closely matches the light refractivity of water and is virtually invisible underwater. It is heavier than monofilament so it has a faster sink rate, and also stands up well to chaffing and basic wear-and-tear.

- VIRTUALLY INVISIBLE **UNDERWATER**
- FASTER SINK RATE THAN MONO
- ABRASION RESISTANT







Triple Fish Fluorocarbon Leader

THPIO FISA

ple	Fish	Fluorocarb	on Lead	er						
Test Ib	Test kg	Diameter Inch (mm)	Length Yards	Length Meters	Use Aluminum Sleeve Size	Double Barrel Sleeve Size	Spool Size	Clear Part #	Blue Part #	Pink Part #
15	6.8	0.014 (0.35)	25	23	n/a	n/a	Wrist Bracelet	TFF-B25-15		
20	9.1	0.016 (0.40)	25	23	ĸ	n/a	Wrist Bracelet	TFF-B25-20	TFF-B25-20BLU	TFF-B25-20PK
25	11.3	0.019 (0.48)	25	23	K	n/a	Wrist Bracelet	TFF-B25-25	TFF-B25-25BLU	TFF-B25-25PK
30	13.6	0.021 (0.54)	25	23	K	n/a	Wrist Bracelet	TFF-B25-30	TFF-B25-30BLU	TFF-B25-30PK
40	18.1	0.025 (0.64)	25	23	K	n/a	Wrist Bracelet	TFF-B25-40	TFF-B25-40BLU	TFF-B25-40PK
50	22.7	0.029 (0.74)	25	23	Ĵ	n/a	Wrist Bracelet	TFF-B25-50	TFF-B25-50BLU	TFF-B25-50PK
60	27.2	0.031 (0.80)	25	23	1	D	Wrist Bracelet	TFF-B25-60	TFF-B25-60BLU	TFF-B25-60PK
80	36.2	0.037 (0.95)	25	23		D	Wrist Bracelet	TFF-B25-80	TFF-B25-80BLU	TFF-B25-80PK
100	45.3	0.042 (1.07)	25	23	H	C	Wrist Bracelet	TFF-B25-100	TFF-B25-100BLU	TFF-B25-100PK
125	56.7	0.047 (1.20)	25	23	G	C	Wrist Bracelet	TFF-B25-125	TFF-B25-125BLU	TFF-B25-125PK
6	2.7	0.009 (0.22)	50	46	n/a	n/a	Wrist Bracelet	TFF-B50-06		
8	3.6	0.007 (0.22)	50	46	n/a	n/a	Wrist Bracelet	TFF-B50-08		
10	4.5	0.010 (0.28)	50	46	n/a	n/a	Wrist Bracelet	TFF-B50-10		
12	4.J 5.4	0.011 (0.27)	50	46			Wrist Bracelet	TFF-B50-12		
12	6.8	0.013 (0.32)	50	40	n/a n/a	n/a	Wrist Bracelet			
20	0.0 9.1	· · ·	50	40	K	n/a	Wrist Bracelet	TFF-B50-15 TFF-B50-20	lt you	ı're looking
25	11.3	0.016 (0.40)		40	N V	n/a				
30	13.6	0.019 (0.48)	50	40	K	n/a	Wrist Bracelet	TFF-B50-25	for a	good qualit
40		0.021 (0.54)	50		K	n/a	Wrist Bracelet	TFF-B50-30		-
40 50	18.1	0.025 (0.64)	50	46	<u> </u>	n/a	Wrist Bracelet	TFF-B50-40	medi	um-supple
	22.7	0.029 (0.74)	50		J	E	Wrist Bracelet	TFF-B50-50		
60	27.2	0.031 (0.80)	50	46		D	Wrist Bracelet	TFF-B50-60	fuor	ocarbon at a
80	36.2	0.037 (0.95)	50	46	1	D	Wrist Bracelet	TFF-B50-80		
100	45.3	0.042 (1.07)	50	46	Н	C	Wrist Bracelet	TFF-B50-100	aroat	price, then
125	56.7	0.047 (1.20)	50	46	G	C	Wrist Bracelet	TFF-B50-125		
15	6.8	0.014 (0.35)	100	91	n/a	n/a	Wrist Bracelet	TFF-B100-15	Triple	Fish is the
20	9.1	0.016 (0.40)	100	91	ĸ	n/a	Wrist Bracelet	TFF-B100-20		
25	11.3	0.019 (0.48)	100	91	K	n/a	Wrist Bracelet	TFF-B100-25	loada	er for you!
30	13.6	0.021 (0.54)	100	91	К	n/a	Wrist Bracelet	TFF-B100-30	ieuue	i 101 y 00.
40	18.1	0.025 (0.64)	100	91	К	n/a	Wrist Bracelet	TFF-B100-40		
50	22.7	0.029 (0.74)	100	91	J	Ê	Wrist Bracelet	TFF-B100-50		
60	27.2	0.031 (0.80)	100	91	1	D	Wrist Bracelet	TFF-B100-60		
80	36.2	0.037 (0.95)	100	91	1	D	Wrist Bracelet	TFF-B100-80		
100	45.3	0.042 (1.07)	100	91	H	C	Wrist Bracelet	TFF-B100-100		
125	56.7	0.047 (1.20)	100	91	G	C	Wrist Bracelet	TFF-B100-125		
6	2.7	0.009 (0.22)	7440	6803	n/a	n/a	1 lb Spool	TFF-1-06		
8	3.6	0.010 (0.26)	5413	4950	n/a	n/a	1 lb Spool	TFF-1-08		
10	4.5	0.011 (0.29)	4333	3962	n/a	n/a	1 lb Spool	TFF-1-10		
12	5.4	0.013 (0.32)	3547	3243	n/a	n/a	1 lb Spool	TFF-1-12		
15	6.8	0.014 (0.35)	2957	2704	n/a	n/a	1 lb Spool	TFF-1-15		
20	9.1	0.016 (0.40)	2285	2089	K	n/a	1 lb Spool	TFF-1-20		KANKA AND
25	11.3	0.019 (0.48)	1577	1442	K	n/a	1 lb Spool	TFF-1-25		TSS CONTRACTOR
30	13.6	0.021 (0.54)	1241	1135	K	n/a	1 lb Spool	TFF-1-30		
40	18.1	0.025 (0.64)	887	811	K	n/a	1 lb Spool	TFF-1-40		TO SA BRUEN. 1
50	22.7	0.029 (0.74)	665	608	ï	E	1 lb Spool	TFF-1-50		The state of
60	27.2	0.031 (0.80)	568	519	i	D	1 lb Spool	TFF-1-60		
80	36.2	0.037 (0.95)	403	369	117.00	D	1 lb Spool	TFF-1-80		
100	45.3	0.042 (1.07)	318	291	H	C	1 lb Spool	TFF-1-100		
	56.7	0.047 (1.20)	253	231	G	C	1 lb Spool	TFF-1-125	4	100 Aller Aller



- UNIQUE "DISAPPEARING" COLOR
- MATCHES LIGHT REFRACTIVITY OF SALTWATER
- FASTER SINK RATE THAN MONO
- SOFTER, MORE MANAGEABLE
- ABRASION RESISTANT



www.afwfishing.com 1-800-824-9473

After that dark early morning run out of the inlet, the sky is starting to brighten and it's time for you to wet your first lines. You've done this countless times before, but today is different. Today you have the advantage of Grand Slam Bluewater 100% Fluorocarbon Leader, with its unique "disappearing" color designed to slip away into the abyss. This is the HI-SEAS 100% Fluorocarbon leader that you've come to know and trust, but with another level of invisibility. An exclusive pair of blue and pink colors is created using a proprietary coloring process which softens the leader makes it more manageable - without reducing abrasion resistance! The result is a leader that has been field-tested and refined by top offshore anglers for over a year, and which delivers more life-like action while effectively blending into its deep bluewater surroundings.

Gran	d Sla	m Bluewa	iter 10	0% Fluc	orocarbon Le	ader		
Test Ib	Test kg	Diameter Inch (mm)	Length Yards	Length Meters	Use Aluminum Sleeve Size	Double Barrel Sleeve Size	Package	Part # Blue
40	18.1	.024 (0.64)	25	23	К	n/a	Coil in Bag	CFB-C25-40
50	22.6	.028 (0.70)	25	23	J	Ē	Coil in Bag	CFB-C25-50
60	27.2	.030 (0.75)	25	23		D	Coil in Bag	CFB-C25-60
80	36.3	.035 (0.90)	25	23		D	Coil in Bag	CFB-C25-80
100	45.3	.039 (1.00)	25	23	Н	C	Coil in Bag	CFB-C25-100
130	58.9	.047 (1.20)	25	23	G	C	Coil in Bag	CFB-C25-130
175	79.3	.053 (1.35)	25	23	F	В	Coil in Bag	CFB-C25-175
220	99.8	.061 (1.55)	25	23	E	В	Coil in Bag	CFB-C25-220
20	9.1	.016 (0.40)	25	23	К	n/a	Spool	CFB-B25-20
25	11.3	.018 (0.45)	25	23	К	n/a	Spool	CFB-B25-25
30	13.3	.020 (0.50)	25	23	К	n/a	Spool	CFB-B25-30
40	18.1	.024 (0.64)	25	23	К	n/a	Spool	CFB-B25-40
50	22.6	.028 (0.70)	25	23	J	E	Spool	CFB-B25-50
60	27.2	.030 (0.75)	25	23	I	D	Spool	CFB-B25-60
80	36.3	.035 (0.90)	25	23		D	Spool	CFB-B25-80

Test Test Diameter Length Use Aluminum Double Barrel Part # Ib kg Inch (mm) Yards Meters Sleeve Size Sleeve Size Package Pink 100 45.3 .039 (1.00) 25 23 H C Coil in Bag CFB-C25-100PK 130 58.9 .047 (1.20) 25 23 G C Coil in Bag CFB-C25-130PK 175 79.3 .053 (1.35) 25 23 F B Coil in Bag CFB-C25-175PK 20 9.1 .016 (0.40) 25 23 K n/a Spool CFB-B25-20PK 25 11.3 .018 (0.45) 25 23 K n/a Spool CFB-B25-25PK	
100 45.3 .039 (1.00) 25 23 H C Coil in Bag CFB-C25-100PK 130 58.9 .047 (1.20) 25 23 G C Coil in Bag CFB-C25-130PK 175 79.3 .053 (1.35) 25 23 F B Coil in Bag CFB-C25-130PK 20 9.1 .016 (0.40) 25 23 K n/a Spool CFB-B25-20PK 25 11.3 .018 (0.45) 25 23 K n/a Spool CFB-B25-25PK	
130 58.9 .047 (1.20) 25 23 G C Coil in Bag CFB-C25-130PK 175 79.3 .053 (1.35) 25 23 F B Coil in Bag CFB-C25-175PK 20 9.1 .016 (0.40) 25 23 K n/a Spool CFB-B25-20PK 25 11.3 .018 (0.45) 25 23 K n/a Spool CFB-B25-25PK	
175 79.3 .053 (1.35) 25 23 F B Coil in Bag CFB-C25-175PK 20 9.1 .016 (0.40) 25 23 K n/a Spool CFB-B25-20PK 25 11.3 .018 (0.45) 25 23 K n/a Spool CFB-B25-25PK	
20 9.1 .016 (0.40) 25 23 K n/a Spool CFB-B25-20PK 25 11.3 .018 (0.45) 25 23 K n/a Spool CFB-B25-25PK	
25 11.3 .018 (0.45) 25 23 K n/α Spool CFB-B25-25PK	
30 13.3 .020 (0.50) 25 23 K n/a Spool CFB-B25-30PK	
40 18.1 .024 (0.64) 25 23 K n/a Spool CFB-B25-40PK	
50 22.6 .028 (0.70) 25 23 J E Spool CFB-B25-50PK	
60 27.2 .030 (0.75) 25 23 I D Spool CFB-B25-60PK	
80 36.3 .035 (0.90) 25 23 I D Spool CFB-B25-80PK	
30 13.3 .020 (0.50) 100 91 K n/a Spool CFB-B100-30PK	NEW
40 18.1 .024 (0.64) 100 91 K n/a Spool CFB-B100-40PK	NEW





100% FLUOROCARBON LEADER

HI-SEAS 100% Fluorocarbon is made from the highest grade of pure polyvinylidene fluoride and extruded to exacting quality control standards. It closely matches the light refractivity of water making it virtually invisible. Supple and easy to cast, HI-SEAS 100% Fluorocarbon is an excellent specialty running line. Pro bass anglers are using it for a variety of finesse techniques in super clear lakes because it sinks faster than mono, it's undetectable by fish, and remarkably tough. It's also ideal for use as invisible leaders - if you use braid or colored line, adding a leader of HI-SEAS 100% Fluorocarbon increases hits and provides extra security against chafe and abrasion.



100% Fluorocarbon Leader

Test	Test	Diameter	Length	Length	Use Aluminum	Double Barrel		
lb	kg	Inch (mm)	Yards	Meters	Sleeve Size	Sleeve Size	Package	Part #
6	2.7	0.008 (0.20)	25	23	n/a	n/a	Spool	CFC-B25-06
8	3.6	0.010 (0.25)	25	23	n/a	n/a	Spool	CFC-B25-08
10	4.5	0.011 (0.28)	25	23	n/a	n/a	Spool	CFC-B25-10
12	5.4	0.012 (0.30)	25	23	n/a	n/a	Spool	CFC-B25-12
15	6.8	0.014 (0.35)	25	23	n/a	n/a	Spool	CFC-B25-15
20	9.1	0.016 (0.40)	25	23	K	n/a	Spool	CFC-B25-20
25	11.3	0.018 (0.45)	25	23	K	n/a	Spool	CFC-B25-25
30	13.6	0.020 (0.50)	25	23	Κ	n/a	Spool	CFC-B25-30
40	18.1	0.024 (0.60)	25	23	К	n/a	Spool	CFC-B25-40
50	22.6	0.028 (0.70)	25	23	J	E	Spool	CFC-B25-50
60	27.2	0.030 (0.75)	25	23	-	D	Spool	CFC-B25-60
80	36.3	0.035 (0.90)	25	23	I	D	Spool	CFC-B25-80
100	45.4	0.039 (1.00)	25	23	Н	С	Coil	CFC-C25-100
130	59.0	0.045 (1.15)	25	23	G	С	Coil	CFC-C25-130
175	79.3	0.053 (1.35)	25	23	F	В	Coil	CFC-C25-175
220	99.8	0.059 (1.50)	25	23	E	В	Coil	CFC-C25-220
300	136.0	0.067 (1.70)	25	23	D	Al	Coil	CFC-C25-280
400	181.4	0.079 (2.00)	25	23	C	A2	Coil	CFC-C25-330
		0.077 (2.00)	20	20				
12	5.4	0.012 (0.30)	50	46	n/a	n/a	Wrist Bracelet	CFC-B50-12
15	6.8	0.014 (0.35)	50	46	n/a	n/a	Wrist Bracelet	CFC-B50-15
20	9.1	0.016 (0.40)	50	46	K	n/a	Wrist Bracelet	CFC-B50-20
25	11.3	0.018 (0.45)	50	46	K	n/a	Wrist Bracelet	CFC-B50-25
30	13.6	0.020 (0.50)	50	46	K	n/a	Wrist Bracelet	CFC-B50-30
40	18.1	0.024 (0.60)	50	46	K	n/a	Wrist Bracelet	CFC-B50-40
50	22.6	0.028 (0.70)	50	46	K	E	Wrist Bracelet	CFC-B50-50
60	27.2	0.030 (0.75)	50	46		D	Wrist Bracelet	CFC-B50-60
80	36.3	0.035 (0.90)	50	46		D	Wrist Bracelet	CFC-B50-80
00	00.0	0.000 (0.70)	50	70		D	WIISI DIUCEIEI	
6	2.7	0.008 (0.20)	2,870	2,624	n/a	n/a	1/2 lb Spool	CFC-1/2LB-06
8	3.6	0.010 (0.25)	2,280	2,024	n/a	n/a	1/2 lb Spool	CFC-1/2LB-08
0	J.0	0.010 (0.23)	2,200	2,072	ii/ u	ii/ u	1/ 2 10 Spool	
10	4.5	0.011 (0.28)	3,986	3,644	n/a	n/a	1 lb Spool	CFC-1LB-10
12	5.4	0.011 (0.20)	3,504	3,204	n/a	n/a	1 lb Spool	CFC-1LB-12
12	6.8				n/a	n/a	1 lb Spool	CFC-1LB-12
20	9.1	0.014 (0.35)	2,930	2,679	K		1 lb Spool	CFC-1LB-15
20	11.3	0.016 (0.40)	2,242 1,772	2,050 1,620	K	n/a n/a	1 lb Spool	CFC-1LB-25
23	11.5	0.018 (0.45)	1,//2	1,020	N	ii/ u	I ID Shool	CFC-ILD-25
30	12 /	0 000 /0 50	2 0 7 2	2/2/	K	n /a	2 lb Casal	CEC.21 P.20
	13.6	0.020 (0.50)	2,872	2,626		n/a	2 lb Spool	CFC-2LB-30
40	18.1	0.024 (0.60)	1,992	1,821	K	n/a	2 lb Spool	CFC-2LB-40
50	22.6	0.028 (0.70)	1,464	1,338	J	E	2 lb Spool	CFC-2LB-50
60	27.2	0.030 (0.75)	1,276	1,166		D	2 lb Spool	CFC-2LB-60
80	36.3	0.035 (0.90)	888	808	<u> </u>	D	2 lb Spool	CFC-2LB-80
100	45.4	0.039 (1.00)	720	658	H	C	2 lb Spool	CFC-2LB-100
130	59	0.045 (1.15)	500	457	G	(2 lb Spool	CFC-2LB-130
175	79.3	0.053 (1.35)	395	361	F	B	2 lb Spool	CFC-2LB-175
220	99.8	0.059 (1.50)	320	292	E	В	2 lb Spool	CFC-2LB-220
300	136	0.067 (1.70)	248	226	D	A1	2 lb Spool	CFC-2LB-300
400	181.4	0.079 (2.00)	180	164	С	A2	2 lb Spool	CFC-2LB-400

Watch it disappear! HI-SEAS 100% Fluorocarbon matches the light refractivity of water making it virtually invisible underwater!



- MATCHES LIGHT REFRACTIVITY **OF WATER**
- VIRTUALLY INVISIBLE **UNDERWATER**
- FASTER SINK RATE THAN MONO
- ABRASION RESISTANT





QUATTRO® 100% FLUOROCARBON LEADER

Quattro 100% Fluorocarbon combines HI-SEAS exclusive Quattro 4-color camo technology with fluorocarbon line! The unique coloring process does for fishing line what camouflage clothes do for the hunter – it breaks up visual patterns making the line blend into its surroundings. Four scientifically selected colors are alternated along the fluorocarbon reducing light transmission and creating a whole new level of invisibility. The line is smooth and supple, and is the best handling fluorocarbon yet! Now you can increase your line and leader rating without sacrificing stealth or fishability!

Quattro 100% Fluorocarbon Leader



Test	Test	Diameter	Length	Length	Use Aluminum	Double Barrel		Part #
lb	kg	Inch (mm)	Yards	Meters	Sleeve Size	Sleeve Size	Package	4-Color
6	2.7	.009 (0.22)	25	23	n/a	n/a	Spool	CFQ-B25-06
8	3.6	.010 (0.26)	25	23	n/a	n/a	Spool	CFQ-B25-08
10	4.5	.011 (0.29)	25	23	n/a	n/a	Spool	CFQ-B25-10
12	5.4	.012 (0.32)	25	23	n/a	n/a	Spool	CFQ-B25-12
15	6.8	.014 (0.35)	25	23	n/a	n/a	Spool	CFQ-B25-15
20	9.1	.016 (0.40)	25	23	K	n/a	Spool	CFQ-B25-20
25	11.3	.018 (0.48)	25	23	К	n/a	Spool	CFQ-B25-25
30	13.6	.021 (0.54)	25	23	К	n/a	Spool	CFQ-B25-30
40	18.1	.025 (0.64)	25	23	K	n/a	Spool	CFQ-B25-40
50	22.6	.029 (0.74)	25	23	J	Ē	Spool	CFQ-B25-50
60	27.2	.031 (0.80)	25	23		D	Spool	CFQ-B25-60
80	36.3	.037 (0.95)	25	23		D	Spool	CFQ-B25-80
100	45.3	.042 (1.07)	25	23	Н	C	Coil	CFQ-C25-100
130	58.9	.045 (1.15)	25	23	G	C	Coil	CFQ-C25-130
12	5.4	.012 (0.32)	50	46	n/a	n/a	Wrist Bracelet	CFQ-B50-12
15	6.8	.014 (0.35)	50	46	n/a	n/a	Wrist Bracelet	CFQ-B50-15
20	9.1	.016 (0.40)	50	46	К	n/a	Wrist Bracelet	CFQ-B50-20
25	11.3	.018 (0.48)	50	46	К	n/a	Wrist Bracelet	CFQ-B50-25
30	13.6	.021 (0.54)	50	46	K	n/a	Wrist Bracelet	CFQ-B50-30
40	18.1	.025 (0.64)	50	46	К	n/a	Wrist Bracelet	CFQ-B50-40
50	22.6	.029 (0.74)	50	46	J	E	Wrist Bracelet	CFQ-B50-50
60	27.2	.031 (0.80)	50	46	1	D	Wrist Bracelet	CFQ-B50-60
80	36.3	.037 (0.95)	50	46		D	Wrist Bracelet	CFQ-B50-80

- 100% FLUOROCARBON
- LOW-VIS 4-COLOR CAMO COLORING
- VIRTUALLY INVISIBLE UNDERWATER
- FASTER SINK RATE THAN MONO



Four scientifically selected colors are patterned in short lengths to break-up the visual impact of Quattro Fluorocarbon underwater, allowing it to blend into the background.



GRAND SLAM® BRAID

When you want the ultimate in sensitivity and bone-jarring hook sets, there's only one line to have on your reels - HI-SEAS Grand Slam Braid - the line that gives you more of what you buy a super braid for! Grand Slam Braid is thinner, rounder, and packs uniformly on spinning and conventional reels. The line will not bury in reels, knots are stronger and don't slip, and abrasion resistance is greatly enhanced. Its 4, 6, & 8 carrier construction and compact diameter reduces wind knots and rod tip wraps. You'll cast further and feel your lures working like never before with unprecedented performance. Because the line has near zero stretch, even the most subtle bites will be transmitted back to your hands for immediate response. When it's time to set the hook, a flick of the wrist will do the job! Grand Slam Braid is the absolute pinnacle of fishing performance. Its a line that can make anyone fish more like a pro! Made in USA.

Grand Slam Braid

Test	Diameter	Diameter	Number	Mono	Length	Length	Filler Spool
kg	Inch	mm	ot Filaments	Equiv. Ibs	Yards	Meters	Part #
4.5	.004	0.10	4	4	150	137	GSB-F150-10GR
6.8	.006	0.15	4	4	150	137	GSB-F150-15GR
9.1	.008	0.20	4	6	150	137	GSB-F150-20GR
13.6	.011	0.28	6	8	150	137	GSB-F150-30GR
22.6	.012	0.30	4	10	150	137	GSB-F150-50GR
29.4	.016	0.41	6	15	150	137	GSB-F150-65GR
36.2	.018	0.46	8	20	150	137	GSB-F150-80GR
4.5	.004	0.10	4	4	300	274	GSB-F300-10GR
6.8	.006	0.15	4	4	300	274	GSB-F300-15GR
9.1	.008	0.20	4	6	300	274	GSB-F300-20GR
13.6	.011	0.28	6	8	300	274	GSB-F300-30GR
22.6	.012	0.30	4	10	300	274	GSB-F300-50GR
29.4	.016	0.41	6	15	300	274	GSB-F300-65GR
36.2	.018	0.46	8	20	300	274	GSB-F300-80GR
45.5	.019	0.48	8	25	300	274	GSB-F300-100GR
	kg 4.5 6.8 9.1 13.6 22.6 29.4 36.2 4.5 6.8 9.1 13.6 22.6 29.4 36.2 4.5 6.8 9.1 13.6 22.6 29.4 36.2	kg Inch 4.5 .004 6.8 .006 9.1 .008 13.6 .011 22.6 .012 29.4 .016 36.2 .018	kg Inch mm 4.5 .004 0.10 6.8 .006 0.15 9.1 .008 0.20 13.6 .011 0.28 22.6 .012 0.30 29.4 .016 0.41 36.2 .018 0.46	kg Inch mm of Filaments 4.5 .004 0.10 4 6.8 .006 0.15 4 9.1 .008 0.20 4 13.6 .011 0.28 6 22.6 .012 0.30 4 29.4 .016 0.41 6 36.2 .018 0.46 8	kg Inch mm of Filaments Equiv. lbs 4.5 .004 0.10 4 4 6.8 .006 0.15 4 4 9.1 .008 0.20 4 6 13.6 .011 0.28 6 8 22.6 .012 0.30 4 10 29.4 .016 0.41 6 15 36.2 .018 0.46 8 20 7 .004 0.10 4 4 9.1 .006 0.15 4 4 9.1 .008 0.20 4 6 13.6 .011 0.28 6 8 22.6 .012 0.30 4 10 22.6 .012 0.30 4 10 29.4 .016 0.41 6 15 36.2 .018 0.46 8 20	kg Inch mm of Filaments Equiv. Ibs Yards 4.5 .004 0.10 4 4 150 6.8 .006 0.15 4 4 150 9.1 .008 0.20 4 6 150 13.6 .011 0.28 6 8 150 22.6 .012 0.30 4 10 150 29.4 .016 0.41 6 15 150 36.2 .018 0.46 8 20 150	kg Inch mm of Filaments Equiv. Ibs Yards Meters 4.5 .004 0.10 4 4 150 137 6.8 .006 0.15 4 4 150 137 9.1 .008 0.20 4 6 150 137 13.6 .011 0.28 6 8 150 137 22.6 .012 0.30 4 10 150 137 22.6 .012 0.30 4 10 150 137 36.2 .018 0.46 8 20 137 36.2 .018 0.46 8 20 137 4.5 .006 0.15 4 4 300 274 4.5 .006 0.15 4 4 300 274 9.1 .008 0.20 4 6 300 274 13.6 .011 0.28



These braided lines are thinner, rounder, and pack uniformly on spinning and conventional reels. The line will not bury in reels. Knots are stronger, don't slip, and abrasion resistance is greatly enhanced.


DOWNRIGGER BRAID

If you're really serious about fishing with downriggers, it's time to get the Downrigger Braid advantage. This braided fiber line will help get your lures deep while providing a more stealthy approach to wary game fish. Downrigger Braid "cuts" the water smoothly with less resistance than cable or monofilament and it is thinner per rated test than either material. That means you'll experience less blow-back at trolling speeds. Less blowback equals greater depth capabilities. Plus, it won't generate the hum or bubble stream associated with downrigger cable which can spook some game fish. Downrigger Braid is the best improvement to controlled depth fishing since the invention of the downrigger. Made in USA.


Downrigger Braid

Test Ib	Test kg	Diam. Inch	Diam. mm	Mono Equiv. Ibs	Length Feet	Length Meters	Number of Filaments	Part #
150	68.2	.022	0.56	30	450	137	12	RB150GR-450FT
200	90.9	.023	0.58	40	450	137	16	RB200GR-450FT






1. Pass Downrigger Braid through the reel arbor. (Be sure downrigger reel is suitable for superlines).



2. Tie an overhand knot around the standing line. Then, tie a second overhand knot on the tag end.



3. Pull tight and snip-off excess. Finally, snug-down the first overhand knot on the reel arbor. © AFW Fishing Brands



- THIN DIAMETER-LESS PROFILE
- TOUGH ABRASION RESISTANCE
- ELIMINATES TROLLING HUM
- NEAR ZERO STRETCH
- HOLD KNOTS WELL







Titanium Single Strand Leader Wire

www.afwfishing.com 4-1-800-824-9473

Raise your angling success to a higher level with Titanium Tooth Proof Leader Wire! This revolutionary leader wire stretches and recovers to set hooks and prevent bite-offs. Special smoke-black finish hides beneath the water ready to capture Barracuda, King Mackerel, Wahoo, and other toothy big game fish. The technologically advanced titanium alloy delivers dramatic kink resistance and flexibility. No more haywire twisting - you can tie Titanium Tooth Proof to bait and line using the Clinch and Albright knots or connect with crimping sleeves. AFW's special blend of Titanium combines unequaled corrosion resistance and tremendous strength. Made in USA.

Titanium Tooth Proof® - Single Strand Leader Wire

Test	Test	Diam.	Diam.	Length		
lb	kg	Inch	mm	Feet/Meters	Color	Part #
10	5	.009	0.21	15 (4.6 m)	Black Oxide	STI010B-15FT
15	7	.010	0.25	15 (4.6 m)	Black Oxide	STI015B-15FT
20	9	.012	0.35	15 (4.6 m)	Black Oxide	STI020B-15FT
30	14	.015	0.38	15 (4.6 m)	Black Oxide	STI030B-15FT
40	18	.017	0.43	15 (4.6 m)	Black Oxide	STI040B-15FT
50	23	.019	0.48	15 (4.6 m)	Black Oxide	STI050B-15FT
75	34	.023	0.58	15 (4.6 m)	Black Oxide	STI075B-15FT
100	46	.027	0.69	15 (4.6 m)	Black Oxide	STI100B-15FT
30	14	.015	0.38	50 (15.2 m)	Black Oxide	STI030B-50FT
40	14	.015	0.43	50 (15.2 m)	Black Oxide	STI040B-50FT
50	23	.019	0.48	50 (15.2 m)	Black Oxide	STI050B-50FT
40	18	.017	0.43	500 (152.4 m)	Black Oxide	STI040B-6
50	23	.019	0.48	500 (152.4 m)	Black Oxide	STI050B-6




50 FOOT (15.2 M) COIL

Titanium Tooth Proof is also available as a "Value Pack" and on Spools

> 500 FOOT (152.4 M) SPOOL



Although Titanium Tooth Proof does not cinch tightly, the knot strength is not compromised.





TITANIUM TOOTH PROOF® LEADER KIT

Titanium Single Strand Leader Wire 25 ft (7.6 m), Black Stainless Steel Sleeves 25 pc, Black Shrink Tubes 25 pc Wire made in USA by AFW.

Test Ib	Test kg	Diam. Inch	Diam. mm	Length Feet	Length m	Color	Part #
30	14	.015	0.38	25	7.6	Black Oxide	ESTI030BK1
50	23	.019	0.49	25	7.6	Black Oxide	ESTI050BK1

Titanium Tooth Proof is also available as a convenient Leader Wire Kit complete with Stainless Steel Sleeves and Rubber Shrink Tubes!





EADER WIRE KIT





TITANIUM TOOTH PROOF® LEADERS

Titanium Sinale Strand Leaders

Super-elastic Titanium Tooth Proof Leaders stretch to absorb the strike of a fish, then snap back and recover during the hook-set. These leaders are made with AFW's special blend of Titanium alloy wire - engineered to deliver tremendous strength along with dramatic kink resistance. Fish with confidence knowing these are among the highest quality leaders available. Crimped ends are covered with black shrink wrap for a smooth, low profile, stealthy design. Leaders are made with AFW 100% Stainless Steel Mighty Mini Swivels (p. 46) with a compact design that is up to 3x's stronger than brass swivels – providing less drag and smooth rotation. Snaps are high strength stainless steel crosslock style for maximum security. Use single strand leaders for the best bite protection, superior flexibility and unmatched kink resistance. Wire Made in USA.

Titanium Leaders - Single Strand Leaders

Test	Test	Diam.	Diam.	Length	Length		
lb	kg	Inch	mm	Inch	cm	Color	Part #
30	14	.015	0.38	12	30	Black Oxide	ESTI030BL12
50	23	.019	0.49	12	30	Black Oxide	ESTI050BL12
75	34	.023	0.58	12	30	Black Oxide	ESTI075BL12
30	14	.015	0.38	18	46	Black Oxide	ESTI030BL18
50	23	.019	0.49	18	46	Black Oxide	ESTI050BL18
75	34	.023	0.58	18	46	Black Oxide	ESTI075BL18







TITANIUM SHOCK LEADERS - WIRE STRETCHES AND RECOVERS TO SET HOOKS

- DRAMATIC KINK RESISTANCE
- UNMATCHED FLEXIBILITY
- STEALTHY GUNMETAL BLACK FINISH **MIGHTY-MINI 100% STAINLESS STEEL**







Packaged in Convenient Resealable Bags!



T	Ο	Ο	Tŀ	11	PR	0	0	F®	

Stainless Steel Single Strand Leader Wire

Tooth Proof leader wire lives up to its name and provides maximum protection against the ferocious jaws of Barracuda, King Mackerel, Wahoo and other toothy fish. Made from specially controlled Type 304 stainless steel alloy to be hard, but not brittle, and to deliver the perfect combination of flexibility and strength. Tooth Proof possesses incomparable abrasion resistance and tames the toughest toothy fish. AFW's unique pre-straightening process eliminates cast, providing a straighter leader wire with improved kink resistance. Special Camouflaged Brown finish vanishes in deep water. Tournament tested tough, this proven leader wire continues to put anglers on the winner board! Made in USA by AFW.

Tooth Proof®

Size	Test	Test	Diam.	Diam.	Feet	Meters	Base
No.	lb	kg	Inch	mm	Per Lb	Per Kg.	Part #
2	27	12	.011	0.28	3,075	2,063	S02*
3	32	15	.012	0.30	2,612	1,753	S03*
4	38	17	.013	0.33	2,190	1,469	S04*
5	44	20	.014	0.36	1,890	1,268	S05*
6	58	26	.016	0.41	1,450	973	S06*
7	69	31	.018	0.46	1,150	772	S07*
8	86	39	.020	0.51	925	621	S08*
9	105	48	.022	0.56	768	515	S09*
10	124	56	.024	0.61	645	433	S10*
11	140	64	.026	0.66	548	368	S11*
12	174	79	.029	0.74	442	297	S12*
13	195	89	.031	0.79	387	260	S13*
14	218	99	.033	0.84	341	229	S14*
15	240	109	.035	0.89	302	203	S15*
18	325	148	.041	1.04	221	148	S18*
19	360	164	.043	1.09	201	135	S19*

*Add code for **Color** followed by code for **Coil Size** (For example: Size No. 2, Bright Color, 30 ft Coil = S02T-0). **Color Code** T = Bright C = Camo

			5							
Coil Size Code	-0	=	30 ft (9.2 m)	25#	=	1⁄4 lb (114 g)	-01	#	=	1 lb (454 g)
Value Pack Code	-VP	=	100 ft (30.4 m)							

Make Perfect Haywire Twists Every Time with the Haywire Twist Tool (p. 81)!

Tooth Proof leader wire lives up to its name and provides maximum protection against the ferocious jaws of toothy fish. www.afwfishing.com 4-1-800-824-9473



TOOTH PROOF® TOURNAMENT - STRAIGHT LENGTHS

Tournament Straight Lengths are a must for competition anglers! No more fumbling with coils. Each piece of wire is precision straightened and cut, then packed in tubes for fast, easy rigging. Made in USA by AFW.

Tooth Proof® Tournament Straight Lengths

Size	Test	Test	Diam.	Diam.				
No.	lb	kg	Inch	mm	Color	Length	Pieces	Part #
3	32	15	.012	0.30	Bright	12 in (30 cm)	300	S03TL12/300
4	38	17	.013	0.33	Bright	12 in (30 cm)	300	S04TL12/300
5	44	20	.014	0.36	Bright	12 in (30 cm)	300	S05TL12/300
6	58	26	.016	0.41	Bright	12 in (30 cm)	300	S06TL12/300
3	32	15	.012	0.30	Camo	12 in (30 cm)	300	S03CL12/300
4	38	17	.013	0.33	Camo	12 in (30 cm)	300	S04CL12/300
5	44	20	.014	0.36	Camo	12 in (30 cm)	300	S05CL12/300
6	58	26	.016	0.41	Camo	12 in (30 cm)	300	S06CL12/300
7	69	31	.018	0.46	Camo	12 in (30 cm)	300	S07CL12/300
3	32	15	.012	0.30	Camo	36 in (91.4 cm)	100	S03CL36/100
4	38	17	.013	0.33	Camo	36 in (91.4 cm)	100	S04CL36/100
5	44	20	.014	0.36	Camo	36 in (91.4 cm)	100	S05CL36/100
6	58	26	.016	0.41	Camo	36 in (91.4 cm)	100	S06CL36/100
7	69	31	.018	0.46	Camo	36 in (91.4 cm)	100	S07CL36/100

COPPER RIGGING WIRE - STRAIGHT LENGTHS

AFW Soft Copper Rigging Wire is available in several lengths and quantities. This wire is extremely flexible and ideal for rigging live and artificial baits. Cut lengths are packaged 50 per tube and in 1 lb tubes and spools.

Copper Rigging Wire

Diam. Inch	Diam. mm	Length	Quantity Per Pack	Finish	Part #	
.020	0.51	14 in (35.6 cm)	50 pc	Bare Copper	U020L14/50	
.020	0.51	9 in (22.9 cm)	50 pc	Bare Copper	U020/50	
.020	0.51	14 in (35.6 cm)	1 lb (0.45 kg)	Bare Copper	U020L14-01LB	
.028	0.71	14 in (35.6 cm)	1 lb (0.45 kg)	Bare Copper	U028L14-01LB	
.020	0.51	792 ft (241 m)	1 lb (0.45 kg) uncut spool	Bare Copper	U020-01#	
.020	0.51	14 in (35.6 cm)	1 lb (0.45 kg)	Red	U020RL14-01LB	NEW!
.028	0.71	14 in (35.6 cm)	1 lb (0.45 kg)	Red	U028RL14-01LB	NEW!
.028	0.71	18 in (45.7 cm)	1 lb (0.45 kg)	Red	U028RL18-01LB	NEW!

WIRE STRAIGHTENER TOOLS

AFW Wire Straightener tools make it easy to straighten wire that has been worked. Put the rollers in your hand in the open position with each of the rollers side by side. Lay the end of a piece of wire that requires straightening on the three rollers, then move the rollers until they form a triangle with the wire in the center. Grasp the rollers in one hand holding tightly, then pull the wire through the rollers to straighten. May need to pull through a second time for highly bent wires. Works great with Tooth Proof sizes 5-15 and Copper Rigging Wire!



1. Put the rollers in your hand in the open position, with each of the rollers side-by-side.

2. Fold the rollers closed tightly, then pull the wire through to straighten.





Available in 50 piece & 1 lb tubes!



Part Number TPWS-ECONO





Black Oxide



500 FOOT (152.4 M) SPOOL

1111


1x7

Multi Strand

- WIRE STRETCHES AND **RECOVERS TO SET HOOKS**
- DRAMATIC KINK RESISTANCE
- UNMATCHED FLEXIBILITY

STEALTHY GUNMETAL **BLACK FINISH**

Titanium Surfstrand is also available as a convenient Leader Wire Kit - complete with Stainless Steel **Sleeves and Rubber Shrink Tubes!**



TITANIUM SURFSTRAND®

Bare 1x7 Titanium Leader Wire

Titanium Surfstrand is an uncoated, 1x7 super-elastic leader wire that stretches to absorb the strike of a fish - then snaps back and recovers during the hook-set! This wire is made with a special blend of Titanium alloy wire and engineered to deliver tremendous strength along with dramatic kink resistance. Fish with confidence knowing this is among the highest quality leader wire available. Use Titanium Surfstrand for the best bite protection, flexibility, and unmatched kink resistance! Made in USA by AFW.

Titanium Surfstrand®

Test	Test	Diameter	Diameter	Length	Length	Use AFW		
lb	kg	Inch	mm	Feet	Meters	Sleeve	Color	Part #
15	7	.012	0.31	10	3.1	1	Black Oxide	ATI015BL-10FT
20	9	.014	0.36	10	3.1	1	Black Oxide	ATIO20BL-10FT
30	14	.017	0.43	10	3.1	3	Black Oxide	ATI030BL-10FT
50	23	.021	0.53	10	3.1	4	Black Oxide	ATI050BL-10FT
75	34	.026	0.66	10	3.1	5	Black Oxide	ATI075BL-10FT
100	45	.030	0.69	10	3.1	5	Black Oxide	ATI100BL-10FT
50	23	.021	0.53	100	30.5	4	Black Oxide	ATI050BL-1
50	23	.021	0.53	500	152.4	4	Black Oxide	ATI050BL-6



Use the AFW Crimp Tool with Teeth for connecting sleeves to Titanium Surfstrand. The teeth help the sleeve grip the wire and provide a tight hold.




TITANIUM SURFSTRAND® LEADER KIT

Titanium 1x7 Multi-Strand Leader Wire 25 ft (7.6 m), Black Stainless Steel Sleeves 25 pc, Black Shrink Tubes 25 pc Wire made in USA by AFW.

Test Ib	Test kg	Diam. Inch	Diam. mm	Length Feet	Length m	Color	Part #
30	14	.017	0.43	25	7.6	Black Oxide	EATI030BK1
50	23	.021	0.53	25	7.6	Black Oxide	EATI050BK1

Crimping and Shrink Sleeve Instructions



tubing on to the wire, followed by a crimp sleeve, leaving about a 3 inch (7 cm) tag end.



Hold the sleeve between your finger and thumb and pull the tag end snug, leaving a tiny loop at the opposite end of the sleeve.



Next, thread the wire through your terminal tackle component (snap, swivel, or hook) and completely back through the sleeve a second time, leaving about a 2 inch (5 cm) tag end.



Firmly crimp the center of the sleeve using the AFW Crimp Tool with Teeth (item no. TPCRP6.0), or standard AFW Crimping Pliers, and then cut the tag end of the wire as close as possible to the sleeve being careful not to cut the loop.



Next, take the tag end of the wire and pass it fully back through the sleeve a third time.



Finally, slide the piece of shrink tubing over the crimped sleeve and gently apply heat to neatly conceal the connection and tag end



TITANIUM SURFSTRAND® LEADERS

Titanium 1x7 Multi Strand Leaders

AFW's super-elastic Titanium Surfstrand Leaders stretch to absorb the strike of a fish, then snap back and recover during the hook-set. These leaders are made with AFW's special blend of Titanium alloy wire - engineered to deliver tremendous strength along with dramatic kink resistance. Fish with confidence knowing these are among the highest quality leaders available. Crimped ends are covered with black shrink wrap for a smooth, low profile, stealthy design. Leaders are made with AFW 100% Stainless Steel Mighty Mini Swivels (p. 46) with a compact design that is up to 3x's stronger than brass swivels – providing less drag and smooth rotation. Snaps are high strength stainless steel crosslock style for maximum security. Use Titanium Surfstrand Leaders for the best kink resistance, superior flexibility and unmatched kink resistance. Wire made in USA by AFW.

Titanium Leaders - 1x7 Multi-Strand

Test Ib	Test kg	Diam. Inch	Diam. mm	Length Inch	Length cm	Color	Part #
30	14	.017	0.43	12	30	Black Oxide	EATI030BL12
50	23	.021	0.53	12	30	Black Oxide	EATI050BL12
75	34	.026	0.66	12	30	Black Oxide	EATI075BL12
30	14	.017	0.43	18	46	Black Oxide	EATI030BL18
50	23	.021	0.53	18	46	Black Oxide	EATI050BL18
75	34	.026	0.66	18	46	Black Oxide	EATI075BL18

These leaders are made with AFW's special blend of Titanium alloy wire - engineered to deliver tremendous strength along with dramatic kink resistance.

> Mighty-Mini 100% Stainless **Steel Crane Swivel**

Proprietary Crimping Method with Shrink Tubing for Strong, **Stealthy Connection**

> **High Strength Stainless Steel Crosslock Snap**







SURFLON® MICRO SUPREME

Nvlon Coated 7x7 Stainless Steel Leader Wire

Perhaps the best leader wire available! Surflon Micro Supreme is miniature 49 strand stainless steel wire that is extremely flexible and kink resistant. This wire is ideal for many types of sport fishing because it can be knotted to your bait and line like monofilament, it provides greater flexibility and less stretch than monofilament, and is generally smaller diameter per pound test, and therefore, less visible in the water. Surflon Micro Supreme is extra limp and has virtually no memory or stretch. The wire enhances the action of live and artificial baits and adds a level of realism never before attainable using wire or other leader materials such as monofilament and fluorocarbon. This wire is ideal for presenting life-like bait at any depth and can fool tackle-shy Billfish while withstanding the violent razor-sharp strikes of King Mackerel and Shark. Excellent for casting flies and tempting the most discriminating toothy fish to the surface. No other wire offers more realistic action both above and below the water. Low elasticity and high sensitivity allow you to set hooks faster and with more accuracy. Attach using common monofilament knots such as the Albright Knot, Clinch Knot, Nail Knot, Perfection Loop, Surgeon's Loop, or Uni-Knot. Made in USA by AFW.

Surflon[®] Micro Supreme

Test	Test	Diam.	Diam.	Use AFW	Base Part #	Base Part #	Base Part #
lb	kg	Inch	mm	Sleeve #	Bright	Black	Camo
13	6	.013	0.33	1, 1L	CM49-13T*	CM49-13B*	DM49-13*
20	9	.015	0.38	1, 1L	CM49-20T*	CM49-20B*	DM49-20*
26	12	.018	0.46	2	CM49-26T*	CM49-26B*	DM49-26*
40	18	.024	0.61	3	CM49-40T*	CM49-40B*	DM49-40*
65	30	.030	0.76	S3, 4, 4L	CM49-65T*	CM49-65B*	DM49-65*
90	41	.036	0.91	5	CM49-90T*	CM49-90B*	DM49-90*

*Add code for **Spool Length** (For example: 13 lb Test, Bright Color, 5m Spool = CM49-13T-A). -G = 100 m (328 ft) Spool Length Code -A = 5 m (16.4 ft) 1,000 m Spool Length F = Prefix plus -1 = Suffix (see price list for full part number range)

Surflon Micro Wires Tie as Easy as **Monofilament and** Have the Strength of **Stainless Steel!**

- Jason Moore



SURFLON® MICRO ULTRA

Nvlon Coated 1x19 Stainless Steel Leader Wire

Surflon Micro Ultra 19 strand is more flexible than our Surflon 1x7 (p. 32), but not as flexible as our Surflon Micro Supreme 7x7 (p. 30). Surflon Micro Ultra has a smooth nylon coating that adds kink resistance, provides longer life, and makes the wire easy to knot. You can attach this leader wire using common monofilament knots such as the Albright Knot, Clinch Knot, Nail Knot, Perfection Loop, Surgeon's Loop, Uni-Knot, etc... Low stretch and high sensitivity allow for fast hook sets and remarkable performance. The limp, supple qualities make it especially well-suited for fly fishing tippet and predator leaders where life-like bait presentation is required along with strong bite protection. Surflon Micro Ultra is an economical alternative to Surflon Micro Supreme and an excellent leader wire for Barracuda, Billfish, Bluefish, King Mackerel, Shark, Wahoo, and other game fish. Made in USA by AFW.

Surflon[®] Micro Ultra

Test Ib	Test kg	Diam. Inch	Diam. mm	Use AFW Sleeve #	Base Part # Bright	Base Part # Black	Base Part # Camo
6	3	.010	0.25	0	-	-	DM19-06*
11	5	.012	0.30	1, 1L	CM19-11T*	CM19-11B*	DM19-11*
17	8	.015	0.37	1, 1L	CM19-17T*	CM19-17B*	DM19-17*
26	12	.018	0.46	2	CM19-26T*	CM19-26B*	DM19-26*
35	16	.021	0.53	2	CM19-35T*	CM19-35B*	DM19-35*
46	21	.024	0.61	3	CM19-46T*	CM19-46B*	DM19-46*
61	28	.030	0.76	S3, 4, 4L	CM19-61T*	CM19-61B*	DM19-61*

*Add code for **Spool Length** (For example: 6 lb Test, Bright Color, 5m Spool = CM19-06T-A)

Spool Length Code -A = 5m (16.4 ft)

1,000 m Spool Length **F** = Prefix plus -**I** = Suffix (see price list for full part number range)

AFW's MINIATURE NYLON COATED 7x7 & 1x19 LEADER WIRE

While you do not need wire leader to catch prized species such as Billfish, Sailfish, Tarpon, or Striped Bass, many anglers use wire to prevent bite-offs from non-targeted toothy fish that often hit their bait. Single strand wire and other brands of multi-strand wire are stiff and can spook tackle-shy fish such as Billfish and Tarpon. AFW's miniature nylon coated 7x7 and 1x19 stainless steel wires behave more like monofilament and provide an increased level of natural bait action along with a more realistic presentation. These wires can be knotted to your bait & line like mono, combine higher breaking strengths in smaller diameters, and deliver reduced visibility and maximum bite protection. Diameter for diameter, absolutely no other multi-strand fishing wires offer more flexibility and strength!

This wire is ideal for presenting lifelike bait at any depth and can fool tackle-shy Billfish while withstanding the violent razor-sharp strikes of King Mackerel and Shark.




THE ORIGINAL KNOTTABLE **LEADER WIRE SINCE 1995!**



Nvlon Coated 1x7 Stainless Steel Leader Wire

SURFLON®

by AFW. **Surflon**®





Surflon 1x7 is an effective leader wire for hardcharging, toothy fish such as Bluefish, Muskie, and Mackerel

Test	Test	Diam.	Diam.	Use AFW		Base
 lb	kg	Inch	mm	Sleeve #	Color	Part #
10	5	.012	0.30	2	Bright	C010T*
15	7	.015	0.38	2	Bright	C015T*
20	9	.024	0.61	3	Bright	C020T*
30	14	.024	0.61	3	Bright	C030T*
45	20	.028	0.71	S3,4, 4L	Bright	C045T*
60	27	.032	0.81	4, 4L	Bright	C060T*
90	41	.036	0.91	5, 6	Bright	C090T*
135	61	.041	1.04	S5, 7	Bright	C135T*
210	95	.051	1.32	8	Bright	C210T*
10	5	.012	0.30	2	Black	C010B*
15	7	.015	0.38	2	Black	C015B*
20	9	.024	0.61	3	Black	C020B*
30	14	.024	0.61	3	Black	C030B*
45	20	.028	0.71	S3,4, 4L	Black	C045B*
60	27	.032	0.81	4, 4L	Black	C060B*
90	41	.036	0.91	5, 6	Black	C090B*
135	61	.041	1.04	S5, 7	Black	C135B*
210	95	.051	1.32	8	Black	C210B*
10	5	.012	0.30	1, 1L	Camo	D010*
15	7	.015	0.38	2	Camo	D015*
20	9	.018	0.46	2	Camo	D020*
30	14	.020	0.51	2	Camo	D030*
40	18	.024	0.61	3	Camo	D040*
60	27	.032	0.81	4, 4L	Camo	D060*
90	41	.046	1.16	7	Camo	D090*
135	61	.055	1.40	9	Camo	D135*
170	77	.060	1.52	12	Camo	D170*
250	114	.068	1.72	12	Camo	D250*

Surflon 1x7 is a great all-around leader wire for toothy fish. This wire is our Surfstrand 1x7 staipless the leader with is our Surfstrand 1x7 stainless steel with a smooth coating of nylon.

A specially selected grade of nylon, tough yet flexible, is used to seal out water, reduce visibility, and improve the life of the line. Compared to old style 1x3 construction, Surflon's 1x7 construction offers higher break strength and more realistic action. Surflon 1x7 is an effective leader wire for hardcharging, toothy fish such as Bluefish, Muskie and Mackerel. Made in USA

*Add code for **Spool Length** (For example: 10 lb Test, Bright Color, 30 ft. Spool = C010T-0). Spool Length Code -0 = 30 ft. (9.2 m) -1 = 100 ft. (30.4 m) -4 = 300 ft. (91.5 m)-8 = 1,000 ft. (305 m)

5,000 ft Spool Length F = Prefix plus -9 = Suffix (see price list for full part number range)

SURFLON® CRIMPING KIT

Kit contains a 30 ft (9.2 m) spool of 30 lb (14 kg) Black Surflon 1x7 leader wire, 36 pc of #3 Black Crimping Sleeves, and Lightweight Crimping Pliers for making leaders and rigs. Convenient all-in-one package is a value versus buying components separately. Wire made in USA by AFW.



Single Barrel Sleeves Crimping Instructions



2 ____2 in (5 cm)

First, feed the wire through a crimp sleeve leaving about a 3 inch (7 cm) tag end. Use singlebarrel sleeves with an inside diameter of more than twice the wire diameter you are crimping.




Next, take the tag end of the wire and pass it fully back through the sleeve a third time.




Firmly crimp the center of the sleeve using the AFW Crimp Tool with Teeth (item no. TPCRP6.0), or standard AFW Crimping Pliers.



Next, thread the wire through your terminal tackle component (snap, swivel, or hook) and completely back through the sleeve a second time, leaving about a 2 inch (5 cm) tag end



Hold the sleeve between your finger and thumb and pull the tag end snug, leaving a tiny loop at the opposite end of the sleeve.



Finally, cut the tag end of the wire as close as possible to the sleeve being careful not to cut the loop.

© AFW Fishing Brands



Black



Heavy-duty Surflon Leaders are made with Black, nylon coated Surflon 1x7 stainless steel wire and high quality AFW Terminal Tackle. Leaders are double-crimped for extra strength and are great for many types of toothy game fish. Surflon is also available with Blood Red nylon coating as Bleeding Leaders™ (p 35).

Surflon® Leaders

Length Inch	Length cm	Test Ib	Test kg	Leaders Per Pack	Part #
6	15.2	20	<u>8</u>	3	E020BL06/3
6	15.2	30	14	3	E030BL06/3
9	22.9	20	9	3	E020BL09/3
9	22.9	30	14	3	E030BL09/3
12	30.5	20	9	3	E020BL12/3
12	30.5	30	14	3	E030BL12/3
12	30.5	45	20	3	E045BL12/3
18	45.7	20	9	3	E020BL18/3
18	45.7	30	14	3	E030BL18/3
18	45.7	45	20	3	E045BL18/3
18	45.7	60	27	3	E060BL18/3
24	61.0	20	9	3	E020BL24/3
24	61.0	30	14	3	E030BL24/3
24	61.0	45	20	3	E045BL24/3
24	61.0	60	27	3	E060BL24/3
36	91.4	20	9	3	E020BL36/3
36	91.4	30	14	3	E030BL36/3
36	91.4	45	20	3	E045BL36/3
36	91.4	60	20	3	E060BL36/3




Bright

Part Number EVARIT/12 NEW!

VARIETY PACK | 12 p

Part Number EVAR1BL/12 NEW!

VARIETY PACK | 12 p





BLEEDING LEADER™ WIRE

Blood Red Nylon Coated 1x7 Stainless Steel

Bleeding Leader Wire is the World's First Blood Red nylon coated leader wire. The unique red nylon coating mimics actual blood in top water fishing conditions to attract fish. In deeper water, the color Red is filtered out faster than other colors on the spectrum and 'vanishes' to fish. Bleeding Leader Wire is ideal for all types of toothy fish and is made from our strong Surflon 1X7 stainless steel leader wire. Made in USA by AFW.

Bleeding Leader[™] Wire

Test Ib	Test kg	Diam. Inch	Diam. mm	Use AFW Sleeve #	Base Part #
15	7	.015	0.38	2	CO15RED*
20	9	.024	0.61	3	CO20RED*
30	14	.024	0.61	3	CO30RED*
45	20	.028	0.71	4, 4L	CO45RED*
60	27	.032	0.81	4, 4L	CO60RED*
90	41	.036	0.91	5, 6	CO90RED*
135	61	.041	1.04	S5, 07	C135RED*
210	95	.051	1.32	8	C210RED*

*Add code for **Spool Length** (For example: 20 lb Test, 30 ft Spool = CO20RED-0). -0 = 30 ft. (9.2 m) -4 = 300 ft. (91.5 m) -8 = 1,000 ft. (305 m) Spool Length Code 5,000 ft Spool Length F = Prefix plus -9 = Suffix (see price list for full part number range)

THE UNIQUE RED NYLON COATING MIMICS BLOOD IN TOP WATER FISHING CONDITIONS TO ATTRACT FISH!

an a state of the second second 90Ib.(41 RED 30ft.(9.2m) C090RED-0

Blood Red



J. Mm



BLEEDING LEADERS™

Blood Red Nylon Coated 1x7 Stainless Steel

Ready-made leaders rigged on Blood-Red nylon coated 1X7 stainless steel Surflon wire and high quality AFW Terminal Tackle. Great for all types of toothy fish!

Bleeding Leaders™


Length	Length	Test	Test	Leaders	
Inch	cm	lb	kg	Per Pack	Part #
12	30.5	20	9	3	E020REDL12/3
12	30.5	30	14	3	E030REDL12/3
18	45.7	45	20	3	E045REDL18/3
18	45.7	43	20	3	E045REDL18/3





Brass Swivel

-Bill Platt



MIMICS BLOOD

EVIDAUDE

Bright

CAMO

B17 CAFW . Valley Twp., PA

Test 1701b.(77kg.)

Camo

300ft (91m)



SURFSTRAND®

Bare 1x7 Stainless Steel Leader Wire

Surfstrand 1x7 is made of corrosion resistant, spring temper stainless \mathcal{O} steel. Compared to our competitor's old style 1x3 construction, Surfstrand's 1x7 construction offers higher break strength and more realistic action. The wire is specially stranded to deliver superior kink resistance, and the high strength of stainless makes this an excellent wire for leaders, lures, and trolling. Camouflaged Brown finish minimizes reflections and disappears beneath the water. Attach Surfstrand using crimping sleeves and crimping pliers or tie with a figure 8 Knot. Made in USA by AFW.

Surfstrand®

Test	Test	Diam.	Diam.	Use AFW		Base
lb	kg	Inch	mm	Sleeve #	Color	Part #
20	9	.011	0.28	1, 1L	Bright	A020*
30	14	.015	0.38	2	Bright	A030*
45	20	.018	0.46	2	Bright	A045*
60	27	.021	0.53	2	Bright	A060*
90	41	.024	0.61	3	Bright	A090*
135	61	.027	0.69	S3,4, 4L	Bright	A135*
210	95	.036	0.91	6	Bright	A210*
10	5	.008	0.20	0	Camo	B010*
15	7	.010	0.25	0	Camo	B015*
20	9	.011	0.28	1, 1L	Camo	B020*
30	14	.012	0.30	1, 1L	Camo	B030*
40	18	.015	0.38	2	Camo	B040*
60	27	.018	0.46	2	Camo	B060*
90	41	.024	0.61	3	Camo	B090*
135	61	.027	0.69	S3,4, 4L	Camo	B135*
170	77	.033	0.84	4, 4L	Camo	B170*
250	114	.039	0.99	6	Camo	B250*
325	148	.045	1.14	S5, 7	Camo	B325*

*Add code for **Spool Length** (For example: 20 lb Test, Bright Color, 30 ft. Spool = A020-0). **Spool Length Code** -0 = 30 ft. (9.2 m) -4 = 300 ft. (91.5 m) -7 = 600 ft. (183 m) -8 = 1,000 ft. (305 m) 5,000 ft Spool Length F = Prefix plus -9 = Suffix (see price list for full part number range)

FOLLOW THESE STEPS TO PREVENT FRAYING AND **MAKE PROFESSIONAL QUALITY LEADERS WITH** SURFSTRAND MICRO SUPREME AND MICRO ULTRA



Briefly heat the area to be cut with a lighter or small flame.



Tie or use AFW miniature sleeves and the Micro Crimp Tool (TPCRIMP2) to make terminal connections.



Cut the wire in heated section under no tension using razorsharp cutters such as AFW Nipper Tool (TPNIP1). The result is a clean cut that will thread easily through sleeves.



Securely crimped wire.

© AFW Fishing Brands

crimp sleeves or tie with a Figure 8 Knot.



Attach Surfstrand using



SURFSTRAND® MICRO SUPREME

Bare 7x7 Stainless Steel Leader/Trace Wire

Surfstrand Micro Supreme 7x7 feels more like thread than wire and is more flexible than our 1x19 variety, listed below. This miniature 49 Strand stainless steel trace wire slips through the water and has virtually no memory or stretch. Surfstrand Micro Supreme 7x7 is the preferred wire of professional European Pike and Walleye (Zander) anglers. Camouflaged Brown finish blends well in most rivers and lakes reducing visibility. An outstanding leader/trace wire for finicky toothy critters! Made in USA by AFW.

Surfstrand® Micro Supreme

Test Ib	Test kg	Diam. Inch	Diam. mm	Use AFW Sleeve #	Base Part # Bright	Base Part # Camo
13	6	.009	0.23	0	-	BM49-13*
20	9	.011	0.28	0	-	BM49-20*
26	12	.014	0.36	1, 1L	-	BM49-26*
40	18	.018	0.46	2	-	BM49-40*
65	30	.023	0.58	2	AM49-65*	BM49-65*
90	41	.027	0.69	3	AM49-90*	BM49-90*

*Add code for **Spool Length** (For example: 65 lb Test, Bright Color, 5m Spool = AM49-65T-A). **Spool Length Code** -A = 5 m (16.4 ft)

1,000 m Spool Length F = Prefix plus -I = Suffix (4 pieces max per 1000 m) see price list for full part number range

SURFSTRAND® MICRO ULTRA

Bare 1x19 Stainless Steel Leader/Trace Wire

Surfstrand Micro Ultra is miniature diameter 1x19 stainless steel leader wire that is more flexible than 1x7, but not as flexible as 7x7. Surfstrand Micro Ultra is an economical alternative to Surfstrand Micro Supreme (above). This 19 Strand wire was originally designed for European Pike and Walleye (Zander) anglers. The extremely miniature diameters are practically invisible in the water. Ideal for catching toothy fish such as European Pike where delicate bait presentation is required. Made in USA by AFW.

Surfstrand® Micro Ultra

Test	Test	Diam.	Diam.	Use AFW	Base Part #
lb	kg	Inch	mm	Sleeve #	Camo
6.6	3	.006	0.15	0	BM19-06*
11	5	.008	0.20	0	BM19-11*
17	8	.010	0.25	0	BM19-17*
26	12	.012	0.30	1, 1L	BM19-26*
35	16	.014	0.36	1, 1L	BM19-35*
46	21	.016	0.41	1, 1L	BM19-46*
61	28	020	0.51	2	BM19-61*

*Add code for **Spool Length** (For example: 6.6 lb Test, Camo Color, 5m Spool = BM19-06-A). Spool Length Code -A = 5 m (16.4 ft)1,000 m Spool Length F = Prefix plus -I = Suffix (2 pieces max per 1000 m)


see price list for full part number range











Downrigger Cable

CAMO

150lb.(68kg

SURFSTRAND® DOWNRIGGER WIRE

Surfstrand Downrigger Wire is specially stranded 1x7 Stainless Steel wire that provides the flexibility and resistance to bending fatigue required for use on downriggers. Wire is available with and without pre-rigged assemblies. The Complete Assembly includes a stainless steel thimble and a 225 lb (102.3 kg) stainless steel coast lock snap swivel. The Shock Kit Assembly includes a protective spring, two stoppers, and a 225 lb (102.3 kg) stainless steel coast lock snap swivel. Surfstrand Downrigger Wire is ideal for fresh and saltwater use and is designed for all makes of manual and electric downriggers. Available in Bright stainless and Camouflaged Brown finishes. Made in USA by AFW using US and imported parts.

Complete Assembly

Shock-Kit Assembly



Length 150ft (46m)

Surfstrand Downrigger Wire - No Assembly


	CAMO COLOR
_	VARIATIONS








and reduce the shine and brightness of the wire - making it less visible to fish. Our unique camouflaged brown finish is achieved through a natural oxidation process. Due to many variables in this process, the color will vary from light brown to a dark purple. Please see the photos to the left color variation.



The purpose of the camouflage finish is to minimize light reflections



Surfstrand Downrigger Wire - Complete Assembly

Test	Test	Diam.	Diam.	Length	Length		
lb	kg	Inch	mm	Feet	Meters	Color	Part #
150	68	.031″	0.79	150	46	Bright	R150TA-2
135	61	.027″	0.69	200	61	Bright	R135TA-3
150	68	.031″	0.79	200	61	Bright	R150TA-3
250	114	.039"	0.99	200	61	Bright	R250TA-3
135	61	.027″	0.69	300	92	Bright	R135TA-4
150	68	.031″	0.79	300	92	Bright	R150TA-4
150	68	.031″	0.79	400	122	Bright	R150TA-5
150	68	.031″	0.79	200	61	Camo	R150CA-3
250	114	.039″	0.99	200	61	Camo	R250CA-3
150	68	.031″	0.79	300	92	Camo	R150CA-4
150	68	.031″	0.79	400	122	Camo	R150CA-5

Surfstrand Downrigger Wire - Shock-Kit Assembly

Test Ib	Test kg	Diam. Inch	Diam. mm	Length Feet	Length Meters	Color	Part #
135	61	.027″	0.69	200	61	Camo	R135CS-3
135	61	.027″	0.69	400	122	Camo	R135CS-5



49-STRAND™

Made from high strength, corrosion resistant Type 304 stainless steel, 49-Strand 7x7 cable provides excellent kink resistance and bite protection against Shark and other big game toothy fish. Oftentimes when a Shark strikes a bait, they twirl violently. This motion can kink single strand leader wire and can actually be more destructive to your tackle than the fierce bite. 49-Strand resists kinking, wrestles back, and allows you to hook up and haul in. Available in Bright and Camouflaged Brown. Made in USA by AFW.

49 Strand

Test	Test	Diam.	Diam.	Use AFW	Base Part #	Base Part #
lb	kg	Inch	mm	Sleeve #	Bright	Camo
90	41	.031	0.79	4F8	K090T*	K090C*
175	80	.036	0.91	4F8, 7TB	K175T*	K175C*
275	125	.045	1.14	7F8, 7TB	K275T*	K275C*
400	182	.054	1.37	7F8, 8TB	K400T*	K400C*
480	218	.062	1.57	10F8, 10TB	K480T*	K480C*
600	273	.072	1.83	10F8, 10TB	K600T*	K600C*
800	364	.081	2.06	14F8, 11TB	K800T*	K800C*
900	409	.093	2.36	14F8	K900T*	K900C*

*Add code for **Spool Length** (For example: 90 lb Test, Bright Color, 30 ft. Spool = K090T-0). -0 = 30 ft (9.2m) -4 = 300 ft (91.5m) **Spool Length Code** -6 = 500 ft (152m)

-8 = 1,000 ft (305m)






Superior Bite Protection!

Check out our **Shark Rigs on** page 87 & 120! Bright



SURFSTRAND® COPPER **Bare 1X7 Copper Trolling Wire**

Copper Length 300ft (91m) Test Color 30Ib.(14kg.) COPPER Copper is 13% Heavier than Stainless Steel



Surfstrand Copper Trolling wire is bare, 1x7 stranded copper wire ∞ that has 13% greater density than stainless steel. This line sinks more 00 rapidly than stainless steel, and allows you to troll deeper with less line in the water. The 1x7 strand construction gives this line good flexibility and kink resistance. Many anglers report increased strike rates with the use of copper terminal tackle - believing that the positive ions in copper help to attract fish. Made in USA by AFW.

Surfstrand® Copper

Test	Diameter	Diameter	Length	Length	Use AFW		
kg	Inch	mm	Feet	Meters	Sleeve	Color	Part #
14	.028	0.71	300	92	4, 4L	Copper	BCU030-4
20	.037	0.93	300	92	S5, 7	Copper	BCU045-4
14	.028	0.71	600	183	4, 4L	Copper	BCU030-7
20	.037	0.93	600	183	S5, 7	Copper	BCU045-7
	kg 14 20 14	kg Inch 14 .028 20 .037	kg Inch mm 14 .028 0.71 20 .037 0.93 14 .028 0.71	kg Inch mm Feet 14 .028 0.71 300 20 .037 0.93 300	kg Inch mm Feet Meters 14 .028 0.71 300 92 20 .037 0.93 300 92	kg Inch mm Feet Meters Sleeve 14 .028 0.71 300 92 4, 4L 20 .037 0.93 300 92 S5, 7 14 .028 0.71 600 183 4, 4L	kg Inch mm Feet Meters Sleeve Color 14 .028 0.71 300 92 4, 4L Copper 20 .037 0.93 300 92 55, 7 Copper 14 .028 0.71 600 183 4, 4L Copper

STAINLESS STEEL TROLLING WIRE

AFW's Stainless Steel Trolling Wire is soft single strand wire carefully annealed for maximum flexibility and strength. The line sinks rapidly allowing the angler to get down deep using shorter lengths of line. It is kink and abrasion resistant and ideal for both fresh and saltwater trolling. The high strength of 300 series stainless steel results in a small diameter per pound test providing greater reel capacity. Great for reaching Stripers and other fish in deep waters. Made in USA by AFW.

Stainless Steel Trolling Wire

Test	Test	Diam.	Diam.	Feet	Meters	Base
lb	kg	Inch	mm	per Lb	per Kg.	Part #
12	6	.012	0.30	2,612	1,753	G012*
15	7	.013	0.33	2,190	1,469	G015*
20	9	.016	0.41	1,450	973	G020*
25	11	.018	0.46	1,150	772	G025*
30	14	.020	0.51	925	621	G030*
40	18	.022	0.56	768	515	G040*
50	23	.024	0.61	645	433	G050*
60	27	.026	0.66	548	368	G060*
70	32	.028	0.71	474	318	G070*
85	39	.032	0.81	362	243	G085*
100	45	.035	0.89	302	203	G100*
120	55	.038	0.96	258	173	G120*

*Add code for Spool Size (For example: 12 lb Test, 300 ft Spool = G012-4).							
Spool Length Code	-4 = 300 ft. (91.5m)	-4/2 = 300 ft. (91.5m); 2 Connected					
	-7 = 600 ft. (183m)	-8 = 1,000 ft. (305m)					
	-05# = 5 b (2.3kg)	-10# = 10 lb (4.5kg)					

Great for Reaching Fish in Deep Waters!



Length 300ft (92m) Break 201b.(9kg.) G020-4 ARW . Valley Twp., PA 193



MONEL® TROLLING WIRE

AFW's single strand soft Monel Trolling Wire is the ultimate line for wire fishing. Special processing by AFW gives the wire exceptional kink resistance with excellent ductility and high strength. This nickelcopper alloy provides maximum corrosion resistance in fresh and saltwater and, due to its greater density, sinks more rapidly and stays deeper than stainless steel and other trolling lines. Excellent wire for dragging baits at depth and hooking hard-charging game fish such as Striped Bass and Wahoo. Made in USA by AFW.

Monel Trolling Wire

Test	Test	Diam.	Diam.	Feet	Meters	Base
lb	kg	Inch	mm	per Lb	per Kg.	Part #
15	7	.016	0.41	1,301	873	H015*
20	9	.018	0.46	1,032	692	H020*
25	11	.020	0.51	830	557	H025*
30	14	.022	0.56	689	462	H030*
40	18	.025	0.63	534	358	H040*
50	23	.028	0.71	425	285	H050*
60	27	.031	0.79	347	233	H060*
70	32	.034	0.86	288	193	H070*
80	36	.036	0.91	256	172	H080*
100	45	.040	1.02	207	139	H100*

*Add code for Spool Size (For example: 15 lb Test, 300 ft Spool = H015-4).

Spool Length Code -4 = 300 ft. (91.5m) -4/2 = 300 ft. (91.5m); 2 Connected

-7 = 600 ft. (183m) -05# = 5 lb (2.3kg)

-8 = 1,000 ft. (305m) -10# = 10 lb (4.5kg)

Monel is a trademark of Special Metals Corporation.

2-Connected Spools, an AFW Exclusive!





MARKING WIRE LINE FOR TROLLING

Wire line fishing is one of the oldest and most reliable techniques to control the depth of trolling lures. Typically stainless steel wire sinks at the rate of one foot of depth for every ten feet of wire in the water. This formula is based on a trolling speed of 3 to 4 knots using a medium weight trolling lure. Umbrella rigs tend to run deeper than lures and spoons, and heavier lures and spoons will run deeper than lighter ones. Variables such as boat speed, weight and shape of the lure, and water current will affect depth. The following method for marking trolling wire is used by anglers who specialize in pursuing striped bass and bluefish in Mid Atlantic waters and is based on 300' of stainless steel or Monel trolling wire rated at 40 to 60 pound test.



STEP 1: Purchase a length of telephone wire at any hardware or home improvement store and strip off a length of outer sheath. Then cut at least four sets of each color 5 in long. Spool 200 yards of 50-lb monofilament backing on the reel. Hi-Seas Quattro Plus or Grand Slam monofilament is ideal.



STEP 2: Attach a Mighty-Mini 100% stainless steel swivel to the end of the wire on the spool using a haywire twist (see AFW Haywire Twist Tool on page 81) and tie the monofilament backing from your trolling reel to the other side. Be sure the swivel you select fits smoothly through the guides on your frolling rod.



STEP 3: Measure the first fifty feet of wire and mark it. Using HI-SEAS long nose pliers, put about a dozen tiny bends in the wire being careful not to kink it.



STEP 4: The finished bends should look like this.



STEP 5: Wrap a section of colored copper wire around the trolling wire as shown with the middle centered over the bends you just made.



STEP 6: Use a butane lighter to heat the plastic coating for a couple seconds so it fuses together. Do not burn it.

Repeat this with a different color wire at 100', 150', 200' and 250' intervals from the terminal end. This will provide different colored depth markers corresponding to 10', 15', 20' and 25'. The lure will be at approximately 30' when you are down to the mono backing and all 300' of wire is in the water.

Black

ACTUAL SIZE

Nickel Plated

4L

S3



AFW LEADER SLEEVES

Sleeves are made of copper and are available in Nickel plated and Black oxidized. Double Barrel and Thin Wall Double Barrel Sleeves, available in Black finish, are excellent for use with big game mono leader material. Sleeves can be fitted to wire, monofilament, and other various lines. Burr-free nonabrasive finish combined with high strength and corrosion resistance makes AFW's sleeves the preferred choice of professional leader, lure, and tackle manufacturers. Packaged in Retail Packs, 100 piece, and 1,000 piece packages for resale, and 5,000 piece bulk packs for tackle manufacturers.

Single Barrel Copper Sleeves - Nickel Plated

Size	I.D.	I.D.	0.D.	0.D.	Length	Length	Retail Pack	Base
No.	Inch	mm	Inch	mm	Inch	mm	No. Pieces	Part #
1	.033	0.84	.055	1.40	.187	4.75	36	J01N*
2	.047	1.19	.079	1.93	.234	5.94	36	J02N*
3	.055	1.40	.087	2.16	.250	6.35	36	J03N*
S3	.065	1.65	.086	2.18	.343	8.71	n/a	JS3N-C
4	.071	1.80	.105	2.61	.250	6.35	25	J04N*
4L	.071	1.80	.105	2.61	.375	9.52	n/a	J04LN-C
5	.085	2.16	.110	2.79	.375	9.52	25	J05N*
6	.082	2.08	.134	3.30	.375	9.52	25	J06N*
9	.132	3.34	.188	4.76	.400	10.15	30	J09N*

*Add code for Color followed by code for Pack Size (For example: Size No. 2, Nickel Plated, Retail Pack = JO2N-A). Pack Size Code -A = Retail Pack -C = 1,000 Pieces/Pk


Single Barrel Copper Sleeves - Black

Size	I.D.	I.D.	0.D.	0.D.	Length	Length	Retail Pack	Base
No.	Inch	mm	Inch	mm	Inch	mm	No. Pieces	Part #
0	.025	0.63	.045	1.14	.313	7.93	36	J00B*
1	.033	0.84	.055	1.40	.187	4.75	36	JO1B*
1L	.033	0.84	.055	1.40	.313	7.93	36	J01LB*
2	.047	1.19	.079	1.93	.234	5.94	36	J02B*
3	.055	1.40	.087	2.16	.250	6.35	36	J03B*
S3	.065	1.65	.086	2.18	.343	8.71	n/a	JS3B-C
4	.071	1.80	.105	2.61	.250	6.35	25	J04B*
4L	.071	1.80	.105	2.61	.375	9.52	n/a	J04LB*
5	.085	2.16	.110	2.79	.375	9.52	25	J05B*
6	.082	2.08	.134	3.30	.375	9.52	25	J06B*
S5	.096	2.44	.140	3.55	.400	10.15	n/a	JS5B*
7	.106	2.69	.162	3.98	.400	10.15	36	J07B*
8	.116	2.94	.172	4.29	.400	10.15	36	J08B*
9	.132	3.34	.188	4.76	.400	10.15	30	J09B*

*Add code for **Color** followed by code for **Pack Size** (For example: Size No. 2, Nickel Plated, Retail Pack = JO2N-A). Pack Size Code -A = Retail Pack -B = 100 Pcs/Pk (black only) [size 12=50 pcs] -C = 1,000 Pieces/Pk



ACTUAL SIZE



www.afwfishing.com 4FW 1-800-824-9473

Double Barrel Sleeves - Copper, Black

Pack Size Code

Pack Size Code

Size No.	I.D. Inch	I.D. mm	Retail Pack No. Pieces	Mini Bulk	For use with 49 Strand	For use with Monofilament	Part # Black
4F8	.044	1.12	25	100	90-175 lb	100 lb	J04F8B*
7F8	.068	1.73	25	100	275-400 lb	130-200 lb	J07F8B*
10F8	.096	2.44	15	50	480-600 lb	250-400 lb	J10F8B*
14F8	.116	2.94	10	30	800-900 lb	500 lb	J14F8B*

*Add code for **Pack Size** (For example: Size No. 4, Black Color, Retail Pack = JO4F8B-A).

-A = Retail Pack (see chart) -B = Mini Bulk (see chart) -C = 1,000 Pieces/Pk

Thin Wall Double Barrel Sleeves - Copper, Black

Size No.	I.D. Inch	I.D. mm	Retail Pack No. Pieces	Mini Bulk	For use with 49 Strand	For use with Monofilament	Part # Black
71	.053	1.35	25	100	175-275 lb	100-130 lb	J07TB*
8T	.065	1.65	25	100	400 lb	150-200 lb	JO8TB*
10T	.081	2.06	25	50	480-600 lb	230-300 lb	J10TB*
11T	.096	2.44	25	50	800 lb	400 lb	J11TB*

*Add code for **Pack Size** (For example: Size No. 7, Black Color, Retail Pack = JO7TB-A).

-A = Retail Pack (see chart) -B = Mini Bulk (see chart)

-C = 1,000 Pieces/Pk

TIP: When using single-barrel sleeves, choose a sleeve with an inside diameter of more than twice the wire diameter you are crimping. For double-barrel sleeves, use a sleeve with an inside diameter slightly larger than the wire diameter.

CRIMP PROTECTORS

These 50 mm vinyl sleeves keep crimps from snagging and tangling. Many other rigging uses and comes in packs of 10 pc or bulk 250 pc.

Pieces	Size	Luminous Part Number	Black Part Number
10 pieces	50 mm	CH-CP	CH-CPB
250 pieces	50 mm	CH-CP-BULK	CH-CPB-BULK



ACTUAL SIZE

14F8

07TB

10TB



11**T**B

08TB

Black



www.afwfishing.com 4-74 1-800-824-9473

HI-SEAS MINI DOUBLE BARREL COPPER SLEEVES

Mini Double-Barrel Sleeves, available in black finish, are excellent for use with big game mono leader material and can also be fitted to wire leader and other various lines. Burr-free nonabrasive finish combined with high strength and corrosion resistance makes HI-SEAS Sleeves the preferred choice of professional leader, lure, and tackle manufacturers.

Hi-Seas Mini Double Barrel Copper Sleeves

	I.D.	0.D.	Length	Maximum				
Size	mm	mm	mm	Line Size mm	Color	Pieces	Part #	
A2	2.2	3.5	12.1	up to 2.1	Black	10	MDS-BK-A2-F	NEW!
A1	1.9	3.2	12.1	up to 1.8	Black	10	MDS-BK-A1-F	NEW!
В	1.6	2.75	9.5	up to 1.5	Black	18	MDS-BK-B-F	NEW!
C	1.3	2.40	7.0	up to 1.2	Black	26	MDS-BK-C-F	NEW!
D	1.0	2.15	7.0	up to 0.9	Black	27	MDS-BK-D-F	NEW!
E	0.8	1.6	5.0	up to 0.7	Black	50	MDS-BK-E-F	NEW!
A2	2.2	3.5	12.1	up to 2.1	Black	60	MDS-BK-A2/60	
A1	1.9	3.2	12.1	up to 1.8	Black	60	MDS-BK-A1/60	
В	1.6	2.75	9.5	up to 1.5	Black	100	MDS-BK-B/100	
C	1.3	2.40	7.0	up to 1.2	Black	100	MDS-BK-C/100	
D	1.0	2.15	7.0	up to 0.9	Black	100	MDS-BK-D/100	
E	0.8	1.6	5.0	up to 0.7	Black	100	MDS-BK-E/100	
				·				
A2	2.2	3.5	12.1	up to 2.1	Black	1000	MDS-BK-A2/10	00
A1	1.9	3.2	12.1	up to 1.8	Black	1000	MDS-BK-A1/10	00
В	1.6	2.75	9.5	up to 1.5	Black	1000	MDS-BK-B/100	0
C	1.3	2.40	7.0	up to 1.2	Black	1000	MDS-BK-C/100	0
D	1.0	2.15	7.0	up to 0.9	Black	1000	MDS-BK-D/100	
E	0.8	1.6	5.0	up to 0.7	Black	1000	MDS-BK-E/100	

GRAND SLAM ALUMINUM SLEEVES

These Tournament Grade Sleeves are manufactured to exacting tolerances and are the crimp of choice for use with monofilament. Extruded from the perfect alloy so they will compress consistently without cracking, these sleeves are sized to match the diameter of Grand Slam Mono Leader. You can't buy a better sleeve!

Grand Slam Aluminum Sleeves

	I.D.	Maximum	Use with	Retail Pack	Retail	500 Piece
Size	mm	Line Size mm	Mono lbs	Pieces	Part #	Part #
A	3.3	up to 3.2	600	10	GS-A-10	GS-A-500
В	2.8	up to 2.7	500	15	GS-B-15	GS-B-500
С	2.3	up to 2.2	400	15	GS-C-15	GS-C-500
D	2.0	up to 1.9	250, 300	15	GS-D-15	GS-D-500
E	1.7	up to 1.6	200	15	GS-E-15	GS-E-500
F	1.5	up to 1.4	150	50	GS-F-50	GS-F-500
G	1.3	up to 1.2	130	50	GS-G-50	GS-G-500
Н	1.2	up to 1.1	100	50	GS-H-50	GS-H-500
1	1.0	up to 0.9	60, 80	50	GS-I-50	GS-I-500
J	0.8	up to 0.7	50	50	GS-J-50	GS-J-500
K	0.7	up to 0.6	40	50	GS-K-50	GS-K-500





ACTUAL SIZE



ACTUAL SIZE







G











Gunmetal Black

BRASS SLEEVE SWIVELS

Sleeves Swivels are the perfect choice for deep drop rigs, spreader bars, daisy chains, and several other rigs. Simply slide it on your line and crimp it anywhere you want a drop and add your rig!

Brass Sleeve Swivels

Size No.	I.D. Diameter	Test Ib	Test kg	Pieces	Color	Part #
3	1.6 mm	100	45	10	Nickel Plated	FWJ-1.6T-A
2/0	2.3 mm	225	102	10	Nickel Plated	FWJ-2.3T-A
3/0	3.5 mm	310	140	10	Nickel Plated	FWJ-3.5T-A
3	1.6 mm	100	45	100	Nickel Plated	FWJ-1.6T-B
2/0	2.3 mm	225	102	100	Nickel Plated	FWJ-2.3T-B
3/0	3.5 mm	310	140	100	Nickel Plated	FWJ-3.5T-B
3	1.6 mm	100	45	1000	Gunmetal Black	FWJ-1.6B-C
2/0	2.3 mm	225	102	1000	Gunmetal Black	FWJ-2.3B-C
3/0	3.2 mm	310	140	1000	Gunmetal Black	FWJ-3.2B-C
3/0	3.5 mm	310	140	1000	Gunmetal Black	FWJ-3.5B-C
3	1.6 mm	100	45	1000	Nickel Plated	FWJ-1.6T-C
2/0	2.3 mm	225	102	1000	Nickel Plated	FWJ-2.3T-C
3/0	3.5 mm	310	140	1000	Nickel Plated	FWJ-3.5T-C

Nickel Plated







Available in 10, 100, & 1,000 piece packs.

CAFW











- 100% STAINLESS STEEL
- 3X STRONGER THAN BRASS SWIVELS
- COMPACT SIZE FOR REDUCED VISIBILITY
- TIGHT TOLERANCES ASSURE **SMOOTH ROTATION**



100% Stainless Steel

Mighty-Mini Crane Swivels are 100% stainless steel and are 3 times stronger than conventional components of the same size. Smart anglers know that terminal tackle can spook wary game fish. The Might Mini line of compact, 100% stainless steel swivels was engineered to be smaller and stronger than the leading brands of swivels on the market. Now you can use swivels for your rigs, and snap swivels for attaching lures, that are less visible and significantly more powerful. Mighty-Mini Swivels also have less drag and provide enhanced rotation for more strikes. For decades, swivels were manufactured from brass because it is a relatively corrosion resistant material and easy to manufacture. Still today, the leading brand of mini swivels continues to use brass bodies with stainless steel rings that cannot match the strength of Mighty Mini Swivels. Recent advances in manufacturing enable us to bring you these revolutionary, smaller and stronger components, and are the ultimate in connection protection.

Mighty-Mini Stainless Steel Crane Swivels

	Test	Test		Part #		
Size No.	lb	kg	Pieces	Gunmetal Black		
14	78	35	10	FWSS14B-A		
12	100	45	10	FWSS12B-A		
10	133	60	10	FWSS10B-A		
7	180	82	10	FWSS07B-A		
5	220	100	10	FWSS05B-A		
3	310	141	10	FWSS03B-A		
1	411	186	5	FWSS01B-A		
1/0	511	232	5	FWSS1/0B-A		
14	70	05	50	EWCCLAD /50		
14	78	35	50	FWSS14B/50		
12	100	45	50	FWSS12B/50		
10	133	60	50	FWSS10B/50		
7	180	82	50	FWSS07B/50		
5	220	100	50	FWSS05B/50		
3	310	141	50	FWSS03B/50		
1	411	186	50	FWSS01B/50		
1/0	511	232	50	FWSS1/0B/50		
14	78	35	1,000	FWSS14B-C		
12	100	45	1,000	FWSS12B-C		
10	133	60	1,000	FWSS10B-C		
7	180	82	1,000	FWSS07B-C		
5	220	100	1,000	FWSS05B-C		
3	310	141	1,000	FWSS03B-C		
1	411	186	1,000	FWSS01B-C		
1/0	511	232	1,000	FWSS1/0B-C		

100% STAINLESS STEEL SWIVELS VS. BRASS SWIVELS

AFW MIGHTY-MINI STAINLESS STEEL SWIVEL	OTHER MAJOR BRA	NDS OF SWIVELS
Stainless Steel Ring Stainless Steel Body	Steel Ring Brass Body	Brass Ring Brass Body
100% STAINLESS STEEL	STAINLESS RING + BRASS BODY	ALL BRASS



Also available in 1,000 piece bulk packs.

Jason Moore



AFW

BRASS CRANE SWIVELS

Brass swivels are manufactured to exacting specifications to provide smooth rotation and prevent line twisting and kinking. Eyes are precisely formed to prevent pull-out under severe tension. Offered in Nickel and Black finishes. For our strongest swivels please see Mighty-Mini 100% stainless steel swivels (p. 56), or see our Ball Bearing Swivels for the ultimate in fluid rotation (p. 49).

Brass Crane Swivels

Swivel	Test	Test		Part #	Part #
Size No.	lb	kg	Pieces	Black	Nickel Plated
12	15	7	36	FW12B-A	-
10	30	14	36	FW10B-A	-
7	75	34	36	FW07B-A	-
5	90	41	36	FW05B-A	-
3	100	45	36	FW03B-A	-
1	150	68	30	FW01B-A	-
2/0	225	102	20	FW2/0B-A	-
4/0	350	159	10	FW4/0B-A	-
12	15	7	24	FW12B-F	_
10	30	14	24	FW10B-F	-
7	75	34	20	FW07B-F	-
5	90	41	15	FW05B-F	-
3	100	45	15	FW03B-F	-
1	150	68	12	FW01B-F	-
1/0	175	80	9	FW1/0B-F	-
2/0	225	102	7	FW2/0B-F	-
4/0	350	159	5	FW4/0B-F	-
.,				,	
10	30	14	36	FW10B/144	FW10T/144
7	75	34	144	FW07B/144	FW07T/144
5	90	41	144	FW05B/144	FW05T/144
3	100	45	144	FW03B/144	FW03T/144
1	150	68	144	FW01B/144	FW01T/144
1/0	175	80	144	FW1/0B/144	FW1/0T/144
2/0	225	102	144	FW2/0B/144	FW2/0T/144
12	15	7	1,000	FW12B	FW12T
10	30	14	1,000	FW10B	FW10T
7	75	34	1,000	FW07B	FW07T
5	90	41	1,000	FW05B	FW05T
3	100	45	1,000	FW03B	FW03T
1	150	68	1,000	FW01B	FW01T
1/0	175	80	1,000	FW1/0B	FW1/0T
2/0	225	102	1,000	FW2/0B	FW2/0T
4/0	350	159	1,000	FW4/0B	FW4/0T
	000	157	1,000		



ACTUAL SIZE





- Jason Moore

Gunmetal Black

Gunmetal Black

ACTUAL SIZE

ACTUAL SIZE



BRASS HEAVY SWIVELS

These heavy duty swivels have a sleek low-profile body and rotate smoothly and fluidly while yielding incredible break strength. Its slender design also allows you to cautiously reel-back the line and swivel through the rod guides.

Brass Heavy Swivels

	Test	Test		Part #
Size No.	lb	kg	Pieces	Gunmetal Black
3	150	68	5	FWH03B-A
4	300	136	5	FWH04B-A
5	450	202.5	4	FWH05B-A
6	705	317.3	4	FWH06B-A
7	950	427.5	4	FWH07B-A
8	1,100	495	3	FWH08B-A

STAINLESS STEEL BALL-BEARING SWIVELS

Solid Stainless Steel Body, Stainless Steel Bearings, Double-Welded Rings These dual-rotation solid Stainless Steel Ball Bearing Swivels are engineered to survive the fiercest one-on-one battles. The patented bullet shape provides fluid rotation and decreased water resistance. The unique gun metal black finish minimizes reflections and cloaks the tackle. Swivels have a solid stainless steel body, stainless steel bearings, and double-welded rings for maximum security and to endure the unforgiving offshore environment. Don't even think about making a trip to the canyon, or out of sight of the shoreline, without these battle-tested ball bearing swivels in your tackle box. Also available in solid Brass (opposite page). Patented D549,750 S.

Stainless Steel Ball-Bearing Swivels

	Test	Test		Part #
Size No.	lb	kg	Pieces	Gunmetal Black
1	110	50	2	FWV01B-A
3	200	91	2	FWV03B-A
5	335	152	2	FWV05B-A
6	445	202	2	FWV06B-A
7	555	252	2	FWV07B-A
9	890	404	2	FWV09B-A
1	110	50	10	FWV01B/10
3	200	91	10	FWV03B/10
5	335	152	10	FWV05B/10
6	445	202	10	FWV06B/10
7	555	252	10	FWV07B/10
9	890	404	10	FWV09B/10

These solid Stainless Steel Ball Bearing Swivels are engineered to survive the fiercest one-on-one battles.



BALL-BEARING SWIVELS

Solid Brass Body, Stainless Steel Bearings, Welded Rings


These dual-rotation solid Brass Ball Bearing Swivels are engineered to survive the fiercest one-on-one battles. The patented bullet shape provides fluid rotation and decreased water resistance. The unique gun metal black finish minimizes reflections and cloaks the tackle. Swivels have a solid brass body, stainless steel bearings, and welded rings for maximum security and to endure the unforgiving offshore environment. Don't even think about making a trip to the canyon, or out of sight of the shoreline, without these battle-tested ball bearing swivels in your tackle box. Patented US D552,137 S.

Brass Ball-Bearing Swivels

	Test	Test		Part #
Size No.	lb	kg	Pieces	Gunmetal Black
2	65	29	5	FWBB02B-A
3	130	59	5	FWBB03B-A
4	200	91	4	FWBB04B-A
5	230	104	4	FWBB05B-A
6	260	118	4	FWBB06B-A
7	320	145	3	FWBB07B-A
8	390	177	3	FWBB08B-A
9	530	240	2	FWBB09B-A
10	660	299	2	FWBB10B-A
2	65	29	50	FWBB02B/50
3	130	59	50	FWBB03B/50
4	200	91	50	FWBB04B/50
5	230	104	50	FWBB05B/50
6	260	118	50	FWBB06B/50
7	320	145	50	FWBB07B/50
8	390	177	50	FWBB08B/50
9	530	240	50	FWBB09B/50
10	660	299	50	FWBB10B/50

PATENTED BULLET SHAPE DECREASES RESISTANCE

- SOLID BRASS WELDED RINGS FOR **MAXIMUM SECURITY**
- **STAINLESS STEEL BEARINGS PROVIDE** FLUID DUAL-ROTATION









www.afwfishing.com 4-1-800-824-9473



3 x stronger than conventional components of the same size!

Care

ACTUAL SIZE





MIGHTY-MINI™ SNAP CRANE SWIVELS

100% Stainless Steel

Mighty-Mini Snap Crane Swivels are 100% stainless steel and are 3 times stronger than conventional components of the same size. Smart anglers know that terminal tackle can spook wary game fish. The Might Mini line of compact, 100% stainless steel snap crane swivels was engineered to be smaller and stronger than the leading brands on the market. Now you can use snap crane swivels for attaching lures that are less visible and significantly more powerful. Mighty-Mini Snap Crane Swivels also have less drag and provide enhanced rotation for more strikes. For decades, swivels were manufactured from brass because it is a relatively corrosion resistant material and easy to manufacture. Still today, the leading brand of mini swivels continues to use brass bodies with stainless steel rings that cannot match the strength of Mighty Mini Swivels. Recent advances in manufacturing enable us to bring you these revolutionary, smaller and stronger components, and are the ultimate in connection protection!

Mighty-Mini Stainless Steel Snap Swivels

Size No.	Test Ib	Test kg	Pieces	Part # Gunmetal Black
6	70	32	5	FTSS070B-A
5	120	54	5	FTSS120B-A
3	170	77	4	FTSS170B-A
2	270	122	3	FTSS270B-A
1	320	145	3	FTSS320B-A
2/0	450	204	2	FTSS450B-A
4/0	600	272	2	FTSS600B-A
6	70	32	50	FTSS070B/50
5	120	54	50	FTSS120B/50
3	170	77	50	FTSS170B/50
2	270	122	50	FTSS270B/50
1	320	145	50	FTSS320B/50
2/0	450	204	50	FTSS450B/50
4/0	600	272	50	FTSS600B/50
6	70	32	1,000	FTSS070B-C
5	120	54	1,000	FTSS120B-C
3	170	77	1,000	FTSS170B-C
2	270	122	1,000	FTSS270B-C
1	320	145	1,000	FTSS320B-C
2/0	450	204	1,000	FTSS450B-C
4/0	600	272	1,000	FTSS600B-C

100% STAINLESS STEEL SWIVELS VS. BRASS SWIVELS

	W MIGHTY-MINI NLESS STEEL SWIVEL	OTHER MAJOR BRANDS OF SWIVELS		
0	Stainless Steel Ring Stainless Steel Body	Steel Ring Brass Body	Brass Ring Brass Body	
10	0% STAINLESS STEEL	STAINLESS RING + BRASS BODY	ALL BRASS	



Compact. Strong. Reliable!

4/0



BRASS COASTLOCK SNAP CRANE SWIVELS

Coastlock Snap Crane Swivels are a must for Big Game fishing. Smooth operating brass swivels provide fluid motion preventing line twisting and kinking. Snaps are made from high strength wire for superior holding power. For our strongest snap swivels please see Mighty-Mini 100% stainless steel snap swivels (p. 50), or see our Ball Bearing Snap Swivels for the ultimate in fluid rotation (p. 52).

Coastlock Snap Swivels

Two Conchs

Swivel Size No.	Snap Size No.	Test Ib	Test kg	Pieces	Part # Black	Part# Nickel Plated	_
10	32	30	14	6	FCLSS030B-F	-	
7	33	75	34	6	FCLSS075B-F	-	
5	34	90	41	5	FCLSS090B-F	-	
3	34	100	45	5	FCLSS100B-F	-	
1	35	150	68	4	FCLSS150B-F	-	
2/0	36	225	102	3	FCLSS225B-F	-	
10	32	30	14	24	FCLSS030B-A	-	
7	33	75	34	24	FCLSS075B-A		
5	34	90	41	20	FCLSS090B-A		
3	34	100	45	15	FCLSS100B-A		
1	35	150	68	10	FCLSS150B-A	-	
2/0	36	225	102	5	FCLSS225B-A		
4/0	37	350	159	2	FCLSS350B-A	-	
10	32	30	14	144	FCLSS030B/144	-	NEW!
7	33	75	34	144	FCLSS075B/144	-	NEW!
5	34	90	41	144	FCLSS090B/144		NEW!
3	34	100	45	144	FCLSS100B/144	-	NEW!
1	35	150	68	144	FCLSS150B/144	-	NEW!
2/0	36	225	102	144	FCLSS225B/144	-	NEW!
4/0	37	350	159	144	FCLSS350B/144	-	NEW!
10	32	30	14	1,000	FCLSS030B	-	
7	33	75	34	1,000	FCLSS075B		
5	34	90	41	1.000	FCLSS090B	-	
3	34	100	45	1,000	FCLSS100B		
1	35	150	68	1,000	FCLSS150B	_	
2/0	36	225	102	1,000	FCLSS225B	FCLSS225T	
4/0	37	350	159	1,000	FCLSS350B	-	

#34-3 | 5 pc CAFW



Strength Tested

Reliability!



4/0





STAINLESS STEEL BALL-BEARING SNAP SWIVELS

Solid Stainless Steel Body, Stainless Steel Bearings, Double-Welded Rings These dual-rotation solid stainless steel Ball Bearing Snap Swivels are engineered to survive the fiercest one-on-one battles. The patented bullet shape provides fluid rotation and decreased water resistance. The unique gun metal black finish minimizes reflections and cloaks the tackle. Swivels have a solid stainless steel body, stainless steel bearings, and welded rings for maximum security and to endure the unforgiving offshore environment. The tournament snaps are tempered and made of solid stainless steel, designed to stay closed and keep you connected to the fish. Also available in solid Brass (opposite page). Patented D549,750 S.

Stainless Steel Ball-Bearing Snap Swivels

Size No.	Test Ib	Test kg	Pieces	Part # Gunmetal Black
1	70	32	2	FTV070B-A
3	120	54	2	FTV120B-A
5	245	111	2	FTV245B-A
6	320	145	2	FTV320B-A
7	400	181	2	FTV400B-A
9	450	204	2	FTV450B-A
1	70	32	10	FTV070B/10
3	120	54	10	FTV120B/10
5	245	111	10	FTV245B/10
6	320	145	10	FTV320B/10
7	400	181	10	FTV400B/10
9	450	204	10	FTV450B/10


PATENTED BULLET SHAPE DECREASES RESISTANCE

UNEQUALED STRENGTH TO SIZE RATIO

SOLID STAINLESS STEEL BODY AND **DOUBLE-WELDED RINGS**

STAINLESS STEEL BEARINGS

PROVIDE FLUID DUAL-ROTATION



Channel for Fluid Dual-Rotation



BALL-BEARING SNAP SWIVELS

Solid Brass Body, Stainless Steel Bearings, Welded Rings

These dual-rotation solid brass Ball Bearing Snap Swivels are engineered to survive the fiercest one-on-one battles. The patented bullet shape provides fluid rotation and decreased water resistance. The unique gun metal black finish minimizes reflections and cloaks the tackle. Swivels have a solid brass body, stainless steel bearings, and welded rings for maximum security and to endure the unforgiving offshore environment. The tournament snaps are tempered and made of solid brass, designed to stay closed and keep you connected to the fish. Don't even think about making a trip to the canyon, or out of sight of the shoreline, without these battle-tested ball bearing swivels in your tackle box. Patented US D552,137 S.

Ball-Bearing Snap Swivels

Size No.	Test Ib	Test	Pieces	Part # Gunmetal Black
		kg		
2	44	20	4	FTBB044B-A
3	60	27	4	FTBB060B-A
4	90	41	3	FTBB090B-A
5	120	54	3	FTBB120B-A
6	180	82	3	FTBB180B-A
7	250	113	2	FTBB250B-A
8	350	159	2	FTBB350B-A
9	440	200	1	FTBB440B-A
10	450	204	1	FTBB450B-A
2	44	20	50	FTBB044B/50
3	60	27	50	FTBB060B/50
4	90	41	50	FTBB090B/50
5	120	54	50	FTBB120B/50
6	180	82	50	FTBB180B/50
7	250	113	50	FTBB250B/50
8	350	159	50	FTBB350B/50
9	440	200	50	FTBB440B/50
10	450	204	50	FTBB450B/50

- Team Liquid Fire



Black



ACTUAL SIZE

2/0

4/0

5

7



BRASS DUAL SNAP SWIVELS

Dual Snap Swivels are a must for big game fishing, especially when you want to change lures quickly while using in-line weights. Smooth operating brass swivels provide fluid motion preventing line twisting and kinking. Snaps are made from high strength wire for superior holding power.

Brass Dual-Coastlock Snap Swivel

Snap	Test	Test		Part #
Size No.	lb	kg	Pieces	Black
3	100	45	4	FCL2SS110B-A
1	120	54	4	FCL2SS120B-A
2/0	180	82	3	FCL2SS180B-A
4/0	400	180	2	FCL2SS400B-A
3	100	45	20	FCL2SS110B/20
1	120	54	20	FCL2SS120B/20
2/0	180	82	15	FCL2SS180B/15
4/0	400	180	10	FCL2SS400B/10



BALL-BEARING DUAL SNAP SWIVELS

Brass Body, Stainless Steel Bearings, Double-Welded Rings

These dual-rotation brass Dual Snap Swivels are engineered to survive big game fishing, especially when you want to change lures quickly while using in-line weights. Smooth operating stainless steel ball-bearing swivels provide fluid motion preventing line twisting and kinking.

Ball-Bearing Dual Snap Swivels

Size No.	Test Ib	Test kg	Pieces	Part # Gunmetal Black
5	230	103	3	FT2BB230B-A
7	320	144	2	FT2BB320B-A
5	230	103	100	FT2BB230B-B
7	320	144	100	FT2BB320B-B



			V
			-
Black			
Didek			
		ACTUAL SIZE	
	A MAR		
	5	2	
	Y Y	20	
	1 Par		
	Ca	- Maria	
		-112m	
	(
			\sim
		- IR	
Tournam	ent-Grade Du	al 🔪 🌂	
	ovide The Ulti		
Shups Pro			

Connection Protection!



STAINLESS STEEL BALL-BEARING DREDGE SWIVELS

Solid Stainless Steel Body & Bearings, Double-Welded Rings, Corkscrew Snaps

Now you can switch out your dredges quickly and confidently without fear of losing gear. Only AFW offers true 500 lb and 1,000 lb test rated Dredge Swivels. We beefed up the thickness of the stainless steel corkscrew snaps for added strength and security, and we paired the snaps to our proven dual-rotation stainless steel ball bearing swivels with welded rings. Our snaps and our swivels exceed our strength ratings, not just our swivels like other versions sold on the market. The stainless steel ball bearing swivel in the dredge swivel is patented under D549,750 S.

Stainless Steel Ball-Bearing Dredge Swivels

Test Ib	Test kg	Pieces	Part # Gunmetal Black
500	227	2	FWDS0500B-A
1,000	454	2	FWDS1000B-A
500	227	10	FWDS0500B/10
1,000	454	10	FWDS1000B/10

Our snaps and our swivels exceed our strength ratings, not just our swivels like other versions sold on the market.



Change Dredges Quickly and Confidently and Eliminate the Fear of **Losing Your Gear!**



www.afwfishing.com 4 - 1-800-824-9473



3 WAY SWIVELS

3-Way Swivels are perfect for dropper rigs, fishing dual lines, constructing leaders, and more. Just like AFW standard Swivels, 3-Way Swivels provide smooth rotation and prevent line twisting and kinking. Eyes precisely formed to prevent pull-out under severe tension.

3-Way Swivels


Size No.	Test Ib	Test kg	Finish	Pieces	Part # Black	
4	50	22	Black	12	F3W04B-A	-
3	55	25	Black	12	F3W03B-A	
2	70	31	Black	12	F3W02B-A	
1	80	36	Black	12	F3W01B-A	
1/0	105	47	Black	12	F3W1/0B-A	
2/0	110	50	Black	12	F3W2/0B-A	
					· · · · · ·	
4	50	22	Black	144	F3W04B/144	NEW!
3	55	25	Black	144	F3W03B/144	NEW!
2	70	31	Black	144	F3W02B/144	NEW!
1	80	36	Black	144	F3W01B/144	NEW!
1/0	105	47	Black	144	F3W1/0B/144	NEW!
2/0	110	50	Black	144	F3W2/0B/144	
4	50	22	Black	1,000	F3W04B-C	NEW!
3	55	25	Black	1,000	F3W03B-C	NEW!
2	70	31	Black	1,000	F3W02B-C	NEW!
1	80	36	Black	1,000	F3W01B-C	NEW!
1/0	105	47	Black	1,000	F3W1/0B-C	NEW!
2/0	110	50	Black	1,000	F3W2/0B-C	NEW!

BRASS COMBINATION CRANE SWIVELS

Brass Combination Swivels are used in a similar manner as threeway swivels but provide an extra smooth rotation to prevent line twisting and kinking. Eyes are precisely formed to prevent pull-out under severe tension. Great for deep drop rigs!

Brass Combination Crane Swivels

Swive Size N		Test kg	Combo	Pieces	Part # Black
2/0	225	102	2/0 x 2/0	6	FWC2/0B-A
4/0	350	159	4/0 x 4/0	5	FWC4/0B-A
0. (0	005	100	0/0 0/0	100	514/60 /00 D
2/0	225	102	2/0 x 2/0	100	FWC2/0B-B
4/0	350	159	4/0 x 4/0	100	FWC4/0B-B







Stainless

TM

MIGHTY-MINI™ SPLIT RINGS

100% Stainless Steel

Mighty-Mini Stainless Steel Split Rings

Ring	ID	ID	OD	OD	Test	Test	(. l	D
Size No.	Inch	mm	Inch	mm	lb	kg	Color	Part #
1	0.13	3.5	0.20	5.1	24	11	Gunmetal Black	FSRSS01B-*
2	0.17	4.5	0.24	6.1	39	18	Gunmetal Black	FSRSS02B-*
3	0.19	5	0.28	7	55	25	Gunmetal Black	FSRSS03B-*
4	0.23	6	0.31	8	88	40	Gunmetal Black	FSRSS04B-*
5	0.21	5.5	0.31	8	77	35	Gunmetal Black	FSRSS05B-*
6	0.25	6.3	0.35	9	120	55	Gunmetal Black	FSRSS06B-*
7	0.31	7.8	0.47	12	198	90	Gunmetal Black	FSRSS07B-*
8	0.39	9.8	0.56	14.2	230	105	Gunmetal Black	FSRSS08B-*
1	0.13	3.5	0.20	5.1	24	11	Bright Stainless	FSRSS01T-*
2	0.17	4.5	0.24	6.1	39	18	Bright Stainless	FSRSS02T-*
3	0.19	5	0.28	7	55	25	Bright Stainless	FSRSS03T-*
4	0.23	6	0.31	8	88	40	Bright Stainless	FSRSS04T-*
5	0.21	5.5	0.31	8	77	35	Bright Stainless	FSRSS05T-*
6	0.25	6.3	0.35	9	120	55	Bright Stainless	FSRSS06T-*
7	0.31	7.8	0.47	12	198	90	Bright Stainless	FSRSS07T-*
8	0.39	9.8	0.56	14.2	230	105	Bright Stainless	FSRSS08T-*

*Add code for **Pack Size** (For example: Size No. 4, Gunmetal Color, Retail Pack = FSRSSO4B-A). Pack Size Code -A = Retail Pack (see price list) -B = 100 Pieces/Pack -C = 1,000 Pieces/Pk

Mighty-Mini Split Rings have Superior Holding Power!



- 100% STAINLESS STEEL
- UP TO 3X STRONGER THAN BRASS SPLIT RINGS

Gunmetal Black

MIGHTY/MINI

 $o_1 o_2 O_3 O_4$

 $\bigcirc_1 \bigcirc_2 \bigcirc_3 \bigcirc$

O, O, O

 BREAK TEST ALWAYS STATED, UNLIKE COMPETITORS

BRASS SINKER SLIDE

Use Sinker Slides to sink your bait towards the bottom while allowing the lure to swim freely. The durable plastic housing allows the sinker to glide smoothly up and down the line-side. Helpful in detecting the slightest bite plus it allows for a quick sinker change.

Sinker Slide


	Test	Test		Part #
Size No.	lb	kg	Pieces	Black
5	85	39	5	FSDS05B-A
6	150	68	5	FSDS06B-A
5	85	39	144 pc Display Box	FSDS05B/144
6	150	68	144 pc Display Box	FSDS06B/144











COASTLOCK SNAPS

Coastlock Snaps are made from high strength tensile wire for superior holding power. Excellent for big game rigs!

Coastlock Snaps

Snap Size No.	Test Ib	Test kg	Pieces	Part # Black	
32	30	14	36	FCLS32B-A	
33	75	34	36	FCLS33B-A	
34	90	41	36	FCLS34B-A	
35	150	68	36	FCLS35B-A	
36	225	102	12	FCLS36B-A	
37	350	159	6	FCLS37B-A	
32	30	14	144	FCLS32B/144	NEW!
33	75	34	144	FCLS33B/144	NEW!
34	90	41	144	FCLS34B/144	NEW!
35	150	68	144	FCLS35B/144	NEW!
36	225	102	144	FCLS36B/144	NEW!
37	350	159	144	FCLS37B/144	NEW!
32	30	14	1,000	FCLS32B	
33	75	34	1,000	FCLS33B	
34	90	41	1,000	FCLS34B	
35	150	68	1,000	FCLS35B	
36	225	102	1,000	FCLS36B	
37	350	159	1,000	FCLS37B	







INTERLOCK SNAPS

Traditional strong, sturdy Interlock Snaps resist opening under tension and break above listed values. Interlock Snaps are easy to rig and can be used on a variety of leaders. Available in Black.

Interlock Snaps

Snap	Test	Test	Pack		
Size No.	lb	kg	Color	Pieces	Part #
2	20	9	Black	36	FISO2B-A
3	30	14	Black	36	FISO3B-A
4	50	23	Black	30	FISO4B-A
5	55	25	Black	24	FISO5B-A
6	75	34	Black	12	FISO6B-A
2	20	9	Black	1,000	FIS02B
3	30	14	Black	1,000	FIS03B
4	50	23	Black	1,000	FIS04B
5	55	25	Black	1,000	FIS05B
6	75	34	Black	1,000	FIS06B
3	30	14	Nickel	1.000	FIS03T



DUO LOCK SNAPS

Duo Lock Snaps are produced from high tensile strength stainless steel wire and will out perform other brands. Available in Stainless and Black finishes.


Duo Lock Snaps

Snap	Test	Test		Part #	Part #
Size No.	lb	kg	Pieces	Black	Stainless
1	20	9	36	FDS01B-A	-
2	25	11	36	FDS02B-A	-
3	40	18	36	FDS03B-A	
4	50	23	25	FDS04B-A	-
5	85	39	18	FDS05B-A	-
6	150	68	12	FDS06B-A	-
1	20	9	100	FDS01B-B	FDS01T-B
2	25	11	100	FDS02B-B	FDS02T-B
3	40	18	100	FDS03B-B	FDS03T-B
4	50	23	100	FDS04B-B	FDS04T-B
5	85	39	100	FDS05B-B	FDS05T-B
6	150	68	100	FDS06B-B	FDS06T-B
1	20	9	1,000	FDS01B	FDS01T
2	25	11	1,000	FDS02B	FDS02T
3	40	18	1,000	FDS03B	FDS03T
4	50	23	1,000	FDS04B	FDS04T
5	85	39	1,000	FDS05B	FDS05T
6	150	68	1,000	FDS06B	FDS06T














Also Available in 100 & 1,000 pc packs Black

ACTUAL SIZE

6

Knot-Free

Secure Link!

2

ALL NEW!



BRASS CRANE SWIVEL WITH INTERLOCK SNAP

The combination of this Crane Swivel and Interlock Snap work in harmony to reduce line entanglements while ensuring sturdy and reliable connections for both lures and leaders. This sturdy component provides an excellent means to establish a knot-free link that is entirely secure.

Crane Swivel with Interlock Snap

Size No. Size No. Ib kg Pieces Black 2 4 58 26 6 FISC02B-F NEWI 3 3 38 17 8 FISC03B-F NEWI 4 2 29 13 10 FISC04B-F NEWI 5 2 24 11 11 FISC05B-F NEWI 6 1 18 8 12 FISC06B-F NEWI
3 3 38 17 8 FISC03B-F NEW! 4 2 29 13 10 FISC04B-F NEW! 5 2 24 11 11 FISC05B-F NEW!
5 2 24 11 11 FISCOSB-F WEWI
J Z Z4 II II II IISCODI
6 1 18 8 12 FISCO6B-F NEW!
2 4 58 26 144 FISC02B/144 NEW!
3 3 38 17 144 FISCO3B/144 NEW!
4 2 29 13 144 FISCO4B/144 NEW!
5 2 24 11 144 FISCO5B/144 NEW!
6 1 18 8 144 FISCO6B/144 NEW!

- STURDY RELIABLE CONNECTIONS
- REDUCE LINE ENTANGLEMENTS
- ESTABLISH A KNOT-FREE LINK

GRUNDÉNE



C

D

TACKLE BOXES

Keep your tackle organized (or at least try) with these valuepriced tackle boxes. The removable dividers allow you to adjust the compartments for different sizes or amounts of sleeves, components, bait, or other fishing items. Item D is 19.5 in (49.5 cm) long and fits straight lengths of wire, crimps, and other rigging components, as well as multiple crimping pliers and leader spools. Item C is a universal size box that fits most hard and soft tackle storage systems.

Tackle Boxes

	Movable	Height	Width	Length	
	Dividers	in	in	in	Part #
A	9	3.8 (1.5")	12.7 (5")	20.3 (8")	HA-BOX5
В	12	3.8 (1.5")	17.8 (7")	25.4 (10")	HA-BOX6
C	17	1.3 (3.5 cm)	8.5 (21.6 cm)	13.75 (35 cm)	HA-BOX7
D	12	3.6 (9 cm)	5.5 (14 cm)	19.5 (49.5 cm)	HA-BOX8

STRONG HINGES & LATCHES

- MOVABLE DIVIDERS
- ROUNDED BOTTOMS
- **TIGHT FITTING LIDS**

The rounded compartment bottoms make scooping-out quick and easy!



fit most hard and soft tackle storage systems.

Tight-Fit compartments keep small components from shifting from one compartment to another



www.afwfishing.com 4 - 1-800-824-9473

HISSEAS

Part Number **TKB00003** A

R

С

D



Part Number **TKB00001**



Part Number **TKB00002**



Part Number **TKB00004**



All Kits Are Sold In A Sturdy Plastic Storage Box With Dividers and With Labeling to Describe Contents



RIGGING KITS

These premium quality rigging kits offer a generous assortment of our dependable components for building strong, reliable rigs. Each kit is packaged in a sturdy plastic storage box with a hinged lid for easy organization and handling. These convenient, all-inone kits offer a value vs. buying the parts separately, and they also make great gifts!

A. HI-SEAS DELUXE RIGGING KIT 1,101 pieces

Copper Mini Double Barrel Sleeves 125 pc - 1.0ID/0.5T/7L mm, Black 125 pc - 1.3ID/0.5T/7L mm, Black 100 pc - 1.6ID/0.5T/9.5L mm, Black 100 pc - 1.9ID/0.6T/12L mm, Black 100 pc - 2.2ID/0.6T/12L mm, Black Aluminum Single Sleeves 100 pc - 1.5ID/1.0T/18L mm 100 pc - 1.7ID/1.0T/18L mm 100 pc - 2.0ID/1.0T/18L mm 100 pc - 2.3ID/1.0T/18L mm 50 pc - Stainless Steel Thimbles - Small 50 pc -Stainless Steel Thimbles - Medium 50 pc -Nylon Thimbles - Large 1 pc - Mini Hand Crimper - Deluxe

B. HI-SEAS ALUMINUM SINGLE SLEEVES RIGGING KIT 335 pieces

Aluminum Single Sleeves 150 pc - 1.2ID/0.8T/7L mm 35 pc - 1.7ID/1.0T/18L 50 pc - 2.0ID/1.0T/18L 50 pc - 2.3ID/1.0T/18L 25 -Stainless Steel Thimbles - Small 25 - Nylon Thimbles - Large

C. HI-SEAS MINI DOUBLE SLEEVES RIGGING KIT

350 pieces Copper Mini Double Barrel Sleeves 100 pc - 1.3ID/0.5T/7L mm, Black 100 pc - 1.6ID/0.5T/9.5L mm, Black 50 pc - 1.9ID/0.6T/12L mm, Black 50 pc - 2.2ID/0.6T/12L mm, Black 25 pc - Stainless Steel Thimbles - Small 25 pc - Nylon Thimbles - Large

D. AFW BRASS CRANE SWIVELS KIT

261 pieces **Brass Crane Swivels** 50 pc - #10 - 30 lb (14 kg), Black 50 pc - #7 - 75 lb (34 kg), Black 50 pc - #5 - 90 lb (41 kg), Black 50 pc - #3 - 100 lb (45 kg), Black 25 pc - #1 - 150 lb (68 kg), Black 12 pc - #1/0 - 175 lb (80 kg), Black 12 pc - #2/0 - 225 lb (102 kg), Black 12 pc - #4/0 - 350 lb (159 kg), Black



E. AFW BRASS COASTLOCK SNAP SWIVELS KIT

67 pieces

Brass Coastlock Snap Swivels 25 pc - #7 - 75 lb (34 kg), Black 12 pc - #5 - 90 lb (41 kg), Black 12 pc - #3 - 100 lb (45 kg), Black 6 pc - #1 - 150 lb (68 kg), Black 6 pc - #2/0 - 225 lb (102 kg), Black 6 pc - #4/0 - 350 lb (159 kg), Black



Brass Ball Bearing Swivels with Welded Rings 12 pc - #2 - 65 lb (29 kg), Black 12 pc - #3 - 130 lb (59 kg), Black 12 pc - #4 - 200 lb (91 kg), Black 12 pc - #5 - 230 lb (104 kg), Black 6 pc - #6 - 260 lb (118 kg), Black 3 pc - #7 - 320 lb (145 kg), Black



Brass Ball Bearing Snap Swivels with Welded Rings 12 pc - #2 - 44 lb (20 kg), Black 12 pc - #3 - 60 lb (27 kg), Black 12 pc - #4 - 90 lb (41 kg), Black 6 pc - #5 - 120 lb (54 kg), Black 6 pc - #6 - 180 lb (82 kg), Black 3 pc - #7 - 250 lb (113 kg), Black

H. AFW MIGHTY-MINI STAINLESS STEEL SWIVELS KIT

96 pieces Stainless Steel Crane Swivels 12 pc - #14 - 78 lb (35 kg), Black 12 pc - #12 - 100 lb (45 kg), Black 12 pc - #10 - 133 lb (60 kg), Black 12 pc - #7 - 180 lb (82 kg), Black 12 pc - #5 - 220 lb (100 kg), Black 12 pc - #3 - 310 lb (141 kg), Black 12 pc - #1 - 411 lb (186 kg), Black 12 pc - #1/0 - 511 (232 kg), Black

I. AFW MIGHTY-MINI STAINLESS STEEL SNAP SWIVELS KIT

62 pieces

Stainless Steel Snap Crane Swivels 12 pc - #6 - 70 lb (32 kg), Black 12 pc - #5 - 120 lb (54 kg), Black 12 pc - #3 - 170 lb (77 kg), Black 6 pc - #2 - 270 lb (122 kg), Black 12 pc - #1 - 320 lb (145 kg), Black 6 pc - #2/0 - 450 lb (204 kg), Black 2 pc - #4/0 - 600 (272 kg), Black



Part Number TKB00005

E



Part Number **TKB00006**



Part Number **TKB00007**

G



Part Number **TKB00008**

Н



Part Number **TKB00009**





www.afwfishing.com 4-54-9473

SAND EEL

Overall Length: 6.75 in (17.1 cm)

For years, The C&H Sand Eel has been one of the best kept secrets for catching game fish. It's paddle tail helps it to swim as if it were alive. Works well in fresh and salt water and can be trolled up to 6






RIGGING BEADS

Round beads work great for all types of rigs. Choose luminescent green for bottom rigs and red for most other applications. Acrylic Tri-Beads fit together snugly and work well for making stiff-rigs and for adjusting the hook spacing on offshore lures. Available in a variety of popular colors.

Round Rigging Beads

	0.D.	I.D.	Color	Pieces	Part #
A	6 mm (.236 in)	2 mm (.079 in)	Red	36	TA-BD06-RED
B	8 mm (.315 in)	2 mm (.079 in)	Red	20	TA-BD08-RED
C	6 mm (.236 in)	2 mm (.079 in)	Luminous Green	36	TA-BD06-GRE
D	8 mm (.315 in)	2 mm (.079 in)	Luminous Green	20	TA-BD08-GRE
A	6 mm (.236 in)	2 mm (.079 in)	Red	1,000	TA-BD06-RED-B
B	8 mm (.315 in)	2 mm (.079 in)	Red	1,000	TA-BD08-RED-B
C	6 mm (.236 in)	2 mm (.079 in)	Luminous Green	1,000	TA-BD06-GRE-B
D	8 mm (.315 in)	2 mm (.079 in)	Luminous Green	1,000	TA-BD08-GRE-B





ACTUAL SIZE

ACTUAL SIZE





	0.D.	I.D.	Color	Pieces	Part #
Ε	9.5 mm (.374 in)	3.4 mm (.135 in)	Blue	50	TA-TRB-BLU
F	9.5 mm (.374 in)	3.4 mm (.135 in)	Clear	50	TA-TRB-CLR
G	9.5 mm (.374 in)	3.4 mm (.135 in)	Red	50	TA-TRB-RED
H	9.5 mm (.374 in)	3.4 mm (.135 in)	Purple	50	TA-TRB-PUR
E	9.5 mm (.374 in)	3.4 mm (.135 in)	Blue	1,000	TA-TRB-BLU-B
F	9.5 mm (.374 in)	3.4 mm (.135 in)	Clear	1,000	TA-TRB-CLR-B
G	9.5 mm (.374 in)	3.4 mm (.135 in)	Red	1,000	TA-TRB-RED-B
H	9.5 mm (.374 in)	3.4 mm (.135 in)	Purple	1,000	TA-TRB-PUR-B



Tri-beads lock together to create a stiff-rig.

LUMINOUS GLOW BEADS

These are the green glow beads used by more rig makers than any other. Not only do they work great for rigging high-speed trolling lures, they increase bites when used on bottom fishing rigs for snapper, grouper, sea bass , blackfish, cod, rockfish, tilefish and pollock - and they can't be beat on deep drop rigs. Buy them by the bag, add them to your rigs and watch your catch rates soar!

	0.D.	I.D.	Color	Pieces	Part #
T	8.5 x 11.1 mm (0.33 x 0.45 in)	2.4 mm (.09 in)	Luminous Green	10	HA-BD-SGR
J	10.1 x 18.4 mm (0.40 x 0.72 in)	2.8 mm (.11 in)	Luminous Green	10	HA-BD-LGR
Т	8.5 x 11.1 mm (0.33 x 0.45 in)	2.4 mm (.09 in)	Luminous Green	1,000	HA-BD-SGR-B
J	10.1 x 18.4 mm (0.40 x 0.72 in)	2.8 mm (.11 in)	Luminous Green	1,000	HA-BD-LGR-B





ACTUAL SIZE



LUMINOUS **COMPONENTS GLOW IN THE DARK!**









HI-SEAS LUMINOUS THIMBLES

Luminous Thimbles are recommended to protect line from wear on small and big game rigs. Thimbles fit monofilament line sizes up to 2.2 mm diameter. Thimbles glow in the dark.

		Maximum			
	Shape	Line Size mm	Color	Pieces	Part #
A	U	up to 2.2	Light Green	10	HA-TH-PT10
A	U	up to 2.2	Light Green	1000	НА-ТН-РТВ

Use thimbles for the ultimate in chafe protection!









HI-SEAS STAINLESS STEEL THIMBLES

More durable than Plastic Thimbles, Stainless Steel Thimbles protect line and wire leader from wear on downriggers and big game rigs. Thimbles fit line/wire diameters up to 2.0 and 2.8 mm.

		Maximum			
	Shape	Line Size mm	Size	Pieces	Part #
В	U	up to 2.0	Small	10	HA-TH-SS-S10
C	U	up to 2.8	Medium	10	HA-TH-SS-M10
В	U	up to 2.0	Small	1000	HA-TH-SS-SB
C	U	up to 2.8	Medium	1000	HA-TH-SS-MB

ACTUAL SIZE

SIZE 0





SIZE 2



STAINLESS STEEL THIMBLES

Stainless Steel Thimbles are recommended to protect cable from wear on downriggers and shark/big game rigs. Thimbles fit strand and cable sizes up to 3/32 in (2.4 mm) diameter. Thimbles


Size For Cable Diam. For use with For use with Inch 49 Strand Monofilament Pieces No. mm Part # 0 .079 90-900 lb 200-750 lb THOA 2.00 10 .063 1.59 90-480 lb 200-500 lb 10 TH1A 1 2 .125 3.17 600-900 lb 200-600 lb 10 TH₂A 0 .079 2.00 90-900 lb 200-750 lb 1,000 THOC .063 1.59 90-480 lb 200-500 lb 1,000 1 TH1C 2 .125 3.17 600-900 lb 200-600 lb 1,000 TH₂C

HI-SEAS LOOP PROTECTORS

No loop connection is complete without some type of anti-chafing gear to protect leader material from friction and abrasion that can be caused by hooks or swivels under extreme pressure. Loop Protectors are recommended for use with monofilament leader material and act as a barrier to protect and increase line longevity.

Loop Protectors - Stainless Steel

	I.D	0.D.	Length	Pieces	Part #
A	1.3 mm (0.05 in)	2.15 mm (0.08 in)	1.0 in (25 mm)	10	HA-LP-1.3-SS
В	1.6 mm (0.06 in)	2.40 mm (0.09 in)	1.0 in (25 mm)	10	HA-LP-1.6-SS
C	2.0 mm (0.08 in)	2.80 mm (0.11 in)	1.0 in (25 mm)	10	HA-LP-2.0-SS
A	1.3 mm (0.05 in)	2.15 mm (0.08 in)	1.0 in (25 mm)	1,000	HA-LP-1.3-SS-B
В	1.6 mm (0.06 in)	2.40 mm (0.09 in)	1.0 in (25 mm)	1,000	HA-LP-1.6-SS-B
C	2.0 mm (0.08 in)	2.80 mm (0.11 in)	1.0 in (25 mm)	1,000	HA-LP-2.0-SS-B
D	1.3 mm (0.05 in)	2.15 mm (0.08 in)	4.125 in (10.4 cm)	10	HA-LP-1.3-SSL
E	1.6 mm (0.06 in)	2.40 mm (0.09 in)	4.125 in (10.4 cm)	10	HA-LP-1.6-SSL
F	2.0 mm (0.08 in)	2.80 mm (0.11 in)	4.125 in (10.4 cm)	10	HA-LP-2.0-SSL
D	1.3 mm (0.05 in)	2.15 mm (0.08 in)	4.125 in (10.4 cm)	1,000	HA-LP-1.3-SSL-B
E	1.6 mm (0.06 in)	2.40 mm (0.09 in)	4.125 in (10.4 cm)	1,000	HA-LP-1.6-SSL-B
F	2.0 mm (0.08 in)	2.80 mm (0.11 in)	4.125 in (10.4 cm)	1,000	HA-LP-2.0-SSL-B



Choose from Stainless Steel or Nylon Coated Galvanized Steel Loop Protectors for the ultimate connection protection!

Atter the state of the state of

Loop Protectors - Green Nylon Coated Galvanized Steel

	I.D	0.D.	Length	Pieces	Part #
G	1.5 mm (0.05 in)	3.25 mm (0.12 in)	4.125 in (10.4 cm)	10	HA-LP-1.5-GR
H	1.7 mm (0.07 in)	3.30 mm (0.13 in)	4.125 in (10.4 cm)	10	HA-LP-1.7-GR
I.	2.0 mm (0.08 in)	3.75 mm (0.14 in)	4.125 in (10.4 cm)	10	HA-LP-2.0-GR
J	2.3 mm (0.09 in)	4.10 mm (0.16 in)	4.125 in (10.4 cm)	10	HA-LP-2.3-GR
K	2.5 mm (0.10 in)	4.45 mm (0.17 in)	4.125 in (10.4 cm)	10	HA-LP-2.5-GR
G	1.5 mm (0.05 in)	3.25 mm (0.12 in)	4.125 in (10.4 cm)	500	HA-LP-1.5-GR-B
H	1.7 mm (0.07 in)	3.30 mm (0.13 in)	4.125 in (10.4 cm)	500	HA-LP-1.7-GR-B
T	2.0 mm (0.08 in)	3.75 mm (0.14 in)	4.125 in (10.4 cm)	500	HA-LP-2.0-GR-B
J	2.3 mm (0.09 in)	4.10 mm (0.16 in)	4.125 in (10.4 cm)	500	HA-LP-2.3-GR-B
K	2.5 mm (0.10 in)	4.45 mm (0.17 in)	4.125 in (10.4 cm)	500	HA-LP-2.5-GR-B



www.afwfishing.com 4-54-9473



A. BALLYHOO BAIT-SPRING


Use these Stainless Steel Bait Spring for quick rigging ballyhoo, cigar minnow, flying fish, strip-bait, and mullet. It's easy-to-use: rig baits faster, eliminates rubber bands and copper wire.

Length	Description	Part Number
10 pc	Standard	CH-SPGU
10 pc	Large	CH-SPGL
1,000 pc	Standard	CH-SPG-M
1,000 pc	Large	CH-SPGL-M

B. TAG-LINE RETURN

Designed for use on outriggers. This solid brass chrome plated device retrieves the tag line when the lure has been knocked out. Helps to increase hook-ups and assures a solid strike.


Part Number



OUTRIGGER CLIP Must Be Up When Using Tag-Line.

After your lure or lure-bait has been positioned to your desired location, place rod in rod holder, put rubber band in tag-line clip, grab line in hand and wrap rubber band around line 8 or 9 times. Put loose end of rubber band in tag-line clip. Now free spool reel until the tag-line return goes up as far as possible. Allow 15º to 20º bow in your line from rod tip to rubber band.

NOTE: If the bow in your line becomes tight while trolling a straight pattern then your line is slipping through the rubber band. To correct, re-wrap rubber band around line more turns than before. Repeat above steps to let line out.



C. SAFETY LINE

Don't lose your rod & reel overboard - invest in a safety line! Perfectly spliced loop for a cleat, and strong lanyard clip come spliced and ready to go.

Description	Part Number
Rod & Reel Safety Line	CH-RSL5U
Rod & Reel Safety Line	CH-RSL10U
	Rod & Reel Safety Line



Δ





GAFFS

0.11

AFW Gaffs feature a sturdy aluminum shaft, strong stainless steel offset hook, and non-slip grips. These Gaffs are easy to maneuver, quick in the water, compact, and easy to stow on your boat. The sturdy lightweight shaft allows you to bring fish into the boat quickly with less thrashing about. AFW gaffs are available in 3 ft (0.9 m), 4 ft (1.2 m), and 6 ft (1.8 m) shaft lengths with a rugged stainless steel offset hook in 2 in (5 cm), 3 in (7.6 cm), and 4 in (10.1 cm) offset lengths. Lightweight and tough, AFW Gaffs are fashioned from the finest materials with easy-to-sharpen triangular points.

	Hook Offset	Shaft Length	
	in (cm)	ft (m)	Part #
A	2 (5.0)	3 (0.9)	TA-GA236S
B	2 (5.0)	4 (1.2)	TA-GA248S
C	3 (7.6)	3 (0.9)	TA-GA336S
D	3 (7.6)	4 (1.2)	TA-GA348S
E	3 (7.6)	6 (1.8)	TA-GA372S
F	4 (10.1)	4 (1.2)	TA-GA448S
G	4 (10.1)	6 (1.8)	TA-GA472S





E

CAFV

D




PLANERS

The AFW Planer is an innovative and precisely balanced piece of fishing gear. A lead weight acts as a keel and balance to keep the planer running straight at controlled depths. When the planer is in the water in diving position, water pressure against the blade forces the planer down. When a fish strikes, the balance is changed. The planer then trips and produces a slight upward drag, which allows you to fight your fish rather than a heavy lead sinker.

Planers

	Size No.	Finish	Depth ft	Part #
A	1	In-Line Stainless Steel	5-12 (1.5 m - 3.7 m)	TA-PL1
B	2	In-Line Stainless Steel	10-20 (3 m - 6.1 m)	TA-PL2
C	3	In-Line Stainless Steel	12-25 (3.7 m - 7.7 m)	TA-PL3
D	4	In-Line Stainless Steel	15-30 (4.6 m - 9.1 m)	TA-PL4
E	5	In-Line Stainless Steel	20-40 (6.9 m - 12.1 m)	TA-PL5
F	6	Braced Stainless Steel	20-40 (6.9 m - 12.1 m)	TA-PL6
G	1	In-Line Black	5-12 (1.5 m - 3.7 m)	TA-PL1-BK
H	2	In-Line Black	10-20 (3 m - 6.1 m)	TA-PL2-BK
I	3	In-Line Black	12-25 (3.7 m - 7.7 m)	TA-PL3-BK
J	8	Braced Stainless Steel Kit	10-40 (3 m - 12.2 m)	TA-PL8HS-BR-KIT







6 in

Bait Sewing



A. BALLYHOO NEEDLE

These strong, rigid stainless steel bait rigging needles have a sharp, cone-tipped point and a large open eye to make threading quick and easy. Use to bridle and rig live bait and ballyhoo with AFW Rigging Floss, beaded chain, and waxed thread.

Length	Pieces Per pack	Part Number
6 in (15.2 cm)	2	TA-BN060-2
9 in (22.8 cm)	2	TA-BN090-2

B. MORTICIAN'S BAIT RIGGING NEEDLE

Don't be frightened by the name, these strong stainless steel bait rigging needles have triangular razor-sharp points that easily penetrate through baits and plastics. The streamlined eye is easy to thread and won't make large holes in your bait. Use to bridle and rig live bait and ballyhoo. Great for use with AFW Rigging Floss and waxed thread.

Length	Pieces Per pack	Part Number
4.0 in (10.2 cm)	3	TA-MN040-3
6.0 in (15.2 cm)	3	TA-MN060-3
4.0 in (10.2 cm)	24	TA-MN040-24
6.0 in (15.2 cm)	24	TA-MN060-24

C. BAIT SEWING NEEDLE


These strong, rigid stainless steel bait rigging needles have a sharp, cone-tipped point and a large closed eye for easily threading AFW Rigging Floss and waxed thread. Use to bridle and rig live bait and ballyhoo.

Length	Pieces Per pack	Part Number
4.5 in (11.4 cm)	2	TA-SN045-2
6.0 in (15.2 cm)	2	TA-SN060-2

D. WAXED POLYESTER RIGGING FLOSS

AFW Polyester Rigging Floss is perfect for attaching vinyl skirts to big game lures and for rigging baits. The special wax coating provides exceptional gripping force to keep skirts securely in place even during high-speed trolling.

	_		Part	
	Test	Length	Number	
	30 lb (13.6 kg)	667 yd (609 m)	TA-RF30-P-667YD	
	50 lb (22.7 kg)	233 yd (213 m)	TA-RF50-P-233YD	
	70 lb (31.8 kg)	167 yd (152 m)	TA-RF70-P-167YD	-
	30 lb (13.6 kg)	1333 yd (1218 m)	TA-RF30-P-1333Y	NEW!
	50 lb (22.7 kg)	933 yd (853 m)	TA-RF50-P-933YD	NEW!
	70 lb (31.8 kg)	666 yd (608 m)	TA-RF70-P-666YD	NEW!
_				




approx 1/4 lb (.11



A. WILDFIRE BRAID CUTTER

Use the battery operated WildFire Braid Cutter to quickly and easily cut and fuse the ends of braided fishing lines! Uses two AAA batteries (not included). Also great for Nylon and Poly-cords, as well as "sealing" frays in many types of lines.

Part Number **HT-CORDCUT**



B. HEAVY DUTY 10 IN HOOK REMOVER

Heavy Duty Hook Remover is a safe and effective way of removing hooks or lures without ever touching the fish. Protect your hands from hooks, teeth, and gills. Made from stainless steel. It's the perfect catch and release tool! 10 in (25.4 cm).

Part Number **TPHOOKR1**

C. SPLIT RING PLIERS

Designed for opening AFW's split rings and making terminal tackle attachments fast and easy. Hardened steel nose separates rings and keeps them separated while you secure components. Spring hinge increases comfort by reducing fatigue.

Part Number **TPSPLTRG1**

D. WIRE LOOPING PLIERS

Use these Wire Looping Pliers to bend wire into uniform loops every time. Great for making your own rigs. Simply wrap the wire around one of the three different size loops, then squeeze to close the concave jaw which forms a consistent loop every time. Comfortable handles surround a corrosion resistant stainless steel box joint construction. 6 in (15.2 cm). Part Number

TPWL1

E. HAYWIRE TWIST TOOL

Now you can wrap leader wire into clean, even twists, just like the pros with the patented Haywire Twist Tool! Use this tool to rig Tooth Proof #2 through #15 and other single strand stainless wire diameters .011 in (0.28 mm) - .035 in (0.89 mm). Not for use with Titanium Tooth Proof. Detailed instructions provided in package! Patented US 6,681,514. Part Number







Make Perfect Haywire Twists Every Time!

PATENTED US 6,681,514

www.afwfishing.com



A. 6 IN CRIMP TOOL WITH TEETH The Crimp Tool with Teeth is designed to crimp single-barrel sleeves sizes #0 - #6. The specially designed teeth help the sleeve grip the wire and provide a tight hold. Recommended for connecting Titanium Surfstrand. Features an all Stainless Steel body, textured grip handles, and box joint construction. 6 in (15.2 cm).

Part Number

TPCRP6.0

B. MICRO CRIMPER

Unique 2-step micro crimping tool yields a secure attachment for #0 & #1 sleeves. Use the lower section to crimp and the upper section to round off sleeve.

Part Number

TPCRIMP2

C. LIGHTWEIGHT CRIMPING PLIERS

Designed to crimp AFW's single barrel leader sleeves up to size No. 4. An inexpensive tool for light-duty rigging.

Part Number TPCRPLT

D. 51/2 IN CRIMPING & CUTTING PLIERS

This mini crimping and cutting tool gives you the functionality of our larger 8.5 in model in a convenient pocket size. Use these mini pliers to crimp AFW sleeves up through size 6. The front nipper is for lightweight use and it will cut mono, single strand soft wire, and multi-strand leader wire. This tool fits easily into small tackle boxes and your pocket. Drop forged steel construction.

Part Number TPCRP5.5

E. 81/2 IN CRIMPING & CUTTING PLIERS

This tool has three crimping dies designed for crimping AFW's single barrel leader sleeves up to size #S5. Front diagonal cutter will cut soft single strand and multi strand leader wire. Drop forged steel construction.

Part Number

1 CKI 0.5

F. 9¹/₂ IN CRIMPING & CUTTING PLIERS

This tool has three crimping dies and is designed to crimp all AFW single barrel leader sleeves. Front diagonal cutter will cut soft single strand and multi strand leader wire. Longer length handles provide better leverage. Drop forged steel construction.

Part Number TPCRP9.5

All AFW Tools are Retail Packaged and provide usage instructions on the back.





Teeth help the sleeve grip the wire and provide a tight hold.





A. ECONO CRIMPING PLIERS

These economy-priced crimping pliers have four dies designed to crimp oval aluminum sleeves and double barrel copper leader sleeves from 0.1 mm to 2.2 mm O.D. The tool is made from carbon steel and has a dual-action hinge for increased leverage and easier crimping. Two side cutters cut leader strand and cable, and there is a safety lock to keep the tool securely closed when not in use. Part Number

TPCRPHD-ECONO


B. PRO HAND SWAGER

These professional quality hand swagers are heat-treated and chrome plated for increased strength and corrosion resistance. There are four crimping dies designed to crimp aluminum and double barrel copper sleeves from 0.1mm to 2.2mm O.D. The tool is spring-loaded and has articulated jaws and cushioned handles for easier crimping. For heavier duty crimping, we recommend the HT-450-5 and the HT-750-6 below. Part Number

HT-250-4-PRO

C & D. HEAVY DUTY HAND SWAGING TOOL

The ultimate hand tool for rigging mono or cable. Its articulated, five position precision jaws compress sleeves evenly with the ideal pressure every time. Handles sleeves from 0.8 to 3.3mm. If you're serious about offshore rigging, this is the tool you want on your workbench.




Part Number HT-450-5S **Stainless Steel** HT-450-5 Black



E. BENCH CRIMPER

This Bench Crimper is ideal if you find that hand crimpers strain your hands or you simply have several rigs to make. The longer handle gives you increased leverage and crimping power - great for crimping large, bulky rigs. Six positions available ranging from 3.6 mm to 7.0 mm. Part Number













A. NIPPER TOOL

Designed to cut Micro Wire and other soft lines. Sharp angled blades cut cleanly and prevent fraying. Spring hinge ensures long life, dependable use, and fast cuts.

Part Number

TPNIP1

B. STAINLESS STEEL MONO CUTTER

This premium stainless steel mono cutter is a precision tool that delivers a smooth cut on even the largest sized mono. These unique cutters are also equipped with a locking mechanism to keep the jaw closed for safety and the beveled stainless steel blade which eliminates burrs when cutting. Rivet-joint construction. 8 in (20 cm).

Part Number HT-MONOCUT

C. TOOTH PROOF® WIRE CUTTER

Kingfish can't bite through Tooth Proof®, but this tool can! Tempered steel blades shear spring hard wire and cable clean leaving a flat, safe-to-handle straight edge. Spring operated hinge provides comfort by reducing fatigue. A great tool for tournament anglers and bait riggers!

Part Number TPTPCUT

D. PROFESSIONAL CABLE CUTTER

Unique triangular jaws eliminate frayed ends by pulling strands together towards the center. Designed to cut wire and cable up to 3/32 in (2.4 mm). If you make Shark rigs, this tool should be in your tackle box!

Part Number TPCABCUT

D

www.afwfishing.com 4FW 1-800-824-9473



A & B STAINLESS STEEL LONG NOSE PLIERS

Nothing beats a great pair of pliers, and these are our favorites. Available in 8 in (20 cm) and 6 in (15 cm), these pliers feature comfort grip no-slip handles, long-nose design, and wire cutters. Super handy for fishing or on the boat. Stainless steel so they stand up to the harsh saltwater environment.

Part Number		
HT-LNP-6S	6 in (15 cm)	
HT-LNP-8S	8 in (20 cm)	

C&D CARBON STEEL LONG NOSE PLIERS

A good tool at a great price, these carbon steel pliers include comfort grip no-slip handles, long-nose design with wire cutters. Pop a pair in your tackle box or keep them on your tackle bench at home. Great for 1001 uses. Available in 8 in (20 cm) and 6 in (15 cm).

Part Number		
HT-LNP-6	6 in (15 cm)	
HT-LNP-8	8 in (20 cm)	

R

G

D



Extra long cuff extends

comfort and protection

up to the wrist for added

www.afwfishing.com 1-800-824-9473



A. SEA GRIP® SUPERFABRIC® OFFSHORE GLOVES

The Sea Grip Offshore Glove is the ultimate in protection for your hands. It features an extended 3-ply SuperFabric fingertip wraparound plus a generous area of 4-ply SuperFabric protection on the palms. Whether you're leadering a thousand-pound marlin, grabbing a toothy fish at boat side, or filleting a pile of fish, this multiple layer protection is extremely resistant to punctures and cuts, yet flexible for excellent dexterity. The outer layer makes gripping slippery fish a snap, and provides protection when leadering large game fish to the boat - even with wire leaders! These are the best protective gloves available anywhere and they are a Sea Grip exclusive. Sold as a Pair.

Part Number



Wrap-around 4-ply section covers on outer edge and side of hands

3-ply SuperFabric on the fingers is the perfect combination of protection and dexterity

4-ply SuperFabric on the palm offers superior protection against the sharpest objects and maximum grip for wire and mono leaders

SEA GRIP®



Made from heavy-duty woven cotton, the outside surface is reinforced with a checkerboard pattern of soft, adhesive "rubber" that gives you an incredible grip no matter how wet they get. Use them for everything from cutting bait to washing the boat and stop worrying about things slipping out of your wet hands. Machine washable.

Part Number HG-404-L

C. PREMIUM NON-SLIP GLOVES

Woven from a heavy-duty cotton-poly blend, these waterfriendly work gloves have an ergonomically designed, form-fitting rubberized gripping surfaces. Great on the boat, in the workshop, or for almost any kind of chore. Machine washable.

Part Number HG-310-L HG-310-XL

D. NON-SLIP GLOVES - SOLID

Woven from a heavy-duty cotton-poly blend, these water-friendly work gloves have rubberized gripping surfaces. Great on the boat, in the workshop or for almost any kind of chores. They are a real value so buy them by the bag and always have a pair on hand.

Part Number

HG-502-L

E. VINYL WATERPROOF GLOVE

These are the same cloth-backed vinyl work gloves used by commercial fishermen for the toughest, nastiest jobs. They feature a double-dipped, seamless PVC non-slip surface from the wrist to the fingertips and a high-top cuff that extends up your arm to keep your sleeves dry while providing excellent grip. Remains flexible in cold temperatures and is completely waterproof, impervious to most chemicals, and roomy enough to fit a light pair of cotton gloves inside for extra warmth. The next time you get stuck having to cut bait, these are the gloves to wear.

Part Number HG-620-L HG-620-XL

E





FLAGS

A must-have item for any serious fisherman, you can hoist these flags up high for all to see! All flags attach quickly and hold-fast without slipping using an exclusive full-seam Velcro wrap-around (except Release Flags as noted). Images are visible on both sides.

18 in x 12 in (45.7 cm x 30.4 cm)





FLAGS ATTACH QUICKLY USING A FULL-SEAM VELCRO WRAP-AROUND



CH-WMFU CH-BMFU CH-BTFG CH-WFGU White Marlin Flag **Blue Marlin Flag** Bluefin Tuna Flag Wahoo Flag AND DAY

CH-SWF1U Swordfish Flag





CH-TFGU Yellowfin Tuna Flag





17.5 in x 9 in (44.5 cm x 22.9 cm)



14 in x 8.5 in (35.5 cm x 21.5 cm)

CH-FG1U Tag Flag





TROLLING WEIGHTS

The Undisputed Trolling Weight Champions - no other weights stand up to C&H! Designed for high-speed wahoo and big game fishing, all C&H Trolling Weights come rigged with genuine AFW 49-Strand Cable and ball bearing snap swivels. Two versions are available: a hollow weight with beads and an encased weight without beads. For best result, troll between 8 to 20 knots.

HOLLOW STYLE (MOST POPULAR)

Tapered, unique diamond shape resists bending like cigar shaped weights

CH-T-48-BP

AFW 49-Strand cable is loose inside the weight and the beads prevent it from sliding through

True-to-weight, not underweight like other brands

THE UNDISPUTED

TROLLING WEIGHT

CHAMPIONS!

Solid lead, fortified with an additive for increased stiffness

> **Rigged with genuine AFW** 49-Strand cable and ball bearing snap swivels

PART NUMBER WEIGHT DESCRIPTION 16 oz (0.45 kg) Hollow, With Beads CH-T-16U 24 oz (0.68kg) Hollow, With Beads CH-T-24U 32 oz (0.90 kg) Hollow, With Beads CH-T-32U 48 oz (1.36 kg) Hollow, With Beads CH-T-48U Hollow, With Beads 64 oz (1.81 kg) CH-T-64U 80 oz (2.26 kg) Hollow, With Beads CH-T-80 96 oz (2.72 kg) Hollow, With Beads CH-T-96 24 oz (0.68kg) Encased, No Beads CH-T-24-BP 32 oz (0.90 kg) Encased, No Beads CH-T-32-BP

Encased, No Beads

48 oz (1.36 kg)

GILL

ENCASED STYLE

AFW 49-Strand cable is encased inside the weight and will not slide through



BUCKET HARNESS

The ultimate seat for your fighting chair. C&H Bucket Harnesses are hand-crafted in the USA and are designed to provide comfort through those long battles. Thick cushioned with closed cell foam to eliminate water retention. Width: 19 in (48.2 cm), Depth: 15 in (38.1) Height: 9 in (22.8 cm).

Add these to your bucket list!



CH-BHL-R-NL Bucket Harness w/Rope (No Logo)

FIGHTING BELT

The C&H Fighting Belt features a comfortable foam and canvas back with an embroidered logo. Helps control and ease the pressure of fighting a large fish. 12 in (30 cm) wide.

> **High Quality Adjustable** Hook & Loop Strap

Durable Gimbal With A Heavy Duty Stainless Steel Pin That Fits Any Slotted Rod Butt



Comfortable Foam And Canvas Construction With Embroidered Logo









Tournament Fish Bag, Large



Tournament Fish Bag, X-Large Billfish, Dual Zippers/Drain Plug



Fish Bags are great for icing fish in tournaments or for boats that need more fish storage. These insulated bags have heavy duty zippers and clean-up easily with soap and water. Folds up for compact storage and has handles for easy carrying.

Bait Bags are designed to keep ribbonfish and other frozen baits fresh-frozen. This insulated bag has eight sewn pockets for holding frozen freezer packs.

	Size/Style	Dimensions	Part Number
A	Medium	20 in x 64 in (50.8 cm x 162.5 cm)	CH-MTBU
B	Large	36 in x 74 in (91.4 cm x 188 cm))	CH-LTBU
C	X-Large Billfish	40 in x 88 in (101 cm x 223.5 cm)	CH-LBTBU
D	Bait Bag	13 in x 36 in (33 cm x 91.4 cm)	CH-BB01U

ALL BAGS FEATURE

High Density Foam Insulation Keeps Fish Cold Longer

Durable Fiber Reinforced Nylon PVC with Double Stitched Webbing & Handles and Heavy-Duty Zipper

Seamless Construction, Easy To Clean





LURE CARRY CASE - 30 POCKET

Great for Organizing and Carrying Rigged Lures, Rigs, and Leaders! This Lure carry case features ten Resealable Transparent Attached Pockets Measuring 4.25 in x 8.5 in (10.8 cm x 21.6 cm) each and twenty Resealable Transparent Detached Bags Measuring 3.75 in x 4 in (9.5 cm x 10.1 cm) each. Heavy-Duty Zipper and Nylon Handles, measures 11 in x 8.75 in x 2.5 in (28 cm x 22.2 cm x 6.4 cm).



Lures not included



12x12

Part Number

HA-LC12X12-2PC

RIG BAG - 50 POCKET

Heavy-duty nylon zipper bag keeps your kingfish rigs and other pre-assembled leaders organized and ready for action. Features transparent tag pocket for labeling your rig bag and can accommodate up to 50 leaders using the 50 resealable transparent pockets measuring 4.25 in x 5 in (10.8 cm x 12.7 cm) each.





10x10

MESH LEADER BAGS

Great for organizing and carrying leaders and Rigged Lures! These Mesh Leader Bags feature a resealable velcro top and transparent pocket. Available in 10x10 in and 12x12 in pocket size. Leader not included.

Great for Organizing Your Lures!



CHUM BAGS

Bait chumming is a great way to attract fish, especially if you use a bait fish that is normally eaten by your targeted species. Periodically throw-in the chum bag to attract bigger fish to hookup and haul-in! Use live baits that are indigenous to the area or try fish, shrimp, worms, and others.



CH-CBU 21 in x 13 in (53cm x 33 cm)

Made of Heavy Duty Nylon Netting Drawstring For Closing and Hanging Holds Up To 20 lbs of Chum



Part Number **CH-CBLU** 30 in x 22 in (76 cm x 56 cm)



Part Number **CH-CBVU** 12 in (30 cm) Diameter • 21 in (53 cm) Height

Made of Heavy Duty, Fabric Reinforced Vinyl Heavy Duty Drawstring For Securing And Hanging Holds Up To 5 Gallons of Chum

Made of Lightweight Nylon Mesh Drawstring For Closing and Hanging Holds Up To 20 lbs. of Chum



ALL LURE BAGS FEATURE

Eliminate Tangled Rigs To Keep Your Lures Organized!

Transparent Pockets For Easy Identification

Breathable Mesh Allows Lures To Be Put Away Damp and Sprayed-Down in Bag

LURE BAGS

These heavy-duty mesh lure bags eliminate tangled lures and fading of colored skirts. Made with breathable vinyl mesh backs, all bags permit lures to be put away damp. Clear fronts provide easy identification. Multi-pocket bags fold-up nicely for easy transport. By lifting the Velcro flap, each pocket can hold up to three lures. Six and twelve compartment case folds and has handles for easy tote. Lures not included.

	Pockets	Fully Open Dimensions	Part Number
A	1	11 in x 10.5 in (28 cm x 26.6 cm)	CH-LC1PU
B	5	10.5 in x 50 in (26.6 cm x 127 cm)	CH-LC5PU
C	6	16 in x 23 in (40.6 cm x 58.4 cm)	CH-LC6CU
D	12	16 in x 41 in (40.6 cm x 104.1 cm)	CH-LC12CU
F	8	14 in x 29 in (35.5 cm x 73.6 cm)	CH-LC8PU
F	6	14 in x 23 in (35.5 cm x 58.4 cm)	CH-LC6CS
		. ,	



B


Part Number CH-LC1PU 1 Pocket



Nicely For Easy Transport

Part Number 5 Pocket CH-LC5PU





Part Number CH-LC12CU 12 Pocket



Transparent Pockets For Easy Identification



Part Number CH-LC8PU 8 Pocket



Breathable Mesh Allows Lures To Be Put Away Damp and Sprayed-Down in Bag

Part Number CH-LC6CS 6 Pocket



KITS RICCED®READ

C&H LURES ASSORTED MONO RIGGED & READY LURES


These assorted lures are rigged with a 7/0 Mustad Hook, AFW Swivel, 100 lb (45.3 kg) Grand Slam Mono Line, 6 ft (1.8m) and come in a handy 6-pocket lure bag. 14 in x 23 in (35.5 cm x 58.4 cm)

A. CH-RJ-04U B. CH-RJ-13U	Rattle Jet Green/Chartreuse Rattle Jet Pink/White	
C. CH-RRTT-05U D. CH-RRTT-18U	Tuna Tango Dolphin Tuna Tango Black/Purple	
E. CH-RRLS26U F. CH-RRLS01U	Lil' Stubby Oyster Mylar Lil' Stubby Blue/White	

Part Number 6 Pocket **CH-ASRRKIT-01** with Lures

Part Number

NA-DDRRKIT-01




DOLPHIN DELIGHT ASSORTMENT CABLE RIGGED & READY LURES

These Dolphin Delight lures have weighted 1/2 oz (14.1 g) heads and are rigged with a 7/0 Mustad Hook, AFW Swivel, 135 lb (61 kg) AFW Cable, 3 ft (0.9m) and come in a handy 6-pocket lure bag. 14 in x 23 in (35.5 cm x 58.4 cm)

A. NA-DD01-1/2U	Blue/White
B. NA-DD19-1/2U	Silver/Black/Red
C. NA-DD05-1/2U	Green/Yellow/Red
D. NA-DD13-1/2U	Pink/White
E. NA-DD03-1/2U	Blue/Pink
F. NA-DD18-1/2U	Black/Purple







MITY LITE TM

Mity Lites are proven effective for swordfish, grouper, snapper, halibut, and other species that are attracted to light. Mity Lites come in a variety of colors including Green, Blue, White, and Blacklight.

The Mity Lite Blacklight is an alway-on ultraviolet light that drive fish crazy! This blacklight enhances the glow and brightness of fluorescent and light color lures. Predator fish can't resist!

Mity Lite max depth is 800 meters, water resistant, with small batteries included (easy to install). A proven winner in North and South Florida!







ALL LITES SHOWN ACTUAL SIZE



All Mity Lites come with small batteries.



SHARK FLOAT

With its bright white base and fluorescent orange bands, the AFW Shark Float sits on top of the water to provide a visual reference on the position of your line. Balloon floats can break and litter the ocean, but this foam float is durable and reusable so it offers an environmentally friendlier way to control the depth of your baits, especially while drifting. The anti-chaffing straw is included to prevent cable damage to the float by protecting the foam against friction.

Shark Float

	Length	Width	
	in (cm)	in (cm)	Part #
A	6 (15.2)	3 (7.6)	TA-SF6RW
В	9 (22.8)	3 (7.6)	TA-SF9RW

The AFW Shark Float sits on top of the water to provide a visual reference on the position of your line.



LUMINOUS SHARK RATTLE

Scientists know that game fish are attracted to certain sound waves. That's why these unique rattles are so popular with offshore anglers. They contain a single large ball bearing inside a tuned chamber of luminescent plastic that puts out a distinct click as it rolls from one side to the other. No shark or swordfish rig is complete without one, and even marlin and tuna anglers are using them. Charge them under a light source and they glow in the dark.

			Pieces per		
	Length	I.D.	Color	Pack	Part #
C	2 in (5.1 cm)	0.11 in (2.75 mm)	Luminous Light Green	1	HA-LUMRAT
c	2 in (5.1 cm)	0.11 in (2.75 mm)	Luminous Light Green	50	HA-LUMRAT/50

LUMINOUS **COMPONENTS GLOW IN THE DARK!**

C



SHARK RIG

This Economy Shark Rig is professionally assembled, twisted, and crimped and it is ready to fish right out of the bag with minimal bait prep. Shark rigs work best when the bait is fresh and locally caught. Using standard shark baits, such as bluefish, mackerel, and other oily fish will work best to attract sharks since these streamlined bait-fish allow for an easier hook-set. For best results, hook the bait-fish through the eyes or through the bottom lip up to make the bait more streamlined and prevent it from spinning. Adding a skirt over the bait also works well since the combination of both can be used as a means to attract the shark's attention, while at the same time, concealing the hook.

Shark Rigs

Hook	7x7 Cable	Single Strand Leader	Part #
12/0 Mustad Circle Hook	Bright, 8 ft (2.44 m)	Camo Brown, .035 in (0.89 mm) , 4 ft (1.22 m)	TA-SKRD-C-12/0
16/0 Mustad Circle Hook	Bright, 8 ft (2.44 m)	Camo Brown, .035 in (0.89 mm) , 4 ft (1.22 m)	TA-SKRD-C-16/0

Professionally assembled, twisted, and crimped, this rig incorporates all the essential components!

Available in two Sizes: 12/0 & 16/0



Check-out additional Aqua-Clear Shark Rigs on page 120.



BLUEFISH / FLOUNDER / TROUT



HEAVY DUTY BOTTOM RIG

Features:

- #6 Interlock Snap
- Heavy Duty Stainless Steel Twisted Arms
- 60 lb (27 kg) Test

Heavy-Duty Bottom Rig


	Tackle Variant	Part #
A	Black Nylon Coated Wire, 26 in (66 cm), 50 pc	TA-1040HDT
В	Clear Mono Line, 27 in (68 cm), 36 pc	TA-1060HDC

- AVID FISHERMEN WHO DO A LOT OF FRESH OR SALTWATER FISHING WILL **APPRECIATE THE CONVENIENCE**
- STAINLESS STEEL TWISTED ARMS SPIN **FREELY PREVENTING LINE TWIST**
- EACH RING CONTAINS TWO TAGS -ONE FOR THE FLOOR AND ONE FOR THE REGISTER











POMPANO RIG

Features:

- 45 lb (20 kg) Clear Mono Line
- #4 Wide Gap Brass Hooks
- #7 Barrel Swivel
- Fluorescent Red Round Beads

Pompano Rig

	Tackle Variant	Part #
A	Clear Mono Line, 13 in (33.3 cm), 1 pc	TA-DPR7



2-DROP BOTTOM RIG



BLUEFISH / FLOUNDER / TROUT/ BOTTOM FISH



EGG RAPID-RIG

Features:

- 45 lb (20 kg) Clear Nylon Coated Wire
- Slip Egg Sinkers
- #3 Interlock Snap
- #5 Swivel
- Red Beads

Egg Rapid-Rig

	Tackle Variant	Part #
A	0.25 oz Slip Egg Sinker, 17.75 in (45 cm), 2 pc	TA-0.25EGGT/2
A	0.50 oz Slip Egg Sinker, 17.75 in (45 cm), 2 pc	TA-0.50EGGT/2
A	0.75 oz Slip Egg Sinker, 17.75 in (45 cm), 2 pc	TA-0.75EGGT/2
A	1.00 oz Slip Egg Sinker, 17.75 in (45 cm), 2 pc	TA-1.00EGGT/2
A	1.50 oz Slip Egg Sinker, 17.75 in (45 cm), 2 pc	TA-1.50EGGT/2
A	2.00 oz Slip Egg Sinker, 17.75 in (45 cm), 2 pc	TA-2.00EGGT/2
B	0.50 oz Slip Egg Sinker, 17.75 in (45 cm), 12 pc	TA-0.50EGGT
B	0.75 oz Slip Egg Sinker, 17.75 in (45 cm), 12 pc	TA-0.75EGGT
B	1.00 oz Slip Egg Sinker, 17.75 in (45 cm), 12 pc	TA-1.00EGGT
B	1.50 oz Slip Egg Sinker, 17.75 in (45 cm), 12 pc	TA-1.50EGGT
B	2.00 oz Slip Egg Sinker, 17.75 in (45 cm), 12 pc	TA-2.00EGGT

- THIS RIG IS A FAVORITE AMONG SALTWATER ANGLERS, ESPECIALLY IN FLORIDA.
- BAIT WITH MINNOWS, SHRIMP, SQUID, AND OTHER NATURAL BAITS

SMALL BLUEFISH / NORTHEAST USA



Draw attention to the lure as you

SNAPPER POPPER RIG

Features:

- 45 lb (20 kg) Clear Monofilament Line
- Weighted Popping Float
- #6 Hook with Natural Color Tube Dressing
- Single Red Bead

Snapper Popper Rig

	Tackle Variant	Part #
A	Weighted Popping Float, 33.75 in (85.7 cm), 1 pc	TA-SNAPC/1

- SPECIFICALLY DESIGNED TO CATCH **SMALL BLUEFISH**
- THE TUBE DRESSING IS DESIGNED TO **MIMIC A SMALL FISH**
- WORKS BEST WHEN FISHING IN A SCHOOL OF BLUEFISH

DOUBLE DROP MONO RIG

Features:

- 45 lb (20 kg) Clear Mono Line
- #6 Plated Hook
- #7 Barrel Swivel
- Fluorescent Red & Yellow Floats

Double Drop Mono Rig

Tackle Variant		Part #
A	Cylinder Floats, 25 in (63.5 cm), 1 pc	TA-SKF-CYL-OY/1
В	Round Floats, 13.1 in (33.3 cm), 1 pc	TA-SKF-RND-OY/1

Use the large loop for sinker attachment

 FLUORESCENT FLOATERS HELP AVOID UNWANTED BAIT CONTACT WITH CRABS (AND ALSO KEEP THE RIG OFF THE BOTTOM)

www.afwfishing.com 451 1-800-824-9473

DELUXE FINGER MULLET RIG

Features:

- 80 lb (36 kg) Clear Mono Line
- Size #15 Wire Leader
- 2/0 Split Treble Hook
- 3-Way swivel
- Large Duo-Lock Snap
- Weighted Popping Floats

Deluxe Finger Mullet Rig

	Tackle Variant	Part #
A	1.25 in (3.1 cm) White/Red Pear Float, 32.25 in (82 cm), 1 pc	TA-DSMR/1
В	1.25 in (3.1 cm) Green Pear Float, 32.25 in (82 cm), 1 pc	TA-DSMRG/1



• WHEN BAITED WITH FINGER MULLET, THIS RIG IS AN EXCELLENT LURE FOR BLUEFISH AND DRUM







SPOT / KINGFISH

A

B

BLUEFISH / DRUM

CYLINDER FLOATS


ROUND FLOATS

www.afwfishing.com 4-1-800-824-9473

NEW HOME OF (R) E

AQUA-CLEAR TACKLE

A longtime favorite for anglers throughout the Mid-Atlantic region, Aqua-Clear Tackle has been producing and selling high quality rigs for over 40 years by providing single and double bottom fishing rigs utilizing clear injection molded components that minimize tangles and ready to use right out of the package. These rigs are produced with the highest quality components, and the signature Aqua-Clear T-Standoff helps prevent tangles and maintains a distance between the main leader and hook sub leaders.



www.afwfishing.com 4-1-800-824-9473



Please contact our Sales Department for product recommendations and merchandise assistance.

1-800-824-WIRE (9473) Toll Free: Email: sales@afwfishing.com

CATCH MORE FISH!

Detailed, large images are available for every rig on our website





FLOUNDER / SEA TROUT / CROAKER



ADJUSTABLE TANDEM RIG

Features:


- AFW Swivel
- T-Standoff
- 5/0 Black Nickel Octopus Hook
- 40 lb (18.1 kg) Grand Slam Mono
- Length: 4 in (6.2 cm)

Adjustable Tandem Rig

	Tackle Variant	Part #
A	Army Truck Red-Black-White Squid, Red Beads	AC-FW-4THAT
В	Swamp Thing Green & Black Squid	AC-FW-4THG
C	Glow Money Green & White Squid	AC-FW-4THGM
D	Heart Burn Pink Glitter Squid	AC-FW-4THHB
E	Purple Haze Purple & White Squid	AC-FW-4THPH
F	Streaker Pink, Pink & White Squid	AC-FW-4THSP
G	Glow White Glow Squid	AC-FW-4THW







FLUKE / FLOUNDER / SEA TROUT / CROAKER

SPIN-N-GLOW RIG

Features:

- AFW Swivel
- T-Standoff
- 40 lb (18.1 kg) Grand Slam Mono
- 3/0 Nickel Wide Gap Hook

Spin-N-Glow Rig


	Tackle Variant	Part #
A	Chartreuse, Pearls	AC-FW-4SGC
В	Egg Orange, Pearls	AC-FW-4SGO
C	Orange, Pearls	AC-FW-4SGR





Each rig features Pearls and a Spin-N-Glow







EXTRA LARGE SPINNER RIG

Features:

- AFW Swivel
- T-Standoff
- 2/0 Nickel Wide Gap Hook
- 40 lb (18.1 kg) Grand Slam Mono

Spinners

	Tackle Variant	Part #
A	Single Extra Large Chartreuse Hair Spinner	AC-FW-4ESC
В	Single Extra Large Spinner/Pearls Green Hair	AC-FW-4ESG
C	Single Extra Large Spinner Pink Hair	AC-FW-4ESK
D	Single Extra Large Spinner & Pearls White	AC-FW-4ESW
E	Single Extra Large Spinner Pearls Yellow	AC-FW-4ESY



SINGLE RIG

Features:

- AFW Swivel
- T-Standoff
- 40 lb (18.1 kg) Grand Slam Mono


Single Rig

	Tackle Variant	Part #	
	3/0 XL Hook	AC-FW-4	
;	4/O Black Nickel Octopus Hook, Pearls, Spinner	AC-FW-44BNPS	
C	4/0 Black Nickel Octopus Hook, White Hair, Pearls	AC-FW-44BNWP	
D	4/0 Nickel Wide Gap Hook, Pearls, Large Nickel Spinner	AC-FW-44PS	
E	3/0 XL Hook, AFW Swivel, Pearls	AC-FW-4P	
F	2/0 Nickel Wide Gap Hook, Pearls & Spinner	AC-FW-4PS	
G	2/0 Nickel Wide Gap Hook, Pearls	AC-FW-4PSS	
H	2/0 Nickel Wide Gap Hook	AC-FW-4SS	
L	2/0 Gold Color Wide Gap Hook	AC-FW-4SG	



FLUKE / FLOUNDER / SEA TROUT / CROAKER





н

FLUKE/FLOUNDER/SEA TROUT/WEAKFISH/CROAKER



www.afwfishing.com 4-74 1-800-824-9473

FLUKE / FLOUNDER / SEA TROUT / CROAKER

HOLOGRAPHIC MINNOW RIG

Features:

- AFW Swivel
- T-Standoff
- 2/0 Nickel Wide Gap Hook
- 40 lb (18.1 kg) Grand Slam Mono

Holographic Minnow Rig

nolographic Minnow Rig	
Tackle Variant	Part #
A Green Holographic Minnow	AC-FW-4SSHG
B Silver Holographic Minnow	AC-FW-4SSHS

FLOUNDER/FLUKE/SEA TROUT/WEAKFISH/CROAKER









Detailed, large images are available for every rig on our website



HAIR TEASER RIG - HOLOGRAPHIC MINNOW

Features:

- AFW Swivel
- T-Standoff
- 2/0 Nickel Wide Gap Hook
- 40 lb (8.1 kg) Grand Slam Mono

Hair Teaser Rig - Wide Gap Hooks

	Tackle Variant	Part #
A	Chartreuse Hair, Green Holographic Minnow	AC-FW-4ACSHG
В	Chartreuse Hair, Silver Holographic Minnow	AC-FW-4ACSHS
C	Green Hair, Green Holographic Minnow	AC-FW-4AGSHG
D	Green Hair, Silver Holographic Minnow	AC-FW-4AGSHS
E	Pink Hair, Green Holographic Minnow	AC-FW-4AKSHG
F	Pink Hair, Silver Holographic Minnow	AC-FW-4AKSHS
G	White Hair, Green Holographic Minnow	AC-FW-4AWSHG
Н	White Hair, Silver Holographic Minnow	AC-FW-4AWSHS

www.afwfishing.com 4-1-800-824-9473

HAIR TEASER RIG


Features:

- AFW Swivel
- T-Standoff
- 40 lb (18.1 kg) Grand Slam Mono

Hair Teaser Rig

	Tackle Variant	Part #
A	Blue Hair, 3/0 XL Nickel Hook	AC-FW-4AB
В	Chartreuse Hair, 3/0 Nickel Hook	AC-FW-4AC
C	Chartreuse Hair, 3/0 XL Nickel Hook	AC-FW-4ACSS
D	Green Hair, 3/0 Nickel Hook	AC-FW-4AG
E	Green Hair, 3/0 XL Nickel Hook	AC-FW-4AGSS
F	Pink Hair, 3/0 Nickel Hook	AC-FW-4AK
G	Pink Hair, 3/0 XL Nickel Hook	AC-FW-4AKSS
H	White Hair, 3/0 Nickel Hook	AC-FW-4AW
1	White Hair, 3/0 XL Nickel Hook	AC-FW-4AWSS






FLOUNDER/FLUKE/SEA TROUT/WEAKFISH/CROAKER

FLUKE / FLOUNDER / SEA TROUT / CROAKER





FLOAT & HAIR SINGLE RIG

Features:

- AFW Swivel
- T-Standoff
- 2/0 Nickel Wide Gap Hook
- 40 lb (18.1 kg) Grand Slam Mono

Flat & Hair Single Rig

	Tackle Variant	Part #
A	Green Float, Green Hair	AC-FW-4GFGH
B	Green Float, White Hair	AC-FW-4GFWH
C	Pink Float, Pink Hair	AC-FW-4KFKH
D	Pink Float, White Hair	AC-FW-4KFWH
E	Glow Float, Green Hair	AC-FW-40FGH
F	Red Float, White Hair	AC-FW-4RFWH
G	Red Float, Yellow Hair	AC-FW-4RFYH
H	Yellow Float, Chartreuse Hair	AC-FW-4YFCH
I	Yellow Float, White Hair	AC-FW-4YFWH
J	Yellow Float, Yellow Hair	AC-FW-4YFYH





FLOUNDER/FLUKE/SEA TROUT/WEAKFISH/CROAKER



HI-LO SOLID COLOR HAIR TEASER RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Solid Color Hair Teaser Rig

	Tackle Variant	Part #
A	3/0 Nickel Octopus Hook, Blue Hair	AC-FW-1EB
B	3/0 Nickel Wide Gap Hook, Blue Hair	AC-FW-1EBSS
C	3/0 Nickel Octopus Hook, Chartreuse Hair	AC-FW-1EC
D	3/0 Nickel Wide Gap Hook, Chartreuse Hair	AC-FW-1ECSS
E	3/0 Nickel Octopus Hook, Green Hair	AC-FW-1EG
F .	3/0 Nickel Wide Gap Hook, Green Hair	AC-FW-1EGSS
G	3/0 Nickel Octopus Hook, Orange Hair	AC-FW-1EO
H	3/0 Nickel Wide Gap Hook, Orange Hair	AC-FW-1EOSS
L	3/0 Nickel Octopus Hook, Pink Hair	AC-FW-1EP
J	3/0 Nickel Wide Gap Hook, Pink Hair	AC-FW-1EPSS
K	3/0 Nickel Octopus Hook, White Hair	AC-FW-1EW
L	3/0 Nickel Wide Gap Hook, White Hair	AC-FW-1EWSS
М	3/0 Nickel Octopus Hook, Yellow Hair	AC-FW-1EY
N	3/0 Nickel Wide Gap Hook, Yellow Hair	AC-FW-1EYSS



HI-LO PEARL & ACCENT HAIR TEASER RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 40 lb (18.1 kg) Grand Slam Mono


Hi-Lo Pearl & Accent Hair Teaser Rig

	Tackle Variant	Part #
A	3/0 XL Hook, Chartreuse Hair, Pearl Accent	AC-FW-1ECP
В	3/0 Nickel Octopus Hook, Chartreuse Hair, Pearl Accent	AC-FW-1ECPSS
C	3/0 XL Hook, Green Hair, Pearl Accent	AC-FW-1EGP
D	3/0 Nickel Octopus Hook, Green Hair, Pearl Accent	AC-FW-1EGPSS
E	3/0 XL Hook, Pink Hair, Pearl Accent	AC-FW-1EPP
F	3/0 Nickel Octopus Hook, Pink Hair, Pearl Accent	AC-FW-1EPPSS
G	3/0 XL Hook, White Hair, Pearl Accent	AC-FW-1EWP
Н	3/0 Nickel Octopus Hook, White Hair, Pearl Accent	AC-FW-1EWPSS





FLUKE / FLOUNDER / SEA TROUT / CROAKER





HI-LO MIXED COLOR HAIR TEASER RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Mixed Color Hair Teaser Rig

	Tackle Variant	Part #
A	3/0 Nickel Octopus Hook, Chartreuse & White Hair	AC-FW-1FCW
B	3/0 Nickel Octopus Hook, Chartreuse & Yellow Hair	AC-FW-1FCY
C	3/0 Nickel Octopus Hook, Green & Chartreuse Hair	AC-FW-1FGC
D	3/0 Nickel Wide Gap Hook, Green & Chartreuse Hair	AC-FW-1FGCSS
E	3/0 Nickel Octopus Hook, Green & White Hair	AC-FW-1FGW
F	3/0 Nickel Wide Gap Hook, Green & White Hair	AC-FW-1FGWSS
G	3/0 Nickel Octopus Hook, Green & Yellow Hair	AC-FW-1FGY
H	3/0 Nickel Wide Gap Hook, Green & Yellow Hair	AC-FW-1FGYSS
I.	3/0 Nickel Octopus Hook, Pink & White Hair	AC-FW-1FKW
J	3/0 Nickel Wide Gap Hook, Pink & White Hair	AC-FW-1FKWSS
K	3/0 Nickel Octopus Hook, Pink & Green Hair	AC-FW-1FPG
L	3/0 Nickel Octopus Hook, Purple & White Hair	AC-FW-1FPW
М	3/0 Nickel Octopus Hook, Red & White Hair	AC-FW-4AW
N	3/0 Nickel Octopus Hook, Red & Yellow Hair	AC-FW-1FRY
0	3/0 Nickel Octopus Hook, Yellow & White Hair	AC-FW-1FYW





Detailed, large images are available for every rig on our website

HI-LO RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 3/0 Gold Color Beak
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Rig

	Tackle Variant	Part #
A	Classic Hi-Lo Rig	AC-SW-1
В	Cod Pollock Hi-Lo Rig	AC-CP-1



FLUKE / FLOUNDER / SEA TROUT / CROAKER



FLUKE / FLOUNDER / SEA TROUT / CROAKER / COD





HI-LO PLAIN HOLOGRAPHIC MINNOW RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 2/0 Nickel Wide Gap Hook
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Plain Holographic Minnow Rig

	Tackle Variant	Part #
A	Green Holographic Minnow	AC-FW-2AHG
В	Silver Holographic Minnow	AC-FW-2AHS



FLUKE / FLOUNDER / SEA TROUT / CROAKER



FLUKE / FLOUNDER / SEA TROUT / CROAKER







HI-LO HAIR TEASER HOLOGRAPHIC MINNOW

Features:

- AFW Swivel
- Dual T-Standoffs
- 4/0 Nickel Wide Gap Hook
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Hair Teaser Rig

	Tackle Variant	Part #
A	Chartreuse Hair, Green Holographic Minnow	AC-FW-1ECSHG
В	Chartreuse Hair, Silver Holographic Minnow	AC-FW-1ECSHS
C	Green Hair, Green Holographic Minnow	AC-FW-1EGSHG
D	Green Hair, Silver Holographic Minnow	AC-FW-1EGSHS
Ε	Pink Hair, Green Holographic Minnow	AC-FW-1EPSHG
F	Pink Hair, Silver Holographic Minnow	AC-FW-1EPSHS
G	White Hair, Green Holographic Minnow	AC-FW-1EWSHG
Н	White Hair, Silver Holographic Minnow	AC-FW-1EWSHS





HI-LO PLAIN RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Plain Rig

	Tackle Variant	Part #
A	2/0 Gold Color Octopus Hook	AC-FW-1
B	2/0 Gold Color Wide Gap Hook	AC-FW-1A
C	1/0 Gold Color Wide Gap Hook	AC-FW-1A1
D	3/0 XL Nickel Hook	AC-FW-1B
E	1/0 Nickel Hook	AC-FW-1B1
F	2/0 XL Nickel Hook	AC-FW-1B2
G	2/0 Bronze Octopus Hook	AC-FW-2
H	4/0 Nickel Wide Gap Hook	AC-FW-24P
L	2/0 Nickel Wide Gap Hook	AC-FW-2A
J	4/0 Gold Color Wide Gap Hook	AC-FW-140





FLUKE / FLOUNDER / SEA TROUT / CROAKER

FLOUNDER/FLUKE/SEA TROUT/CROAKER/MACKEREL

HI-LO BAIT TUBE RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 2/0 Gold Color Octopus Hook
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Bait Tube Rig

	Tackle Variant	Part #
A	Green Tubes	AC-FW-1DG
В	Pink Tubes	AC-FW-1DP
C	Red Tubes	AC-FW-1DR
D	White Tubes	AC-FW-1DW
E	Yellow Tubes	AC-FW-1DY







FLUKE / FLOUNDER / SEA TROUT / CROAKER



HI-LO PEARL RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Pearl Rig


	Tackle Variant	Part #
A	3/0 XL Nickel Hook, Pearls	AC-FW-1BP
В	1/0 Nickel Hook, Pearls	AC-FW-1BP2
C	2/0 Gold Color Wide Gap Hook, Pearls	AC-FW-1P
D	4/0 Nickel Wide Gap Hook	AC-FW-24A
E	4/0 Black Nickel Octopus Hook, Pearls	AC-FW-24BNP
F	2/0 Nickel Wide Gap Hook, Pearls	AC-FW-2P





FLUKE / FLOUNDER / SEA TROUT / CROAKER







Features:

- AFW Swivel
- Dual T-Standoffs
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Pearl Spinner Rig

	Tackle Variant	Part #
A	2/0 Gold Color Wide Gap Hook, Pearls & Spinners	AC-FW-1P2S
B	2/0 Gold Color Wide Gap Hook, Pearls	AC-FW-1PS
C	4/0 Black Nickel Octopus Hook, Pearls & Spinner Top & Bottom	AC-FW-24BNPS
D	4/0 Nickel Wide Gap Hook, Pearls & Spinner	AC-FW-24PS
E	3/0 Nickel Wide Gap Hook, Pearl & Spinner Top & Bottom	AC-FW-2P2S
F	2/0 Nickel Wide Gap Hook, Pearl/Spinner Top, Pearl Bottom	AC-FW-2PS
G	3/0 XL Nickel Hook, Pearl & Spinner Top & Bottom	AC-FW-3P2S
H	3/0 XL Nickel Hook, Pearl & Spinner Top, Pearl Bottom	AC-FW-3PS



F



Each rig features Pearls and a Spinner



HI-LO TANDEM RIG

Features:

- AFW Swivel
- 60 lb (27.2 kg) Grand Slam Mono

Hi-Lo Tandem Rig

	Tackle Variant	Part #
A	6/0 Bait Holder Hooks, 36 in / 92.4 cm	AC-ST-6
В	6/0 Bait Holder Hooks, 18 in / 45.7 cm	AC-ST-8
C	8/0 Circle Hooks, 18 in / 45.7 cm	AC-ST-8HC




STRIPED BASS / ROCKFISH / DRUMFISH





Detailed, large images are available for every rig on our website



HI-LO BLUEFISH WIRE RIG

Features:

- AFW Swivel
- Dual T-Standoffs

Bluefish Wire Surf Rig

Tackle Variant		Part #
A 3/0 Nickel H	ooks	AC-B-2A











KINGFISH / SPOT / PERCH





TAUTOG / BLACKFISH / SHEEPSHEAD







HI-LO COMBO RIG - BEAD/FLOAT

Features:

- AFW Swivel
- Dual T-Standoffs
- Red Beads
- 25 lb (11.3 kg) Grand Slam Mono

Hi-Lo Combo Rig

	Tackle Variant	Part #
A	Size 8 XL Hooks, No Floats	AC-KF-1
В	Size 8 XL Hooks, Chartreuse Floats	AC-KF-1F
C	Size 8 XL Hooks, Orange Floats	AC-KF-1FO
D	Size 8 XL Hooks, Red Floats	AC-KF-1FR
E	Size 6 Kahle Hooks, No Floats	AC-KF-1K
F	Size 6 Kahle Hooks, Chartreuse Floats	AC-KF-1KC
G	Size 6 Kahle Hooks, Chartreuse & Red Floats	AC-KF-1KCR
H	Size 6 Kahle Hooks, Orange Floats	AC-KF-1KO
Т	Size 6 Kahle Hooks, Red Floats	AC-KF-1KR
J	Size 8 XL Hooks, Spinners	AC-KF-1S
K	Size 4 Black Nickel Octopus Hooks, Chartreuse Floats	AC-KF-4
L	Size 2 Demon Circle Hooks, Orange Floats	AC-KF-4C
М	Size 2 Demon Circle Hooks, Chartreuse Floats	AC-KF-4CC
N	Size 2 Demon Circle Hooks, Chartreuse & Red Floats	AC-KF-4CCR
0	Size 2 Demon Circle Hooks, Red Floats	AC-KF-4CR
Ρ	Size 4 Black Nickel Octopus Hooks, No Floats	AC-KF-4NF



HI-LO COMBO RIG - VIRGINIA HOOK

Features:

- AFW Swivel
- Dual T-Standoffs
- Virginia Hook
- Grand Slam Mono

Hi-Lo Combo Rig

	Tackle Variant	Part #
A	Size 3 Hook, 8 in / 20.3 cm Leads, 60 lb (27.2 kg) Mono	AC-TB-13
В	Size 4 Hook, 8 in / 20.3 cm Leads, 60 lb (27.2 kg) Mono	AC-TB-14
C	Size 4 Hook, 8 in / 20.3 cm Leads, 40 lb (18.1 kg) Mono	AC-TB-14-40
D	Size 4 Hook, 8 in / 20.3 cm Leads, 40 lb (18.1 kg) Mono, Red Beads	AC-TB-14-RB
E	Size 5 Hook, 9 in / 22.9 cm Leads, 60 lb (27.2 kg) Mono	AC-TB-15
F	Size 5 Hook, 9 in / 22.9 cm Leads, 60 lb (27.2 kg) Mono, Red Beads	AC-TB-15-RB
G	Size 6 Hook, 9 in / 22.9 cm Leads, 60 lb (27.2 kg) Mono	AC-TB-16





HI-LO COMBO RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Combo Rig

	Tackle Variant	Part #
A	1/0 Gold Color Octopus Hook	AC-SP-1
В	1/0 Gold Color Octopus Hook, Red Beads	AC-SP-1B
C	1/0 Circle Hook, Green Beads	AC-SP-1C
D	1/0 Bronze Octopus Hook	AC-SP-2
E	Size 6 XL Hook, AFW Swivel	AC-SP-26
F	Size 6 XL Hook, Pearls	AC-SP-26P
G	2/0 Bronze Octopus Hook	AC-SP-3
Н	3/0 Circle Hook, Green Beads	AC-SP-3C
I.	3/0 Gold Color Octopus Hook, Green Beads, Orange Squid	AC-SP-3SO
J	5/0 Nickel Octopus Hook	AC-SP-5
K	Size 4 XL Hook, Red Beads	AC-SP-4B



SEA BASS / PORGY / TRIGGERFISH / SHEEPSHEAD



HI-LO CLAM RIG

Features:

- AFW Swivel
- 2 in (5 cm) Dropper Loop
- 60 lb (27.2 kg) Grand Slam Mono

Hi-Lo Clam Rig

	Tackle Variant	Part #
A	7/0 Ultra Thin Demon Circle Hook	AC-ST-1H
В	7/0 Bronze Bait Holder Hook	AC-ST-2H





Detailed, large images are available for every rig on our website

STRIPED BASS / ROCKFISH / DRUMFISH / BLUEFISH







BLUEFISH / STRIPED BASS / ROCKFISH / DRUMFISH



HI-LO BLUEFISH RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- 3/0 Mustad Black Nickel Circle Hook
- 60 lb (27.2 kg) Grand Slam Mono

Hi-Lo Bluefish Rig

	Tackle Variant	Part #
A	Chartreuse & Red Floats	AC-BF-3C
В	Chartreuse Floats	AC-BF-3CC
C	Orange Floats	AC-BF-3CO
D	Chartreuse & Red Floats	AC-BF-5C



FLOUNDER/FLUKE/STRIPED BASS/WEAKFISH/BLUEFISH



G



- Features:
 - AFW Swivel
 - Size 1 XL Hook
 - 60 lb (27.2 kg) Grand Slam Mono

Surf Ball Hi-Lo Rig

	Tackle Variant	Part #
A	Chartreuse & Chartreuse Float, Beads	AC-SR-1FC
В	Chartreuse & Red Float, Beads	AC-SR-1FCR
C	Green Floats, Beads	AC-SR-1FG
D	Nickel Plated Float, Beads	AC-SR-1FNP
E	Orange Float, Beads	AC-SR-1FO
F	Pink Float, Beads	AC-SR-1FP
G	Red Float, Beads	AC-SR-1FR
H	Red Float Yellow Hair, Beads	AC-SR-1FYW





Detailed, large images are available for every rig on our website



HI-LO TRIGGER FISH RIG

Features:

- AFW Swivel
- Dual T-Standoffs
- Circle Hook

Hi-Lo Trigger Fish Rig

	Tackle Variant	Part #
A	2/0 Circle Hook	AC-TR-2
B	3/0 Circle Hook	AC-TR-3



SEA BASS / PORGY / TRIGGERFISH / SHEEPSHEAD






HI-LO POMPANO SNAPPER RIG

Features:


- AFW Swivel
- Dual T-Standoffs

POMPANO / SNAPPER / WHITING / SPOT





FLUKE / FLOUNDER / SEA TROUT / CROAKER



HI-LO RIG - HOOKLESS

Features:

- AFW Swivel
- Dual T-Standoffs
- 40 lb (18.1 kg) Grand Slam Mono

Hi-Lo Rig - Hookless


	Tackle Variant	Part #
A	22 in / 55.9 cm, Spread Between T's, 1 pc	AC-H-1
A	22 in / 55.9 cm, Spread Between T's, 100 pc	AC-H-1-100
В	30 in / 25.4 cm, Spread Between T's, 1 pc	AC-H-2



FLUKE / FLOUNDER / SEA TROUT / CROAKER



FLUKE / FLOUNDER / SEA TROUT / CROAKER



SINGLE RIG - HOOKLESS

Features:

- AFW Swivel
- Single T-Standoff
- 40 lb (18.1 kg) Grand Slam Mono

Single Rig - Hookless

	Tackle Variant	Part #
A	Single T-Standoff, 1 pc	AC-H-4
A	Single T-Standoff, 50 pc	AC-H-4BULK
A	Single T-Standoff, 100 pc	AC-H-4-100

NYLON ARM LEADER RIG

Features:

- AFW Swivel
- Nylon Arm
- 40 lb (18.1 kg) Grand Slam Mono

Nylon Arm Leader Rig

	Tackle Variant	Part #
A	Dual Nylon Arm Leader Rig, Hookless Leader, 1 pc	AC-H-3
A	Dual Nylon Arm Leader Rig, Hookless Leader, 50 pc	AC-H-3BULK
В	Single Nylon Arm Leader Rig, Hookless Leader, 1 pc	AC-H-3S



Detailed, large images are available for every rig on our website



SNELLED RIG

SNELLED RIG

Features:

- AFW Swivel
- 60 lb (27.2 kg) Grand Slam Mono
- Length: 36 in (91.4 cm)

Snelled Rig

	Tackle Variant	Part #
A	Snelled 5/0 Black Nickel Beak Hooks, 3 pc	AC-BNK-5-3
В	Snelled 8/0 Black Nickel Beak Hooks, 3 pc	AC-BNK-8-3





FLUKE / FLOUNDER / SEA TROUT / CROAKER

WIDE GAP HOOK LEADERS

Features:

- AFW Swivel
- Gold Plated Hooks
- 40 lb (18.1 kg) Grand Slam Mono
- Length: 24 in (60.9) cm

Catfish Snelled Leader Rig



www.afwfishing.com 4-74 1-800-824-9473



KINGFISH / SPOT / PERCH



STRIPED BASS / ROCKFISH / DRUMFISH

KINGFISH & SPOT RIG

Features:

- AFW Swivel
- T-Standoff
- Size 8 XL Hooks
- Red Bead
- 25 lb (11.3 kg) Grand Slam Mono

Hi-Lo Kingfish & Spot Rig

	Tackle Variant	Part #
A	Chartreuse Float	AC-KF-SFC
В	Orange Float	AC-KF-SFO
C	Red Float	AC-KF-SFR
D	Spinner	AC-KF-SS



A

Detailed, large images are available for every rig on our website


BLOOD WORM TEASER RIG

Features:

- AFW Swivel
- T-Standoff
- 7/0 Nickel Octopus Hook
- 60 lb (27.2 kg) Grand Slam Mono

Bloodworm Teaser Rig

	Tackle Variant	Part #
A	Chartreuse Float/Hair	AC-ST-7CFCH
В	Red Float, White Hair	AC-ST-7RFWH
C	Black Float, Black Hair	AC-ST-7BFBH





SINGLE SQUID TEASER RIG

Features:

- AFW Swivel
- T-Standoff
- 3/0 XL Hook
- Large Spinner
- 4.75 in (12 cm) Squid
- 40 lb (18.1 kg) Grand Slam Mono

Single Squid Teaser Rig

	Tackle Variant	Part #
A	Swamp Thing Green/Black Squid	AC-FW-4HGS
В	Sun Kissed Orange/Pink Squid	AC-FW-4HOS
C	Cotton Candy Pink/White Squid, Pearls	AC-FW-4HPS
D	Hot Flash Red/Black Squid	AC-FW-4HRS
E	Glow White Glow Squid	AC-FW-4HWS





FLUKE / FLOUNDER / SEA TROUT / CROAKER

FLUKE / FLOUNDER / SEA TROUT / CROAKER



- Features:
 - C&H Kingbuster Lure
 - AFW Swivel
 - T-Standoff
 - 4/0 Nickel Wide Gap Hook
 - Pearls
 - 40 lb (18.1 kg) Grand Slam Mono

Teaser Flasher Rig

Tackle Variant		Part #
A	Blue/White Flasher Skirt	AC-FW-4ZFB
B	Green Flasher Skirt	AC-FW-4ZFG
C	Pink/Blue Flasher Skirt	AC-FW-4ZFK
D	Orange/Green Flasher Skirt	AC-FW-4ZFO
E	Purple/Green Flasher Skirt	AC-FW-4ZFP
F	White Flasher Skirt	AC-FW-4ZFW





Teaser Flasher Rigs Feature C&H King Buster Lures - also sold separately (p. 128).





www.afwfishing.com 4-74 1-800-824-9473

STRIPED BASS / ROCKFISH



EEL FLOAT RIG

Features:

- AFW Swivel
- 8/0 Ultra Thin Demon Circle Hook
- 3 in (7.6 cm) Float
- Egg Sinker
- 60 lb (27.2 kg) Grand Slam Mono
- Length: 5 ft (1.52 m)

Eel Float Rig

	Tackle Variant	Part #
A	Classic Eel Float Rig	AC-ST-8CF



Detailed, large images are available for every rig on our website

STRIPED BASS / ROCKFISH / DRUMFISH

EEL DROPPER RIG

Features:

- AFW Swivel
- T-Standoff
- 7/0 Circle Hook
- 60 lb (27.2 kg) Triple Fish Fluorocarbon

• Length: 4 ft (1.2 m) **Eel Dropper Rig**

	Tackle Variant	Part #
A	Classic Eel Dropper Rig	AC-STF-7C





AQUA BUG SURF RIG

Features:

- AFW Swivel
- T-Standoff
- 40 lb (18.1 kg) Grand Slam Mono

Bug Surf Rig





BLUEFISH WIRE SURF RIG

Features:

- AFW Swivel
- 3/0 XL Hook
- 45 lb (20.4 kg) Black Surflon Wire

	Tackle Variant	Part #
A	Pink Float	AC-B-1AP
В	Chartreuse Float	AC-B-1AC
C	Orange Float	AC-B-1AO
D	Red Float	AC-B-1AR
E	Green Float	AC-B-1AG



BLUEFISH / STRIPED BASS / DRUMFISH



A



SPADE FISH / SHEEPSHEAD / TRIGGER FISH



D

TUNA

SPADE FISH RIG

Features:

- AFW Swivel
- Spade Fish Snelled Hooks
- 30 lb (3.6 kg) Triple Fish Fluorocarbon
- Length: 36 in (91.4 cm)

Spade Fish Rig

	Tackle Variant	Part #
A	Size 1 Ultrapoint Red Hooks (2), Dual T-Standoffs	AC-SD-1R
В	Size 1 Ultrapoint Red Hooks (3), 3 Swivels	AC-SD-1R-3
C	Size 1 Ultrapoint Black Hooks (2), Dual T-Standoffs	AC-SD-1B
D	Size 1 Ultrapoint Black Hooks (3), 3 Swivels	AC-SD-1B-3



TUNA RIG

Features:

- AFW Mighty Mini Swivel
- 80 lb (36.36 kg) Hi-Seas Fluorocarbon

Tuna Rig

	Tackle Variant	Part #
A	6/0 Mustad Ultra-Point Hook	AC-TN-6
В	7/0 Mustad Ultra-Point Hook	AC-TN-7



CATFISH DROPPER RIG

Features:

- AFW Swivel
- 3 in (7.62 cm) Dropper Loop
- 60 lb (27.2 kg) Grand Slam Mono

Catfish Dropper Rig

	Tackle Variant	Part #
A	7/0 Ultra Thin Demon Circle Hook	AC-CF-1
В	6/0 Bronze Bait Holder Hook	AC-CF-2



CATFISH CASTING RIG

Features:

- AFW Swivel
- 8/0 Demon Circle Hook
- 60 lb (27.2 kg) Grand Slam Mono

Catfish Casting Rig

	Tackle Variant	Part #
A	NO Fish Finder, NO Bead	AC-CF-8C
В	Modified Fish Finder, Red Bead	AC-CF-8LC



Detailed, large images are available for every rig on our website

CATFISH SNELLED LEADER RIG

Features:

- AFW Swivel
- 8/0 Ultra Thin Demon Circle Hook
- 60 lb (27.2 kg) Grand Slam Mono
- Length: 36 in (91.4 cm)

Catfish Snelled Leader Rig

	Tackle Variant	Part #
A	8/0 Ultra Thin Demon Circle Hook, 3 pc	AC-CF-8-3







RIGS 115



CATFISH

www.afwfishing.com 4-1-800-824-9473



STRIPED BASS / ROCKFISH / DRUMFISH



D B

STRIPED BASS / ROCKFISH / DRUMFISH

CLAM DROPPER RIG

Features:

- AFW Swivel
- 3 in (7.6 cm) Loop
- 60 lb (27.2 kg) Grand Slam Mono

Clam Dropper Rig

	Tackle Variant	Part #
A	7/0 Ultra Thin Demon Circle Hook	AC-ST-1
В	10/0 Ultra Thin Demon Circle Hook	AC-ST-10C
C	6/0 Bronze Bait Holder Hook	AC-ST-2
D	8/0 Ultra Thin Demon Circle Hook	AC-ST-8C
E	9/0 Ultra Thin Demon Circle Hook	AC-ST-9C



DEEP WATER RIG

Features:

- AFW Swivel
- T-Standoff
- 60 lb (27.2 kg) Grand Slam Mono
- Length: 6 ft (1.83 m)

Deep Water Rig

	Tackle Variant	Part #
	A 10/0 Ultra Thin Demon Circle Hook	AC-ST-10DP
	B 7/0 Ultra Thin Demon Circle Hook	AC-ST-7DE
A A A A A A A A A A A A A A A A A A A		
RE Tangks	741	
	A REAL AND A	



B



DROPPER RIG

Features:

- AFW Swivel
- T-Standoff
- 60 lb (27.2 kg) Grand Slam Mono
- Length: 5 ft (1.52 m)

Dropper Rig

Tackle Variant		Part #	
A	3/0 Nickel Octopus Hook	AC-ST-3	
В	4/0 Nickel Octopus Hook	AC-ST-4	
C	5/0 Nickel Octopus Hook	AC-ST-5	
D	5/0 Circle Hook	AC-ST-5C	
E	7/0 Bronze Bait Holder Hook	AC-ST-7	
F	7/0 Ultra Thin Demon Circle Hook	AC-ST-7C	



DRUM RIG

Features:

- AFW Swivel
- Fish Finder
- 60 lb (27.2 kg) Grand Slam Mono

Drum Rig

Tackle Variant		Part #
A	7/0 Black Nickel Circle Hook	AC-DR-7CFF
В	7/0 Black Nickel Octopus Hook	AC-DR-7FF
C	8/0 Black Nickel Circle Hook	AC-DR-8CFF
D	8/0 Black Nickel Circle Hook	AC-DR-8CMFF
E	8/0 Black Nickel Octopus Hook	AC-DR-8FF
F	8/0 Black Nickel Circle Hook	AC-DR-8MFF
G	9/0 Black Nickel Circle Hook	AC-DR-9CFF
Н	9/0 Black Nickel Octopus Hook	AC-DR-9FF






Detailed, large images are available for every rig on our website


STRIPED BASS / ROCKFISH / DRUMFISH



DRUMFISH / COBIA / STRIPED BASS / ROCKFISH









Ε



STRIPED BASS / ROCKFISH / DRUMFISH



C

STRIPED BASS / ROCKFISH / DRUM

B

BAIT CHUNKIN' RIG

Features:

- AFW Swivel
- 60 lb (27.2 kg) Triple Fish Fluorocarbon
- Length: 4 ft (1.2 m)

Braid Resistant Fish Finder Rig

	Tackle Variant	Part #
A	10/0 Ultra Thin Demon Circle Hook	AC-STF-10CFF
В	7/0 Bronze Bait Holder Hook	AC-STF-7BHFF
C	7/0 Ultra Thin Demon Circle Hook	AC-STF-7CFF



LARGE BAIT CHUNKIN' RIG

Features:

- AFW Swivel
- Braid Resistant Fish Finder
- 60 lb (27.2 kg) Grand Slam Mono

	Tackle Variant	Part #
A	10/0 Ultra Thin Demon Circle Hook	AC-ST-10CFF
B	7/0 Bronze Bait Holder Hook	AC-ST-7BHFF
C	7/0 Ultra Thin Demon Circle Hook	AC-ST-7CFF
D	9/0 Bronze Bait Holder Hook	AC-ST-9BHFF





LONG CASTING RIG

Features:

- AFW Swivel
- Modified Fish Finder
- 60 lb (27.2 kg) Grand Slam Mono

Long Casting Rig

Tackle Variant		Part #
A	Black Nickel Octopus Hook	AC-SR-5BNKLC
В	7/0 Mustad Demon Circle Hook	AC-SR-7LC
C	8/0 Black Nickel Octopus Hook	AC-SR-8LC

FLOUNDER/FLUKE/STRIPED BASS/ROCKFISH/WEAKFISH





Detailed, large images are available for every rig on our website

MULLET RIG

Features:

AFW Swivel

Mullet Rig

	Tackle Variant	Part #
A	Green Hair & Float	AC-MU-1EG
В	Chartreuse Hair & Float	AC-MU-1EC
C	Red Hair, Red Float	AC-MU-1ER
D	White Hair, White/Red Float	AC-MU-1EW

BLUEFISH / STRIPED BASS / ROCKFISH / DRUM



SHARK



www.afwfishing.com 4-1-800-824-9473

SHARK SURF RIG

Features:

- AFW Swivel
- Double-Crimped
- Braid Resistant Fish Finder
- 90 lb (40.8 kg) Surflon Black Wire
- Length: 28 in (71.1 cm)

Shark Surf Rig

	Tackle Variant	Part #
A	15/0 Extra Strong Circle Hook, AFW Swivel	AC-SH-11C
В	15/0 Extra Strong Circle Hook, AFW Swivel, Float	AC-SH-11CF
C	13/0 Extra Strong Circle Hook, AFW Swivel	AC-SH-8C
D	13/0 Extra Strong Circle Hook, AFW Swivel, Float	AC-SH-8CF



FLOUNDER / STRIPED BASS / WEAKFISH / BLUEFISH

SURF RIG

CIRCLE HOOK APPROVED IN ALL 50 STATES

- Features:
 - AFW Swivel
 - T-Standoff
 - Duo-Lock Snap

Surf Rig

	Tackle Variant	Part #
A	3/0 Gold Color Octopus Hook, 60 lb (27.2 kg) Grand Slam Mono	AC-SR-1
B	3/0 Gold Color Wide Gap Hook, 60 lb (27.2 kg) Grand Slam Mono	AC-SR-1A
C	3/0 Gold Color XL Hook, 45 lb (20.4 kg) Surflon Black Wire, Red Float	AC-SR-2B
D	Size 1 XL Hook, 45 lb (20.4 kg) Surflon Black Wire, Red Cigar Float	AC-SR-2B-
E	6/0 Bronze Bait Holder Hook, 60 lb (27.2 kg) Grand Slam Mono, Cigar Float	AC-SR-6
F	7/0 Circle Hook, 60 lb (27.2 kg) Grand Slam Mono	AC-SR-7C



同語



STRIPED BASS RIG

Features:

- AFW Swivel
- 60 lb (27.2 kg) Grand Slam Mono

Striper Bass Rig

	Tackle Variant	Part #
A	Snelled Hooks, 10/0 Ultra Thin Demon Circle Hooks, 48 in / 121.2 cm, 3 pc	AC-ST-10-3

- B Snelled Hooks, 5/0 Ultra Thin Demon Circle Hooks, 48 in / 121.2 cm, 3 pc AC-ST-5-3 AC-ST-7TW
- C Teaser Rig, 7/O Nickel Octopus Hook, 6 in / 92.4 cm, T-Standoff, White Hair
- Teaser Rig, 7/0 Nickel Octopus Hook, 6 in / 92.4 cm, T-Standoff, Chartreuse Hair AC-ST-7TC D
- E Snelled Hooks, 8/0 Ultra Thin Demon Circle Hooks, 48 in / 121.2 cm, 3 pc AC-ST-8-3



Detailed, large images are available for every rig on our website





SURF FLOAT RIG

Features:

- AFW Swivel
- T-Standoff

FLOUNDER/FLUKE/STRIPED BASS/WEAKFISH/BLUEFISH

R






RIG COMPONENTS



. G



T-Standoff

	Tackle Variant	Part #
A	T Stand-Off, Large 2.4 in / 6.1 cm, Clear, 4 pc	AC-MC-1
A	T Stand-Off, Large 2.4 in / 6.1 cm, Clear, 100 pc	AC-MC-1-100
A	T Stand-Off, Large 2.4 in / 6.1 cm, Clear, 1,000 pc	AC-MC-1-1000
В	T Stand-Off, Small 1.5 in / 3.8 cm, Clear, 4 pc	AC-MC-2

Nylon Arm

	Tackle Variant	Part #
C	Nylon Arm, 2 in / 5 cm, 4 pc	AC-MC-3

3/0 Double Hook

	Tackle Variant	Part #
D	3/0 Double Hooks For Mullet Rig, 4 pc	AC-MU-3/0HOOK

Braid Resistant Fish Finder

	Tackle Variant	Part #
E	Size #6 Duo-Lock Snap, Yellow Slide, 100 pc	AC-FF-6BR100
E	Size #6 Duo-Lock Snap, Yellow Slide, 500 pc	AC-FF-6BR500
F	Size #8 Duo-Lock Snap, Green Slide, 5 pc	AC-FF-8BR
F	Size #8 Duo-Lock Snap, Green Slide, 100 pc	AC-FF-8BR100
F	Size #8 Duo-Lock Snap, Green Slide, 500 pc	AC-FF-8BR500

Squid Skirt

Tackle Variant	Part #
Squid Skirt, 3 in / 7.62 cm, Green, 5 pc	AC-SS-3G
Squid Skirt, 3 in / 7.62 cm, Glow, 5 pc	AC-SS-3GW
Squid Skirt, 3 in / 7.62 cm, Orange, 5 pc	AC-SS-30
Squid Skirt, 3 in / 7.62 cm, Pink, 5 pc	AC-SS-3P
Squid Skirt, 3 in / 7.62 cm, Sand Eel, 5 pc	AC-SS-3SE
	Squid Skirt, 3 in / 7.62 cm, Green, 5 pc Squid Skirt, 3 in / 7.62 cm, Glow, 5 pc Squid Skirt, 3 in / 7.62 cm, Orange, 5 pc Squid Skirt, 3 in / 7.62 cm, Pink, 5 pc



Popping Cork

	Tackle Variant	Part #
L	Popping Cork, Chartreuse Float	AC-PC-1EC
М	Popping Cork, Red Float	AC-PC-1ER



RIG COMPONENTS

Bucktail Teaser Rivet Slider

Part #
AC-BT-3EP
AC-BT-3EC
AC-BT-3EG
AC-BT-3EW





Detailed, large images are available for every rig on our website



Hair Buck Tails

	Tackle Variant	Part #
E	3/0 XL Nickel Octopus Hook, Chartreuse & White Hair, 4 pc	AC-BT-ECW
F	3/0 XL Nickel Octopus Hook, Chartreuse Hair, 4 pc	AC-BT-EC
G	3/0 XL Nickel Octopus Hook, Green Hair, 4 pc	AC-BT-EG
H	3/0 XL Nickel Octopus Hook, Green & Chartreuse Hair, 4 pc	AC-BT-EGC
L	3/0 XL Nickel Octopus Hook, Pink Hair, 4 pc	AC-BT-EP
J	3/0 XL Nickel Octopus Hook, Pink & White Hair, 4 pc	AC-BT-EPW
K	3/0 XL Nickel Octopus Hook, White Hair, 4 pc	AC-BT-EW
L	3/0 XL Nickel Octopus Hook, Red & White Hair, 4 pc	AC-BT-ERW
E	3/0 XL Nickel Octopus Hook, Chartreuse & White Hair, 50 pc	AC-BT-ECWBULK
F	3/0 XL Nickel Octopus Hook, Chartreuse Hair, 50 pc	AC-BT-ECBULK
G	3/0 XL Nickel Octopus Hook, Green Hair, 50 pc	AC-BT-EGBULK
H	3/0 XL Nickel Octopus Hook, Green & Chartreuse Hair, 50 pc	AC-BT-EGCBULK
L	3/0 XL Nickel Octopus Hook, Pink Hair, 50 pc	AC-BT-EPBULK
J	3/0 XL Nickel Octopus Hook, Pink & White Hair, 50 pc	AC-BT-EPWBULK
K	3/0 XL Nickel Octopus Hook, White Hair, 50 pc	AC-BT-EWBULK






Mylar Flash Teaser

	Tackle Variant	Part #
М	Orange, 3.5 in / 8.9 cm, 3 pc	AC-MT-30
Ν	Chartreuse, 3.5 in / 8.9 cm, 3 pc	AC-MT-3CH
0	Glow, 3.5 in / 8.9 cm, 3 pc	AC-MT-3GL
Ρ	Pink, 3.5 in / 8.9 cm, 3 pc	AC-MT-3PK
Q	Pearl, 3.5 in / 8.9 cm, 3 pc	AC-MT-3PL
М	Orange, 3.5 in / 8.9 cm, 50 pc	AC-MT-3O-B
N	Chartreuse, 3.5 in / 8.9 cm, 50 pc	AC-MT-3CH-B
0	Glow, 3.5 in / 8.9 cm, 50 pc	AC-MT-3GL-B
P	Pink, 3.5 in / 8.9 cm, 50 pc	AC-MT-3PK-B
0	Pearl, 3.5 in / 8.9 cm, 50 pc	AC-MT-3PL-B








www.afwfishing.com 4-74 1-800-824-9473



SINGLE HOOK STAINLESS STEEL



BIG GAME RIGGING KITS

Listed below are proven tournament winning rigging kits made by our professional rigging team. Each lure has a C&H recommended rigging kit that works best for that specific lure.

CH-RK7BU

- A 7/0 Stainless Steel Hook, 12 ft - 200 lb Grand Slam Mono, Spacer Beads, Sleeve, Thimble
- **CH-RK8BU** B 8/0 Stainless Steel Hook, 12 ft - 200 lb Grand Slam Mono, Spacer Beads, Sleeve, Thimble
- CH-RK9BU 9/0 Stainless Steel Hook, 18 ft 300 lb Grand Slam Mono, Spacer Beads, Sleeve, Thimble С

CH-RK8SU D 8/0 Stainless Steel Hooks, 12 ft - 200 lb Grand Slam Mono, Sleeve, Thimble **OFFSET 180° DOUBLE HOOK STAINLESS STEEL** CH-RK9SU E 9/0 Stainless Steel Hooks, 18ft - 300 lb Grand Slam Mono, Sleeve, Thimble CH-RK10SU F 10/0 Stainless Steel Hooks, 18 ft - 300 lb Grand Slam Mono, Sleeve, Thimble CH-RK11SU G 11/0 Stainless Steel Hooks, 18 ft - 400 lb Grand Slam Mono, Sleeve, Thimble CH-RK12SU Н 12/0 Stainless Steel Hooks, 18 ft - 400 lb Grand Slam Mono, Sleeve, Thimble

OFFSET INLINE DOUBLE HOOK HIGH SPEED WAHOO




- L 8/0 Stainless Steel Hook (1), 6 ft - 275 lb AFW Cable, Sleeve
- **CH-WRK8SU** J 8/0 Stainless Steel Hooks (2), 6 ft - 275 lb AFW Cable, Sleeve

CH-WRK10SU K 10/0 Stainless Steel Hooks (2), 6 ft - 275 lb AFW Cable, Sleeve

CH-WRK11SU L 11/0 Stainless Steel Hooks (2), 6 ft - 480 lb AFW Cable, Sleeve















KING BUSTER®

H H

Overall Length: 2.5 in (6.35 cm) | 1/8 oz (3.5 g) Head | 3 Per Pack The C&H King Buster Bling Series features a holographic silicone skirt and is a deadly weapon for tournament fishermen. Using them with a strip-bait, cigar minnow or rigged in front of live bait, will improve action, add color, and increase strikes. A proven fish raiser world wide, the King Buster Bling also makes for amazing teaser baits on a dredge.

Features a Holographic Silicone Skirt!

ACTUAL SIZE

CH-BL01U

Blue / White

CH-BL03U

CH-BL13

CH-BL17U

CH-BL18U



CH-BL19U Black / Red Mylar

CH-BL22U Pink / Pink Silver Fleck

CH-BL26U Clear Silver Fleck / Pearl Mylar

CH-BL31U Chartreuse / Green-Orange Fire Tail





Overall Length: 2.5 in (6.35 cm) | 1/8 oz (3.5 g) Head | 3 Per Pack The C&H King Buster, featuring solid brass chrome plated heads, is a deadly weapon for tournament fishermen. Using them with a strip-bait, cigar minnow or rigged in front of live bait, will improve action, add color, and increase strikes.



FCH-KB01 Blue / White

FCH-KB02 White / Blue Mylar

CH-KR03U FCH-KB03 Blue / Pink / Pearl Mylar

CH-KB04U CH-KR04U FCH-KB04 Green Fluorescent / Chartreuse

CH-KB12U Black / Pink

CH-KB13U CH-KR13U FCH-KB13 Pink / White

CH-KR17U FCH-KB17 Chartreuse / Pearl Mylar

CH-KR18U FCH-KB18 Black / Purple

CH-KB19U CH-KR19U FCH-KB19 Black / Red Mylar

CH-KB20U Black / Orange

CH-KB22U CH-KR22U FCH-KB22 Pink / Pink Silver Fleck

CH-KB26U FCH-KB26 Clear Silver Fleck / Pearl Mylar

CH-KB28U CH-KR28U FCH-KB28 Blue / Chartreuse / Silver

CH-KB29U Hot Pink / Purple / Black



KINGFISH · DOLPHIN · TUNA · SAILFISH · WAHOO

ACTUAL SIZE

Three King Buster Versions Available! CH-KB Unrigged Lure 3 pc Retail Pack FCH-KB Unrigged Lure 100 pc Bulk Pack CH-KR Kingfish Pro-Rig with King Buster Lure Retail Pack

YAMAHA



ALSO AVAILABLE

KINGFISH PRO-RIG WITH KING BUSTER® LURES

The C&H King Buster Kingfish Pro-Rig, denoted with an 'KR' in the part number, is one of the finest live bait rigs available. The combination of AFW Tooth Proof Wire married with the tried-and-true C&H King Buster Lure and Mustad Hooks make this rig a deadly weapon for tournament fishermen. Using these with a strip-bait, cigar minnow, or rigged in front of live bait will improve action, add color, and increase strikes. The rig features:

- King Buster Lure
- Two #4 4x Mustad Treble Hooks
- **AFW Swivel**
- AFW #5 Tooth Proof Leader Wire, Camo Brown





To slow troll or drift, use single hook point to go through live bait nostrils. Let treble hook hang loose or attach to back. For use with pogys, menhadens, cigar minnows, ballyhoo, or any other live bait.

LIVE BAIT RIG

The C&H Live Bait Rig combines AFW Tooth Proof Wire with the tried-and-true Mustad Hooks to make these rigs a deadly weapon for tournament fishermen. Using these with a strip-bait, cigar minnow, or rigged in front of live bait will improve action, add color, and increase strikes. There are 4 different hook configurations to choose from, and all rigs feature:

- Mustad Hooks
- **AFW Swivel**
- AFW Tooth Proof Leader Wire, 3 ft (0.91 m), Camo Brown

To slow troll or drift, use single hook point to go through live bait nostrils. Let treble hook hang loose or attach to back. For use with pogys, menhadens, bunker, cigar minnows, ballyhoo, or any other live bait.

SINGLE & TREBLE

CH-KPR-14U One 1/O Single and One #4 Mustad Treble Hook

CH-KPR-16U One 1/O Single and One #6 Mustad Treble Hook



CH-KB30U CH-KR30U FCH-KB30 White / Red Fire Tail

CH-KB31U

CH-KR31U FCH-KB31 Chartreuse / Green-Orange Fire Tail

> CH-KB32U CH-KR32U FCH-KB32 Flying Fish White / Electric Blue

> > CH-KB33U CH-KR33U FCH-KB33 Smoke / Chrome

CH-KB34U Hot Pink / Chartreuse / Silver-Blue Fleck

> CH-KB35U Black / Silver / Silver-Blue Fleck

CH-KB36U CH-KR36U FCH-KB36 Hot Pink / White / Gold-Blue Fleck

> CH-KB38U FCH-KB38 Iridescent Pearl / Pearl Mylar

CH-KB40U Iridescent Pearl / Red Mylar

> CH-KB41U White / Blue Firetail

CH-KB42U CH-KR42U FCH-KB42 Chartreuse / Green Firetail

> CH-KB43U CH-KR43U FCH-KB43 Pink / Glow

CH-KB45U Blue Fleck/Glow

CH-KB47U CH-KR47 Blue White/Glow

CH-KB53 Chartreuse/Orange Firetail

Additional rigs available on pages 87-123!

CH-MB01-1

CH-MB02-1

Blue Silver Glitter Head,

Blue Pearl Holographic Skirt





Overall Length: 6 in (15.2 cm)


The Mahi Buster Bling, is a light weight lure designed to run straight and dance on the surface of the water. Featuring weighted glitter head and holographic skirts, this lure is deadly on all types of dolphin, and will also catch tuna, wahoo, and billfish. Runs straight just below the surface, and works great with or without bait.













VINYL SKIRT

























CH-AL01U Blue/White Vinyl

CH-AL02U **Dolphin Vinyl**

CH-AL03U Pink/Silver Vinyl



CH-AL06U Black/Foil Green Vinyl

CH-AL27U Blue-Silver/White Vinyl

CH-AL32U Purple-Silver/Black Vinyl



Blue/Pearl White Belly

CH-AL37U Purple/Pearl White Belly



CH-AL40 Blue/Pink/Yellow Vein Vinyl



ALIEN®

Overall Length: 7.5 in (19 cm)

The C&H Alien® has a concave acrylic head to provide a "digging" action giving a large bubble trail and allowing it to be trolled fast. Hook or bait slides up into the hollow head. Great lure trolled plain or with natural bait. Fish can't resist its hologram eye. Run this lure off your left/right short rigger on a choppy day and watch it dance - out of this world action!

ACTUAL SIZE





MYLAR SKIRT





CH-DS-AL1U - Mylar C&H, Alien POP Display, Mylar Skirt Series, Full Color Display Box, 6 Colors, 24 pc

CH-DS-AL2U - Vinyl C&H, Alien POP Display, Vinyl Skirt Series, Full Color Display Box, 6 Colors, 24 pc

CH-AL07U Blue/Pink/Silver Mylar

Green/Chartreuse/Green Mylar





CH-AL09U Pearl/Silver Mylar

CH-AL08U



The C&H Alien[®] has a concave acrylic head to provide a "digging" action giving a large bubble trail and allowing it to be trolled fast.

CH-AL10U Blue/Blue-Silver Mylar

CH-AL11U Black/Purple/Silver Mylar

CH-AL12U Pink/Purple/Silver Mylar



NYLON HAIR SKIRT

CH-AL13U Blue/White Nylon Hair

CH-AL14U Green/Chartreuse Nylon Hair

> CH-AL23U Black/Purple Nylon Hair

CH-AL24U White/Pink Nylon Hair





ALIEN® XL

<u>Rigging Kits Sold Separately</u> See pages 124-125 for details

Recommended:

Optional:

D

В

0

F

Overall Length: 10.5 in (26.7 cm)

The Alien XL is a larger version of the popular Alien - its concave acrylic head provides a "digging" action, which leaves a large bubble trail when trolled fast. Hook or bait slides up into the hollow head. Great lure trolled plain, out of this world action. Troll at 4-6 knots.

CERTITURES

ALLEN XL





CH-ALX01U

Blue/White Vinyl



CH-ALX05U Dolphin/Chartreuse Vinyl



CH-ALX12 Black Foil/Pink Vinyl



CH-ALX13U Pink/White Vinyl



CH-ALX18 Black Foil/Purple Vinyl



CH-ALX19 Black Foil/Red Vinyl



ACTUAL SIZE

The Alien XL Jig, with its concave acrylic head, provides a "digging" action, which leaves a large bubble trail when trolled fast!

The

Lat Ice

le

CH-WW01U

CH-WRCC-01

CH-WW03U Blue/Pink Vinyl

CH-WW04U CH-WRCC-04

Green/Yellow Vinyl

CH-WW05U

CH-WW12U

CH-WRC-12U Black-Foil/Pink Vinyl

CH-WW13U CH-WRCC-13

Dolphin Skirt Vinyl

Blue/White Vinyl

W Wash







Overall Length: 12.5 in (31.7 cm) | 6 oz (170 g) Head

The Wahoo Whacker weighs in at 6 oz and has a missile shaped, weighted head that leaves a minimum bubble trail. This shape allows it to run deeper in the water and can be trolled at any speed. Works great on the downrigger.

ALSO AVAILABLE

RICCED & READY

TWO VERSIONS:

MONO (WRC) Mono Rigged & Ready version (denoted with an 'WRC' in the part number) features a Mustad Duratin 10/0 Mustad Hook, AFW Swivel, 200 lb (90.7 kg) Grand Slam Mono Line, 12 ft (3.6 m).

CABLE RIG (WRCC)

ED & READY

HLURES

Cable Rigged & Ready version (denoted with a 'WRCC' in the part number) features a Stainless Steel 8/0 Mustad Hook, AFW Swivel, 275 lb (124.7 kg) AFW 49 Strand Cable, 6 ft (1.8 m).

CEHLURES

WHACKER











CH-WW37U CH-WRC-37U Purple/Pearl Vinyl

CH-WW104 Ballyhoo Vinyl







VINYL SKIRT







MYLAR SKIRT



CH-TT26U **Oyster Mylar**



ALSO AVAILABLE



ONE VERSION:

MONO (RR) Mono Rigged & Ready (denoted with an 'RR' in the part number) features a 7/0 Mustad Hook, AFW Swivel, 100 lb (45.3 kg) Grand Slam Mono, 6 ft (1.8 m).

TUNA TANGO®

CCHLURES

O

Overall Length: 5.75 in (14.6 cm) | 1.75 oz (50 g) Head

The Tuna Tango was designed to run straight and deep. With the weighted head, the Tuna Tango is ideal for use in rough sea conditions and higher speeds. The Tuna Tango is deadly - plain or rigged in front of live bait - and has proven deadly on all game fish. Use these with a strip-bait, a ballyhoo, or rigged plain, to improve action and increase strikes.

NA TANGO



VINYL SKIRT

TUNA TANGO® XL

Overall Length: 8.5 in (21.6 cm) | 2.5 oz (71 g) Head

Formerly known as the Tuna Witch®, the Tuna Tango XL is designed to run straight and deep. With the weighted head, the Tuna Tango XL is ideal for use in rough sea conditions and higher speeds. The Tuna Tango XL is deadly - plain or rigged in front of live bait - and has proven deadly on all game fish. Use these with a strip-bait, a ballyhoo, or rigged plain, to improve action and increase strikes.









on all game fish.





TUNA TANGO® Feat **TUNA TANGO® XL**

Tuna Tango Feather: 1.75 oz (50 g) Tuna Tango Feather XL: 2.5 oz (71 g)

The Tuna Tango was designed to run straight and deep. With the weighted head, the Tuna Tango is ideal for use in rough sea conditions and higher speeds. The feather works great at 8-9 knots and can be used plain or in combination with dead bait like select size ballyhoo.

The Tuna Tango Feather series works great when trolled at 8-9 knots and can be used plain or in combination with dead bait like select size ballyhoo.



CEHLURES

WHACKER



Overall Length: 9 in (22.8 cm) | 6 oz (170 g) Head

The Wahoo Whacker Feather weighs in at 6 oz and has a missile shaped, weighted head that leaves a minimum bubble trail. This shape allows it to run deeper in the water and works best when trolled at 8-9 knots and can be used plain or in combination with dead bait like select size ballyhoo.

The Wahoo Whacker Feather has a missile shaped, weighted head that leaves a minimum bubble trail which allows it to run deeper in the water.



CH-WF19U Black Foil/Red

ACTUAL SIZE Tuna Tango Feather

ACTUAL SIZE Tuna Tango XL Feather

ACTUAL SIZE Wahoo Whacker Feather

VINYL SKIRT 0 .



CH-RJ-02U

CH-RJ-03U

CH-RJ-04U Green/Chartreuse Vinyl

CH-RJ-06U Blue/Chartreuse Vinyl

CH-RJ-13U Pink/White Vinyl

CH-RJ-18U Black/Purple Vinyl

CH-RJ-19U

CH-RJ-22U Pink Vinyl

CH-RJ-32U Blue/Silver/Pink Vinyl

CH-RJ-50U Purple Foil/Pink Vinyl

CH-RJ-52U

Green Foil/Silver Vinyl

Black/Red Vinyl

Blue/Pink Vinyl

Blue/Silver Vinyl



RATTLE JETM RICCED & READY

Overall Length: 6.75 in (17.1 cm)

The C&H Rattle Jet™ is a highly productive lure when used plain or combined with natural bait. Natural bait combinations include: Ballyhoo, cigar minnow or strip-bait. The Bubble and Rattle action drive fish to strike! All Rattle Jets are Rigged & Ready and feature a 7/0 Mustad Hook, AFW Swivel, 100 lb (45.3 kg) Grand Slam Mono, 6 ft (1.8 m).

ACTUAL SIZE



CH-RJ-23U Pearl/Blue Mylar

CH-RJ-24U Blue/Fleck Mylar

CH-RJ-25U Pearl Green/Silver Mylar

CH-RJ-26U Pearl Pink/Silver Mylar

CH-RJ-27U **Oyster Pearl Mylar**

CH-RJ-28U Black/Purple Mylar

CH-RJ-29U Black/Red Mylar

CH-RJ-51U Silver Mylar



RATTLE JET" XL RICCED & READY

Overall Length: 8 in (20.3 cm)

The C&H Rattle Jet™ XL is a larger version of the Rattle Jet (opposite page) and is a highly productive lure when used plain or combined with natural bait. Natural bait combinations include: Ballyhoo, cigar minnow or strip-bait. The Bubble and Rattle action drive fish to strike! All Rattle Jet XL's are Rigged & Ready and feature a 8/0 Mustad Hook, AFW Swivel, 130 lb (58.9 kg) Grand Slam Mono, 6 ft (1.8 m).





All Rattle Jet[™] lures are highly productive when used plain or combined with natural bait. The Bubble and Rattle action drive fish to strike!



VINYL SKIRT



CH-LS04U **CH-RRLS04U CH-LSBR04U Green Yellow Vinyl**





CH-LS18U CH-RRLS18U Black/Purple Vinyl





CH-LS39U CH-RRLS39U Chartreuse Foil/Orange Vinyl

CH-LS22U Pink/Flake Vinyl

CH-LS40U Blue/Silver/Pink Vinyl

CH-LS41U Blue/Purple/Green Vinyl

CH-LS42U Pink Foil/White Vinyl

CH-LS43 Rainbow Vinyl





LIL' STUBBY™

Overall Length: 5.5 in (13.9 cm)

This lure catches anything that swims! The Lil' Stubby is deadly plain or rigged in front of live bait - and has proven deadly on all game fish. Use these with a strip-bait, a ballyhoo, or rigged plain, to improve action and increase strikes.



The Lil' Stubby lure is deadly - plain or rigged in front of live bait - and has proven deadly on all game fish. This lure catches anything that swims!



ALSO AVAILABLE

RIGGED&READY

THREE VERSIONS:

MONO (RR)

Mono Rigged & Ready (denoted with an 'RR' in the part number) features a 7/0 Mustad Hook, AFW Swivel, 100 lb (45.3 kg) Grand Slam Mono, 6 ft (1.8 m).

MONO BAIT RIG (LSBR)

Mono Bait Rig (denoted with an 'LSBR' in the part number) features a 7/0 Mustad Hook, AFW Swivel, Bait Spring & Pin, 100 lb (45.3 kg) Grand Slam Mono Line, 6 ft (1.8 m).

BALLYHOO RIG (BRLS)

Ballyhoo Rig (denoted with an 'BRLS' in the part number) features a 7/0 Mustad Hook, Bait Spring & Pin, AFW Tooth Proof Leader Wire, Camo Brown, 3 ft (0.91 m).

ACTUAL SIZE

































CH-SBB01U CH-RRSB01U **CH-SBBBR01U** Silver/Blue Mylar Underskirt

CH-SBB02U CH-RRSB02U Blue/Pearl Mylar Underskirt

CH-SBB03U CH-RRSB03U Blue/Pink/Silver Mylar Underskirt

CH-SBB04U CH-RRSB04U Green/Chartreuse/Green Mylar Underskirt

CH-SBB05U CH-RRSB05U **CH-SBBBR05U** Green Fleck/Chartreuse Mylar Underskirt

CH-SBB06U CH-RRSB06U Orange/White/Chartreuse Mylar Underskirt

CH-SBB07U Black/Pink/Pearl Mylar Underskirt

CH-SBB08U **CH-RRSB08U CH-SBBBR08U** Pink/White Mylar Underskirt

CH-SBB09U CH-RRSB09U Purple/Pearl Mylar Underskirt

CH-SBB10U CH-RRSB10U Black/Red/Pearl Mylar Underskirt

CH-SBB11U CH-RRSB11U Rainbow Vinyl

CH-SBB12U CH-RRSB12U Black/Purple/Pearl Vinyl

CH-RRSB13U Blue/Silver/Pink Vinyl

STUBBY BUBBLER™

Overall Length: 5.5 in (13.9 cm)

A combination of the famous Lil' Stubby head and the Lil' Bubbler. The Stubby Bubbler has additional holes in the head which gives a bubble trail similar to the Jet Head. A great light tackle lure.



The Stubby Bubbler has additional holes in the head which gives a bubble trail similar to the Jet Head.

ALSO AVAILABLE

RIGGED®READ

TWO VERSIONS:

ACTUAL SIZE

MONO (RR)

Mono Rigged & Ready (denoted with an 'RR' in the part number) features a 7/0 Mustad Hook, AFW Swivel, 100 lb (45.3 kg) Grand Slam Mono, 6 ft (1.8 m).

MONO BAIT RIG (BBBR)

Mono Bait Rig (denoted with an 'BBBR' in the part number) features a 7/0 Mustad Hook, AFW Swivel, Bait Spring & Pin, 100 lb (45.3 kg) Grand Slam Mono Line, 6 ft (1.8 m).



Point-of-Purchase Display

Skirts, Full Color Display Box, Assorted Colors, 48 pc

CH-DS-SBB1U C&H, Stubby Bubbler POP Display, Style SBB, Vinyl/Mylar





ACTUAL SIZE

LIL' BUBBLER®

Overall Length: 5.5 in (13.9 cm)

The C&H Lil' Bubbler® features a concave head designed to create a large bubble trail. This action packed lure is ideal for use in drop back application because of its weightless head. Proven effective on striped marlin and sailfish.



Overall Length: 5.5 in (13.9 cm)

C&H Lil' Swimmer is a highly productive lure when used plain or combined with natural bait. Natural bait combinations include: ribbonfish, ballyhoo, cigar minnow or strip-bait. Pulsating Skirt Drives Fish Crazy! All Lil' Swimmers are Rigged & Ready and feature a 7/0 Mustad Hook, AFW Swivel, 100 lb (45.3 kg) Grand Slam Mono, 6 ft (1.8 m).

ACTUAL SIZE

New, Improved Quality **Crystal-Clear Heads!**





0-824-9473	LURES 147
CH-LB41U Blue/White Belly Vinyl	
CH-LB43U Pink/White Belly Vinyl	
CH-LB45U Green/Yellow Belly Vinyl	
CH-LB48U Black/Purple Belly Vinyl	
CH-LB49U Black/Red Belly Vinyl	
CH-LB50U Rainbow Vinyl	
CH-LB51U Blue/Silver/Pink Vinyl	
CH-LB52U Green/Chartreuse/Orange Vinyl	
CH-LSW01U Blue/White Vinyl	
CH-LSW03U Blue/Pink Pearl Vinyl	
CH-LSWO4U Green/Chartreuse/Blue Vinyl	
CH-LSW13U Pink/White Vinyl - Silver Mylar	
<mark>CH-LSW19U</mark> Black/Red Vinyl - Silver Mylaı	
CH-ISW311	()

CH-LSW31U Chartreuse/Green/Orange Vinyl

> CH-LSW32U White/Blue Vinyl

2.5 oz HEAD

CH-JH60-2.5U


Green/Yellow Vinyl



JET HEAD

Overall Length 2.5 oz Head: 9 in (22.8 cm) Overall Length 5 oz Head: 10.5 in (26.6 cm)

This all-time favorite lure, the C&H Jet Head, has a chrome head with extra holes that produce a stream of bubbles below the surface of the water. The pointed and weighted head allows the lure to run straight and deep, putting it in the hot zone. Possibly the





PEARL BABYTM

Overall Length Standard: 3 in (7.62 cm) Overall Length Long: 7.25 in (18.4 cm)

The C&H Pearl Baby features a shiny tinsel skirt and is perfect for all striking fish! This lure works great at slow speeds, 4-6 knots, and is a MUST for Kingfish. Also works nicely for sailfish, dolphin, and tuna. Available in 3-packs where noted.



CH-PB01-1/8U CH-PB1-1/8-3PKU Pearl Tinsel 1/8 oz Head

CH-PB02-1/8U CH-PB2-1/8-3PKU Pink/Pearl Tinsel 1/8 oz Head

CH-PB03-1/8U CH-PB3-1/8-3PKU Chartreuse Tinsel 1/8 oz Head

CH-PB07-1/8U CH-PB7-1/8-3PKU Silver Tinsel 1/8 oz Head

3/4 oz HEAD

1/8 oz HEAD

CH-PB01-3/4U Pearl Tinsel 3/4 oz Head

CH-PB02-3/4U CH-PB2-3/4-3PKU Pink/Pearl Tinsel 3/4 oz Head

CH-PB03-3/4U Chartreuse Tinsel 3/4 oz Head

> CH-PB07-3/4U Silver Tinsel 3/4 oz Head



1/8 oz HEAD - LONG SKIRT

The Original Pearl Baby is a MUST for Kingfish!



CH-PBL01-1/8U Long Pearl Tinsel 1/8 oz Head

CH-PBL02-1/8U Long Pink/Pearl Tinsel 1/8 oz Head

CH-PBL03-1/8U Long Chartreuse Tinsel 1/8 oz Head

> **CH-PBL07-1/8U** Long Silver Tinsel 1/8 oz Head



ACTUAL SIZE



EXPRESS DEEP RUNNER™

Overall Length: 14 in (35.5 cm)

The Express Deep Runner is one of the fastest of all the C&H Lures. The hand-crafted weighted head helps it to run just below the surface of the water, even when trolled up to 20 knots. The best







The chrome-plated jet head is perfectly balanced to run true and create a prominent bubble trail while trolled.

CH-EXUTO128 Pink/Orange 2 Yellow Veins Pink/Orange PVC



BB-MM02U

Red / Black



MICRO MINI™

Weight: 0.25 oz (7.1 g), Length: 2.5 in (6.4 cm)

Billy Baits Micro Mini is available in a variety of skirt materials. Some even glow in the dark. This big action, small lure sits perfectly on top of a ballyhoo and can be used in salt water and fresh water. Troll it on downriggers, flatlines or planners, from 1 to 10 knots. Catches kingfish, wahoo, dolphin, salmon and other striking species.





BB-MH15U

Blue Silver/Blue Firetip, Concave Head

MASTER HOOKERTM

Weight: 1.25 oz (35.4 g), Length: 5.5 in (13.9 cm)

Billy Baits Master Hooker with its blunt concave head is designed for smoke and turbulence trails and can be trolled with or without bait. It is precision machined to exacting tolerances and includes Billy's special 360 degree turbulence ring. Its three machine drilled vent holes which enhance the smoke trail, plus two external rattles which fish love. Troll between 2 to 10 knots.



154 LURES





BB-MTS19BU BB-MTSM19B Pearl/Chartreuse/Green Firetip, Concave Head



BB-MTSM20U

BB-MTS23U BB-MTSM23

Red/Silver/Blue/Blue, Concave Head

Pink/Silver/Pink, Concave Head

LURES 155



ALSO AVAILABLE

RICCED®READY

TWO VERSIONS:

MONO (MTSM) Mono Rigged & Ready (denoted with an 'MTSM' in the part number) features a 7/0 Mustad Hook, AFW Swivel, 100 lb (45.3 kg) Grand Slam Mono, 6 ft (1.8 m).

CABLE RIG (MTSBC) Cable Rigged & Ready version (denoted with a 'MTSBC' in the part number) features a 7/0 Mustad Hook, AFW Swivel, 135 lb (61 kg) AFW Surfstrand Cable, 3 ft (0.9 m).



BB-MTS25U BB-MTSM25 Green/Yellow/Orange Firetip, Concave Head

> **BB-MTS27U BB-MTSM27** Pink/White/Pink, Concave Head

BB-MTS37U BB-MTSBC37U Black/Purple/Purple Firetip, Concave Head

BB-MTS38U BB-MTSM38 Blue/Silver/Blue Firetip, Concave Head

BB-MTS71U BB-MTSM71 **BB-MTSBC71U** Pearl/Blue Shimmer, Concave Head

BB-MTS72U BB-MTSM72 **BB-MTSBC72U** Purple Shimmer/Black Shimmer, Concave Head

> **BB-MTS74U** Pearl/Pink Shimmer, Concave Head





BB-TS-S15F Chrome Head Blue/White, Pearl/Crystal Flash

BB-TS-S16F Chrome Head Green/Chartreuse, Pearl/Crystal Flash

BB-TS-S18F Chrome Head Black/Red, Pearl/Crystal Flash

BB-TS-S20F Chrome Head Black/Purple, Pearl/Crystal Flash

BB-TS-S21F Chrome Head Pink/White, Pearl/Crystal Flash

BB-TS-S22F Chrome Head Blue/Pink, Pearl/Crystal Flash

BB-TS-M15F Chrome Head Blue/White, Pearl/Crystal Flash

BB-TS-M16F Chrome Head Green/Chartreuse, Pearl/Crystal Flash

BB-TS-M18F Chrome Head Black/Red, Pearl/Crystal Flash

BB-TS-M20F Chrome Head Black/Purple, Pearl/Crystal Flash

BB-TS-M21F Chrome Head Pink/White, Pearl/Crystal Flash

BB-TS-M22F Chrome Head Blue/Pink, Pearl/Crystal Flash



Beneath the skirt of every Turbo Slammer exists a large hole and concave scoop area designed for the nose of baitfish to tuck up inside.

TURBO SLAMMER™

Weight: 1.0 oz (28.3 g), Length: 4.75 in (12 cm) Weight: 1.75 oz (49.6 g), Length: 7.5 in (19 cm) Weight: 2.5 oz (70.9 g), Length: 8.5 in (22 cm)

The Billy Baits Turbo Slammer is designed for smoke and turbulence trails when trolled 5-12 knots and used with or without baits. Rigging is simple - push the eye of the leader through the rear of the Turbo Slammer and rest the bill in the head of the rear cavity. This will make the bait track naturally and you can troll several knots faster. Recommendation: Put Billy Baits out as soon as you can trolling out and back. Don't waste your fishing time!



LURES 157

2.5 oz

BB-TS-L15F Chrome Head Blue/White, Pearl/Crystal Flash

BB-TS-L16F Chrome Head Green/Chartreuse, Pearl/Crystal Flash





Black/Red, Pearl/Crystal Flash

BB-TS-L18F Chrome Head

BB-TS-L2OF Chrome Head Black/Purple, Pearl/Crystal Flash

BB-TS-L21F Chrome Head Pink/White, Pearl/Crystal Flash

BB-TS-L22F Chrome Head Blue/Pink, Pearl/Crystal Flash

The Billy Baits **Turbo Slammer** is designed for smoke and turbulence trails!



ACTUAL SIZE

l oz

1.75 oz

2.5 oz



ACTUAL SIZE XXL



Wahoo's Worst Nightmare!



BB-MBUTO101 BB-MBUTO101XL BB-MBUTO101XXL Blue/White PVC





BB-MBUTO113 BB-MBUTO113XL BB-MBUTO113XXL Pink/White PVC









BB-MBUTO118





L Weight: 16 oz (453.5 g), Length: 16 in (40.6 cm) XL: Weight: 25 oz (708.7 g), Length: 16 in (40.6 cm) XXL: Weight: 41 oz (1162.3 g), Length: 16 in (40.6 cm)

The Billy Baits Mister Big Ultimate Series is designed for highspeed trolling and features dual cone style ends for tie-on skirts. The machine precision drilled head has eight vent holes which create a huge smoke trail. It also has internal chambers with metal spheres that rattle when trolled. Troll between 8 to 20 knots.









ACTUAL SIZE

ACTUAL SIZE

ACTUAL SIZE





MISTER BIGTM - VINYL

Weight: 16 oz (0.45 kg), Length: 16 in (40.6 cm)

4874

Mister Big was designed for the high speed trollers. This longer length Mister Big still features the classic 16 oz head which is machine drilled with eight vent holes which creates a huge smoke trail. It also has internal chambers with stainless steel balls that rattle when trolled. Mister Big is precision machined to exacting tolerances and includes Billy's special 360 degree turbulence ring. Troll between 8 to 20 knots. Wahoo's worst nightmare!

Wahoo's Worst **Nightmare!**






BB-MB120U Black-Foil / Green PVC

BB-MB122 Black/Ice Blue PVC

This Wahoo was caught by Captain Jimmy Nelson using a Mister Big Lure. www.afwfishing.com 4-1-800-824-9473









MISTER BIGTM - MYLAR

Weight: 16 oz (0.45 kg), Length: 9 in (22.8 cm)

Mister Big was designed for the high speed trollers. The 16 oz head is machine drilled with eight vent holes which creates a huge smoke trail. It also has internal chambers with stainless steel balls that rattle when trolled. Mister Big is precision machined to exacting tolerances and includes Billy's special 360 degree turbulence ring. Troll between 8 to 20 knots. Made in USA.

MYLAR



BB-MB00U Chartreuse/Green Mylar









Pearl Mylar



Wahoo's Worst **Nightmare!**



LURES 163









SMOKE RATTLE & TROLL™

Weight: 6 oz (0.17 kg), Length: 8 in (20.3 cm)

Smoke Rattle & Troll is the same size and shape as the Super Magnum. Its 6 oz head is machine drilled with five vent holes which create a larger smoke trail. It also has internal chambers with stainless steel balls that rattle. Troll between 2 to 20 knots.

Made in USA

A A










BB-SRT-04U Pearl Eye-Skirt







BB-SRT-13U Black/Red Eye-Skirt



BB-SRT-14U Blue/Chartreuse/Pink Eye-Skirt Feather





Weight: 6 oz (0.17 kg), Length: 8 in (20.3 cm) Smoke Rattle & Troll Feather is the same size and shape as the Super Magnum. Its 6 oz head is machine drilled with five vent holes which create a larger smoke trail. It also has internal chambers with stainless steel balls that rattle. Troll between 2 to 20 knots.

ACTUAL SIZE



BB-SRTFO1U Blue / White

BB-SRTF05U Dolphin

BB-SRTF13U Pink / White

BB-SRTF16U White / Blue

BB-SRTF18U Black Foil / Purple

> BB-SRTF19U Black Foil /Red




ACTUAL SIZE SUPER SMOKER™ Weight: 2 oz (0.05 kg), Length: 8 in (20.3 cm) Super Smoker's unique inner and outer jets create incredible skirt action and a longer smoke trail when trolled. Troll between 6 to 20 knots. ALSO AVAILABLE RICCED & READY **MYLAR** ONE VERSION: MONO (SMKR) Mono Rigged & Ready (denoted with an 'SMKR' in the part number) features a 7/0 Mustad Hook, AFW Swivel, 130 lb (58.9 kg) Grand Slam Mono, 6 ft (1.8 m). **BB-SMKOU** Green/Blue/Pink Skirt BB-SMKOOU BB-SMKROOU Made in USA Chartreuse/Green Skirt 12.85 BB-SMK03U BB-SMKR03U seaDe Blue/White Skirt BB-SMK07U Pink/White Skirt HI-S BB-SMK08U Blue/Fuchsia Skirt (FIF BB-SMK10U AT AT AL Green/Chartreuse/Pink Skirt 100 EVIN BB-SMK12U Black/Purple Skirt **BB-SMK13U** Black/Red Skirt **BB-SMK14U** Blue/Chartreuse/Pink Skirt



SUPER SMOKERTM II

Weight: 2 oz (0.05 kg), Length: 8 in (20.3 cm)


The Super Smoker II combines action of the jetted Super Smoker head with the life-like appearance of a Sea Witch. This lure can be trolled plain or in combination with dead bait. The two-part design protects against damage to the threads and hair. The plated aluminum heads are very durable and will outlast other plastic lures.



NYLON HAIR









BB-DC03U BB-DCR03U Blue/White Skirt

BB-DC04U Pearl Skirt

BB-DC07U Pink/White Skirt















BB-DC14U Blue/Chartreuse/Pink Skirt

DOUBLE CAVITATORTM

Weight: 2 oz (0.05 kg), Length: 7 in (17.7 cm)

Double Cavitator is a third of the size of the Super Magnum and with its precision machined head and Billy's special 360 degree turbulence ring, this lure is designed for smoke and turbulence trails. This all-time favorite is extremely productive trolled plain, but especially deadly with natural ballyhoo or Billy's Bonita Strip. Troll between 2 to 20 knots.





ONE VERSION:

MONO (DCR)

Mono Rigged & Ready (denoted with an 'DCR' in the part number) features a 7/0 Mustad Hook, AFW Swivel, 130 lb (58.9 kg) Grand Slam Mono, 6 ft (1.8 m).





SUPER MAGNUM™

Weight: 6 oz (0.17 kg), Length: 8 in (20.3 cm)

With its precision machined head and Billy's special 360 degree turbulence ring, this lure is designed for smoke and turbulence trails. This chrome plated brass lure can be used with or without bait and is ideal for wahoo, tuna and all billfish. Troll between 2 to 20 knots.





ACTUAL SIZE

.



AHI SLAYER™

Weight: 1 oz (0.028 kg), Length: 5 in (12.7 cm)

The Ahi Slayer is a light weight lure designed to run straight and dance on the surface of the water. The lure is deadly on all types of tuna and will catch dolphin, wahoo and billfish. The lure works great with or without bait. Available with feather/vinyl skirts or with holographic silicone skirts.



BB-ASO1U **BB-RRASO1U** Blue/White Feather/Vinyl



BB-ASDKO8U - Ahi Slayer Disco Kit Assorted Lures Disco Kit, 7/0 Mustad Hook, AFW Swivel, 100 lb (45.3 kg) Grand Slam Mono Line, 6 ft (1.8 m), 6 pc, Lure Bag

ALSO AVAILABLE

RICCED®READ

ONE VERSION:

MONO (RR) Mono Rigged & Ready (denoted with an 'RR' in the part number) features a 7/0 Mustad Hook, AFW Swivel, 100 lb (45.3 kg) Grand Slam Mono, 6 ft (1.8 m).

BB-AS05U BB-RRAS05U Dolphin Feather/Vinyl

BB-AS13U BB-RRAS13U Pink/White Feather/Vinyl

BB-AS18U **BB-RRAS18U** Black/Purple Feather/Vinyl

BB-AS19U BB-RRAS19U Black/Red Feather/Vinyl





ACTUAL SIZE



Weight: 2 oz (0.056 kg), Length: 4 in (10.1 cm)

The Magnum Turbo Whistler features multiple jets for unbelievable action. The lure head weighs about 2 oz but stays down due to the cupped head design. The mylar under skirt is topped with a 4 inch rubber skirt. The lure works great with or without bait. Works



172 LURES

ACTUAL SIZE



BILLY WITCH™

Weight: 0.25 oz (0.007 kg), Length: 6.5 in (16.5 cm)

The chrome / brass head is weighted just enough to keep the bait down. Nylon hair is hand tied with right amount of hair not to hide the bait and strip of mylar to provide a flash. The hole is large enough for a Ballyhoo bill and possible to slide over the top of your leader for quick change. Troll between 2 to 8 knots.



BB-BW25U Pink/Purple Stripe



SEAWITCH®

The original SeaWitch® is the favorite of millions of sport and commercial fishermen worldwide. It is at its best when combined with natural baits such as ballyhoo, cigar minnows or strip-baits. Nylon skirts are available in solid colors and stripes.



1/8 oz

1/4 oz

1/2 oz

3/4 oz



To order SeaWitch Lures, simply add the head weight to the end of the part number. 1/2 oz blue/white lure, for example, has a part number of CH-NSW02-1/2U. See price list for a complete listing.

l oz

1 1/2 oz

2 1/2 oz

4 oz

ACTUAL SIZE



CH-NSW03-** White/Blue

CH-NSW04-** Pink/Blue

CH-NSW05-** Blue/Pink

CH-NSW06-** Blue/Chartreuse

CH-NSW07-** Chartreuse/Green

CH-NSW08-** Green/Chartreuse

CH-NSW09-** White/Red

CH-NSW10-** Red/White

CH-NSW11-** Pink/White

CH-NSW12-** White/Pink

CH-NSW13-** Pink

CH-NSW17-** Chartreuse

CH-NSW18-** Black/Purple

CH-NSW19-** Black/Red



There is only one true SeaWitch®... **Beware of imitations!** Accept no substitute!



Available in 2 oz, 4 oz, 6 oz, and 8 oz heads!

NA-AJB2U NA-AJB4U NA-AJB6U NA-AJB8U Glow Blue/White Skirt White/Blue Head

NA-AJC2U NA-AJC4U NA-AJC6U NA-AJC8U Glow Green/Chartreuse Skirt Green Head

ALIEN® JIG - OFFSHORE SERIES

The Alien Jig Offshore Series has become one of the hottest selling lures we have ever created. The angled head allows the lure to sink fast and always land upright. Originally designed for bottom fishing, our customers quickly reported unbelievable success with dolphin, cobia, stripers, bluefish, grouper, snapper, tuna, sea bass and jacks. Each jig comes pre-rigged with a swinging hook set.

Each jig comes pre-rigged with a swinging hook set.

The angled head allows the lure to sink fast and always land upright.

NA-AJPB2 NA-AJPB4 NA-AJPB6 NA-AJPB8 Pink/Blue/White Speckled Skirt

Pink/Blue Head

NA-AJW2U NA-AJW4U NA-AJW6U NA-AJW8U Fluorescent White Skirt White Head

NA-AJR2U NA-AJR4U NA-AJR6U NA-AJR8U Glow Red/Black Skirt Red Head



1.5 oz Head

with a 7/0 Hook

ACTUAL SIZE

2.5 oz Head


with a 9/0 Hook

4 oz Head with a 10/0 Hook

ALIEN®JIG - SQUID HEAD SERIES

The Alien Jig Squid Head is a welcome addition to the superpopular Alien Jig family! Certain to become one of the hottest selling jigs we have ever created, this squid-shaped lure is designed to sink fast and always land upright.

Each Alien Squid Jig comes with 3-D alien eyes, a jig hook, and patented Easy-Band Skirt with extended length squid paws. Ideal for Bluefish, Cobia, Dolphin, Grouper, Jacks, Sea Bass, Snapper, Striped Bass, and Tuna.







ALIEN® JIG - INSHORE SERIES

The Alien Jig Inshore Series is available with or without skirts and comes in 4 sizes. Great on all inshore species including: red fish, trout, flounder and Spanish mackerel.



To order No-Alibi Alien Jig Inshore Series Heads, simply add the Head Weight to the end of the part number. Please see the price list for a complete set of part numbers.

Alien Jig Inshore Series Jig Heads (Chrome, 4 weights) NA-J1/8U NA-J1/4U NA-J3/8U NA-J1/2U Chrome Chrome Chrome Chrome 1/8 oz 1/4 oz ³ pc per pack 4 pc per pack 1/2 oz 3/8 oz 2 pc 3 pc per pack per pack e 1926 ALIEN JIG 1/8 OZ





The Dolphin Delight is the most versatile and productive lure ever manufactured for the dolphin fisherman! This quality combination feather lure with rubber skirt and leaded head can't be beat. Great for trolling plain or with strip-bait. As a bonus, the leaded head makes it an easy lure to sight cast when you see a school of dolphin.

RICCED & READ

CABLE (DD) Cable Rigged & Ready version (denoted with a 'DD' in the part number) features a 7/0 Mustad Hook, AFW Swivel, 135 lb (61 kg) AFW Surfstrand Cable, 3 ft (0.9 m).

To order Dolphin Delight Lures, simply add the Head Weight to the end of the part number. A 1/2 oz blue/white mono rig, for example, has a part number of NA-DDM01-1/2U.



Check out the Dolphin Delight Assortment Cable Rigged & Ready Kit!



Part Number 6 Pocket NA-DDRRKIT-01 with Lures

NA-DD01-** Blue/White

NA-DD03-** Blue/Pink

NA-DD04-** Green/Yellow

NA-DD05-** Green/Yellow/Red

> NA-DD09-** Red/White

NA-DD10-** Silver/Red/Yellow

> NA-DD13-** Pink/White

NA-DD18-** Black/Purple

NA-DD19-** Silver/Black/Red

> NA-DD20-** Black/Red

NA-F01-** NA-RRF01-**

Yellow



TROLLING FEATHER

The famous No-Alibi Trolling Feathers, introduced in 1926, are a must to millions of salt water anglers. Use them plain or rigged with natural bait. A variety of sizes ensures that all trolling needs are met. Troll from 2 to 20 knots and from surface to downriggers.



RIGGED & READY


LLING FEATHER



LURES 179

To order No-Alibi Trolling Feather Lures, simply add the head weight to the end of the part number. A 1/2 oz yellow lure, for example, has a part number of NA-F01-<u>1/2U</u>.

Please see the price list for a complete set of part numbers.





- **LEADER SLEEVES**
- **MIGHTY MINI CRANE SWIVELS**
- **BRASS CRANE SWIVELS**
- **BALL BEARING SWIVELS**
- BRASS HEAVY SWIVELS
- **STAINLESS STEEL BALL BEARING SWIVELS**
- **BRASS SLEEVE SWIVELS**
- **3-WAY SWIVELS**
- BRASS COMBINATION SWIVELS
- BRASS SINKER SLIDE
- COASTLOCK SNAPS
- **INTERLOCK SNAPS**
- DUO LOCK SNAPS
- MIGHTY MINI SNAP SWIVELS
- **BRASS COASTLOCK SNAP CRANE SWIVELS**
- **BALL-BEARING SNAP SWIVELS**
- **STAINLESS STEEL BALL-BEARING SNAP SWIVELS**
- **BRASS DUAL SNAP SWIVELS**
- **BALL-BEARING DUAL SNAP SWIVELS**
 - **STAINLESS STEEL BALL-BEARING DREDGE SWIVELS**

AFW COLOR-CODED TERMINAL TACKLE PACKAGING

The color bars on the tops of the terminal tackle packages makes merchandising and restocking much easier. Plus the color-coding helps your customers quickly find the exact products they're looking for... and they make your store look great! See pages 42-65 for tackle!



Color-coded packaging helps your customers quickly find the right products!





BULK WIRE FOR TACKLE MANUFACTURERS

AFW has the experience, skill, and desire to help you with your special fishing wire and cable requirements. We can supply wire, strand, and cable cut to length, in bundles or hanks, or on a large selection of coil and spool dimensions and weights not listed in this catalog. For more information please contact our Sales office.



PLANOGRAM PROGRAMS

We can design custom planograms around store requirements. We can prepare large, full line planograms containing a broad variety of items, or smaller, more product-specific panels. Most of our retail products are dimensionally correct for merchandising on pegboard and slatwall. Some of our larger, heavier retail products can be shelved or placed on the base deck. All retail products contain UPC labeling.

PEGBOARD SPINNERS

The 2-sided and 4-sided spinner displays are the perfect solution for retailers looking to add a comprehensive range of tackle in a limited space. Our 2-sided, free-standing spinner takes up little more than one square foot of floor space, and can hold a good selection of products. We can provide custom header signs for your store (see examples below). Both displays are durable and easy to assemble.



Four-Sided Pegboard Spinner • 8" wide x 8" deep x 20" high (20.3 cm x 20.3 cm x 508 cm) • Revolving base Blue (translucent) Ships assembled at 7 lb (3.2 kg) • 50, 4" metal hooks and header included 8011-010

Two-Sided Pegboard Spinner

- 16"wide x 60" high (40.64 cm x 152.4 cm)
- Revolving base
- Blue (translucent)
- Ships flat in two boxes
- Easy assembly, no tools required 37.4 lb (17 kg)
- 100, 4" metal hooks and header included

8001-100

Spool Shelf for Two-Sided Spinner 8011-020

Boat Decals Available Upon Request Ask Your Sales Representative For More Information.






Trusted fo eors...













AFW is the leading US wire leader producer and the originator the world's first knottable leader wire. We offer the industry's most complete line of wire products made in the United States. Our brands include Tooth Proof, Surflon, Surfstrand and 49 Strand. We also offer a wide array of advanced products including kink-free and knottable wire, copper trolling wire and Mighty Mini 100% stainless steel tackle.

FISHING BRANDS

Hi-Seas is rapidly becoming the line of choice by many top anglers, pros and TV personalities. We offer a complete line of mono, fluorocarbon and super line products. Grand Slam, Quattro, Black Widow and Hi-Seas 100% fluorocarbon are asked by name worldwide. Together, both brands offer a complete range of fishing gear ranging from line and leader to tools and gloves.

The Original...Since 1961

No matter where you're headed or what you're headed for, Triple Fish mono and fluoro are dependable, anglerfriendly fishing lines that offer unbeatable value for weekend warriors! These European-made monofilament and fluorocarbon fishing lines are known for their perfect combination of quality and value that rookie and veteran anglers will immediately recognize the outstanding value of Triple Fish!

For more than four decades, C&H Lures are known the world over for catching tournament winning fish. Each and every C&H Lure was designed by fishermen for fishermen. No matter if you're fishing competitively for billfish, wahoo, or kingfish, or just out on the water for fun, drop back C&H Lures and get ready for action. Regardless of the conditions, C&H Lures are deadly effective on all striking saltwater fish. The results and legendary product names like King Buster, Lil' Stubby, Stubby Bubbler, Alien, Tuna Tango, Wahoo Wacker, Rattle Jet and Seawitch speak for themselves. Be a winner with C&H!

Born in the Florida Keys in 1993, Billy Baits have been raising fish in record numbers ever since. This innovative line of metal head trolling lures is deadly effective for catching tung, wahoo, dolphin, sailfish, blue marlin, white marlin, striped marlin and kingfish. Every Billy Bait is designed to run straight and true and to be irresistible to game fish. There's the notorious Mr. Big and Smoke Rattle & Troll lures that incorporate drilled jets and internal rattles for high speed wahoo trolling, the infamous Mini Turbo Slammer and Master Hooker lures that create killer smoke and turbulence trails, and the deadly Ahi Slayer that dances on the surface of the water and mesmerizes dolphin, wahoo, and small billfish. No matter which Billy Bait you choose, have your drag set and be ready for action!

The enduring No-Alibi line of lead-head lures and jigs was first introduced in 1926 and has remained some of the hottest selling and most productive lures for catching fish to this day! The unique feather and vinyl skirted Dolphin Delight trolling lure is THE most effective lure for catching dolphin ever created, and the versatile Alien Jig, that sinks fast and stays vertically planted on its head, catches not only bottom fish like grouper, snapper, sea bass and jacks, but also cobia, striped bass, bluefish, and tuna. There are lots of imitators - but no knockoffs compare and no striking fish can resist genuine No-Alibi!

A longtime favorite for anglers throughout the Mid-Atlantic region, Aqua-Clear Tackle has been producing and selling high quality rigs for over 40 years by providing single and double bottom fishing rigs utilizing clear injection molded components that minimize tangles and ready to use right out of the package. Our rigs are produced with the highest quality components, and our signature Aqua-Clear T-Standoff helps prevent tangles and maintains a distance between the main leader and hook sub leaders.



Ordering made even easier...

After a year in development, our B2B website is complete and ready for orders!

Image: A logic logi
Tel:
9 Tooth Proof Stainless Steel Single Strand Leader Wire, 105 lb / 48 kg test, .022 7 0.56 mm dia, Bright, 1 lb / 0.45 kg Coil
Description TOOTHPROOF Standards wire lives up to its name and provides maximum protection against the ferocious jaws of Brancuda. Ring Macketer Walsoo and there tody first, Made from specially controlled Type D1d stanless steet combination of flexibility and strength. Tooth Prod processes in comparable abustion restinger and strength of the processes in comparable abustion restinger and strength. Tooth Prod

Order Drill-down Page

Complete

Complete

\$135.12

\$261.33

9/11/2019

8/27/2019

FWJ-3.5T-8	Brass Sleeve Swivels, 3.5 mm ID, Size #3/0, 310 lb (140 kg) test, Nickel, 100 pc	z	2.00 shipped	1
FT882508/50	Solid Brass Ball Bearing Snap Swivels with Double Welded Rings, Size #7, 250 lb (113 kg) test, Gunmetal Black, 50 pc	1	1.00 shipped	1
CH-TT39	C&H, Tuna Tango Lure, Chartreuse Foil/Orange Skirt, 1.75 oz (49.6 g) Head, 5.75 in (14.6 cm)	48	46.00 shipped	-
CH-TT18	C&H, Tuna Tango Lure, Black/Purple Skirt, 1.75 oz (49.6 g) Head, 5.75 in (14.6 cm)	48	48.00 shipped	5
ITEM #	DESCRIPTION	QTY	STATUS	i

The website provides expanded content and an enhanced shopping experience, featuring:

- Higher quality product images
- Extended product descriptions and selling features
- Suggested retail prices
- Fully translatable text via Google Translate •
- More browser friendly, easier to navigate
- Expanded content, including videos and instructional downloads

Plus, take more control over your purchasing and speed your reordering time with these features:

- View your order history, including shipped & back-ordered items
- Save carts for frequently reordered items
- Monitor the status of shipped and back ordered items
- View tracking information and see when to expect delivery

Place your next order on-line! Ask your account manager for login details.

Email: sales@afwfishing.com Toll Free: 1-800-824-WIRE (9473)

www.afwfishing.com

AFW Fishing Brands 440 Highlands Blvd. Coatesville, PA 19320-5808 USA Toll Free: 1-800-824-WIRE (9473) Int'l Phone: 1-610-466-6100 Fax: 1-610-384-7260 www.afwfishing.com sales@afwfishing.com







www.facebook.com/AmericanFishingWire www.facebook.com/HISEAS www.facebook.com/CandHLures





www.instagram.com/afwhiseas www.instagram.com/hiseasfishingline www.instagram.com/candhlures